
SMD Multilayer Chip Varistor

AMCV-0402LC





> FEATURES:

- SMD type, small size suitable for high density mounting
- Excellent clamping ratio and strong capability of voltage surge suppression
- Excellent solderability (Ni, Sn plating)

> APPLICATIONS:

- Transient voltage protection and voltage surge suppression for LED lighting
- Suitable for LCD-TV, STB, Switch, Router, PLC, Security System, smart meters, mobile phones
- Suppressing Induced / switching over-voltage caused by lightning and power
- Protecting DC-DC Module, I/O ports, IC driver

> STANDARD SPECIFICATIONS:

Operating Temperature: $-55^{\circ}\text{C} \sim +125^{\circ}\text{C}$

Storage Temperature: $-10^{\circ}\text{C} \sim +40^{\circ}\text{C}$ and RH 70% (Max.)

Part Number	Max. Working Voltage		Varistor Voltage	Max. Clamping Voltage		Rated Single Pulse Transient		Typical Capacitance
Test Condition	<20 DC	0μA AC RMS	@1mA DC	8/20µs	ESD	Energy 10/1000μs	Peak Current 8/20µs	@0.5V _{rms} , 1MHz
Units	Volts	Volts	Volts	Volts	Volts	Joules	Amps	pF
Symbol	$V_{ m WDC}$	$V_{ m WAC}$	$ m V_{B}$	$V_{\rm C}^{*1}$	$V_{\rm C}^{*2}$	E_{T}	I_P	С
AMCV-0402LC-140-C100	14.0	10.0	16.0-22.0	30	39	0.005	2	10
AMCV-0402LC-140-C120	14.0	10.0	16.0-22.0	30	39	0.005	2	12
AMCV-0402LC-180-C050	18.0	12.7	22.0-28.0	40	48	0.005	2	5
AMCV-0402LC-180-C100	18.0	12.7	22.0-28.0	40	48	0.005	2	10
AMCV-0402LC-260-C030	26.0	18.4	31.0-38.0	58	70	0.003	1	3
AMCV-0402LC-260-C100	26.0	18.4	31.0-38.0	58	70	0.005	2	10

*1: Vc, Maximum peak voltage across the varistor measured at a specified pulse current and waveform.

Energy Rating 0.00- 0.05 Joule 1A, 8/20μs 0.10 Joule 2A, 8/20μs 0.20-0.50 Joule 5A, 8/20μs

*2: Vc, Maximum peak voltage across the varistor measured at 30ns after initiation of pulse on IEC61000-4-2 30A/8KV.

Test Conditions

Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

a. Ambient Temperature: 20±15°C b. Relative Humidity: 65±20% c. Air Pressure: 86 kPa to 106 kPa

Items	Test Methods and Remarks		
Varistor Voltage at 1mA DC (V _B)	Measuring current: 1mA DC Duration: 0.2 to 2 sec		
Capacitance (C)	Measure source: 0.5 V _{RMS} Test frequency: 1MHz.		
Leakage Current (I _L)	Measuring voltage: Maximum DC working voltage		
Clamping Voltage (V _C)	Measuring source: 8/20us waveform, ESD waveform		




SMD Multilayer Chip Varistor

AMCV-0402LC












OUTLINE DIMENSION:



Materials



	Part Name	Material
1	Base Material	ZnO
2	Internal Conductor	Ag-Pd
3	Terminal Electrode	Ag (Inner layer) Ni-Sn (Outer layer)









SMD Multilayer Chip Varistor

AMCV-0402LC

RoHS Compliant




REFLOW PROFILE:



Preheat Condition	150 to 200 °C; 60 to 120 sec.
Allowed time above 217 °C	60 to 90 sec.
Max temperature	260 °C
Max time at max temperature	10 sec.
Solder paste	Sn/3.0Ag/0.5Cu
Allowed Reflow time	2x max.

TAPE & REEL:



Storage Conditions

- a. The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to high humidity Package must be stored at 40°C or less and 70% RH or less.
- The solderability of the external electrode may be deteriorated if packages are stored where they are exposed to dust of harmful gas (e.g. HCI, sulfurous gas of H₂S).
- c. Packaging material may be deformed if package are stored where they are exposed to heat of direct sunlight.
- d. Solderability shall be guaranteed for 6 months from the date of delivery on condition that they are stored at the environment specified in 1.3. The parts that are stored more than 6 months shall be checked solderability before use.

 Dimension: mm

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



