

Features

- PPAP ready and supported
- TS16949 certified production lines
- AEC-Q200 Grade 0 qualified $(-55^{\circ}C \sim +155^{\circ}C)$
- Shielded construction
- Soft saturation
- Low DCR, High Efficiency

Applications

- Body electronics and comfort system
- Infotainment and entertainment
- Electric vehicles
- Lighting
- Solar inverters and power
- Industrial and robotics
- Medium and high power switch mode power supplies.

Electrical Spec	cifications
------------------------	-------------

Part Number	Inductance	Tolerance	DC Resistance	Saturation Current	Temperature Rise Current	
	0.1MHz/0.1V		Typ/Max	Typ/Max	Max	
Units	μH	%	mΩ	Α	Α	
Symbol	L	Μ	DCR	Isat	Irms	
ASPIAIG-QLR5050-5R6	5.6	М	22.0 / 24.2	7.2	7.2	
ASPIAIG-QLR5050-6R8	6.8	М	26.0 / 28.6	6.6	6.4	
ASPIAIG-QLR5050-8R2	8.2	М	29.5 / 32.5	6.1	6.1	
ASPIAIG-QLR5050-100	10	М	39.0 / 43.0	5.4	5.0	

Test Conditions

Isat: DC current at which the inductance drops 20% from its value. **Irms**: DC current that causes the temperature rise (Δ T, approximate 40 °C) from 20°C ambient


Operating Temperature: -55°C ~ +155°C (including self-temperature rise) **Storage Condition:** -55°C ~ +155°C and R.H. 60 max **Operating Voltage:** 15V (across inductor) **ASPIAIG-QLR5050 Series is RoHS Compliant and Pb free ASPIAIG-QLR5050 is AEC-Q200 Grade 0 qualified (-55°C ~ +155°C) MSL level:** 1



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com


REVISED: 02-09-21

ABRACON IS ISO9001-2015 CERTIFIED






Mechanical Dimensions



Series	Α	В	С	D	E	F
ASPIAIG-Q5030	6.0 ± 0.2	5.7 ± 0.2	4.8 ± 0.2	4.3 ± 0.3	1.1 ± 0.2	2.3 ± 0.25

Recommended Land Pattern



L Typ.	G Typ.	Н Тур.
4.5	2.0	4.7

Dimensions: mm




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 02-09-21



Materials



	Components	Material
а	Core	Alloy powder
b	Wire	220 deg. C Flat Wire
с	Solder	100% Pb free solder
d	Ink	Halogen-free ketone




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com


REVISED: 02-09-21

ABRACON IS ISO9001-2015 CERTIFIED

MSL Level = 1



Reflow Profile




Zone	Description	Temperature	Times
1	Preheat	$\begin{array}{l} T_{SMIN} \sim T_{SMAX} \\ 150^{\circ}C \sim 200^{\circ}C \end{array}$	$60 \sim 180$ sec.
2	Reflow	Т _L 217°С	60 ~ 150 sec.
3	Peak heat	T_P 260°C±5°C	10 sec. MAX



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com


REVISED: 02-09-21

ABRACON IS ISO9001-2015 CERTIFIED




Packaging

Tape & Reel: 1500 pcs/reel)



W	F	Р	D	A ₀	B ₀	Т	K ₀
16.0±0.3	7.5±0.1	8.0±0.1	1.5±0.1	6.4±0.1	6.1 ±0.1	0.35 ± 0.05	5.3 ± 0.1



Dimension: mm

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 02-09-21

