


# HR-SCU

Size: SC

# Data sheet

#### **Dimensions**



<sup>5)</sup> After 3 cycles of charge and discharge under the conditions of 1), followed by the measurement 1~4 hours later.

### Capacity

| Nominal <sub>1)</sub> | 3000 mAh |
|-----------------------|----------|
| Minimum <sub>1)</sub> | 2700 mAh |

<sup>1)</sup>Single cell capacity under the following condition.

Charge: 270 mA × 16 hours, Discharge: 540 mA(E.V.=1.00 V) at 20 °C

General Specifications

| deneral opecinications  |                                      |                |                           |  |
|-------------------------|--------------------------------------|----------------|---------------------------|--|
| Nominal Voltage         |                                      |                | 1.2 V                     |  |
| End Voltage             |                                      |                | 1.00 V                    |  |
| Charging Current x Time |                                      | Fast Charge 2) | 3000 mA x about 1.1 hours |  |
| Ambient Temp.           | Charge<br>Condition <sub>3)</sub>    | Fast Charge 2) | 0 °C ~ +40 °C             |  |
|                         | Discharge<br>Condition <sub>3)</sub> | Recommended    | 0 °C ~ +50 °C             |  |
| Relative Humidity 4)    |                                      | 45 % ~ 85 %    |                           |  |

<sup>2)</sup>Use recommended charging system.


Storage Conditions

| Citings Conditions   |                   |                 |  |  |
|----------------------|-------------------|-----------------|--|--|
| Ambient Temp.        | Less than 30 days | -20 °C ~ +50 °C |  |  |
|                      | Less than 90 days | -20 °C ~ +40 °C |  |  |
|                      | Less than 1 year  | -20 °C ~ +30 °C |  |  |
| Relative Humidity 6) |                   | 45 % ~ 85 %     |  |  |
|                      |                   |                 |  |  |

<sup>6)</sup>No water condensation.

# Nominal Charge Characteristics

Nominal Discharge Characteristics



- ·Single cell performance and lifespan are greatly affected by usage and temperature conditions.
- •Test results vary depending on individual cells.
- Each values included in this material are intended to describe performance. They are not guaranteed.

<sup>3)</sup>Charge or discharge on outside the recommended temperature range may generate the battery degradation.

<sup>4)</sup>No water condensation.