SunLED
www.SunLEDusa.com

Part Number: XDMYK57A

57mm (2.3") SINGLE DIGIT NUMERIC DISPLAY

Features

- Low power consumption
- Robust package
- I.C. Compatible
- Standard configuration: Gray face w/ white segments
- Optional black face provides superior color contrast
- RoHS Compliant



Package Schematics



Notes:
1. All dimensions are in millimeters (inches), Tolerance is ±0.25(0.01")unless otherwise noted.
2. Specifications are subject to change without notice.

Absolute Maximum Ratings (T_A=25°C)		**MYK (AlGaInP)**	**Unit**
Reverse Voltage (Per Chip)	V_R	5	V
Forward Current (Dp)	I_F	30 (30)	mA
Forward Current (Peak) 1/10 Duty Cycle 0.1ms Pulse Width (Dp)	i_{FS}	175 (175)	mA
Power Dissipation (Per Chip)	P_D	150	mW
Operating Temperature	T_A	-40 ~ +85	°C
Storage Temperature	Tstg	-40 ~ +85	
Lead Solder Temperature [2mm Below Package Base]	260°C For 3~5 Seconds		

Operating Characteristics (T_A=25°C)		**MYK (AlGaInP)**	**Unit**
Forward Voltage (Typ.) (Dp) (I_F=10mA)	V_F	7.8 (3.9)	V
Forward Voltage (Max.) (Dp) (I_F=10mA)	V_F	10 (5.0)	V
Reverse Current (Max.) (Per Chip) (V_R=5V)	I_R	10	uA
Wavelength of Peak Emission CIE127-2007* (Typ.) (I_F=10mA)	λP	590*	nm
Wavelength of Dominant Emission CIE127-2007* (Typ.) (I_F=10mA)	λD	590*	nm
Spectral Line Full Width At Half-Maximum (Typ.) (I_F=10mA)	△λ	20	nm
Capacitance (Typ.) (V_F=0V, f=1MHz)	C	20	pF

Part Number	Emitting Color	Emitting Material	Luminous Intensity CIE127-2007* (IF=10mA) ucd min.	Luminous Intensity CIE127-2007* (IF=10mA) ucd typ.	Wavelength CIE127-2007* nm λP	Description
XDMYK57A	Yellow	AlGaInP	255000 88000*	719990 209990*	590*	Common Anode, Rt. Hand Decimal

*Luminous intensity value and wavelength are in accordance with CIE127-2007 standards.



RELATIVE INTENSITY Vs. CIE WAVELENGTH

❖ MYK



FORWARD CURRENT Vs
FORWARD VOLTAGE



LUMINOUS INTENSITY Vs.
FORWARD CURRENT



FORWARD CURRENT
DERATING CURVE



LUMINOUS INTENSITY Vs.
AMBIENT TEMPERATURE



FORWARD CURRENT Vs.
FORWARD VOLTAGE



LUMINOUS INTENSITY Vs.
FORWARD CURRENT



FORWARD CURRENT
DERATING CURVE



LUMINOUS INTENSITY Vs.
AMBIENT TEMPERATURE

Wave Soldering Profile for Thru-Hole Products (Pb-Free Components)



Notes:
1. Recommend pre-heat temperature of 105℃ or less (as measured with a thermocouple attached to the LED pins) prior to immersion in the solder wave with a maximum solder bath temperature of 260℃
2. Peak wave soldering temperature between 245℃ ~ 255℃ for 3 sec (5 sec max).
3. Do not apply stress to the epoxy resin while the temperature is above 85℃.
4. Fixtures should not incur stress on the component when mounting and during soldering process.
5. SAC 305 solder alloy is recommended.
6. No more than one wave soldering pass.
7. During wave soldering, the PCB top-surface temperature should be kept below 105℃.

Remarks:

If special sorting is required (e.g. binning based on forward voltage, luminous intensity / luminous flux, or wavelength),

the typical accuracy of the sorting process is as follows:

1. Wavelength: +/-1nm
2. Luminous Intensity / Luminous Flux: +/-15%
3. Forward Voltage: +/-0.1V

Note: Accuracy may depend on the sorting parameters.

PACKING & LABEL SPECIFICATIONS



10PCS/TUBE



260 PCS/BOX

26 TUBE/BOX

Inside Label On IC-tube



Date

Number OF FQC

LOT NO.

Outside Label On Box



Number OF QA

Date

TERMS OF USE

1. Data presented in this document reflect statistical figures and should be treated as technical reference only.
2. Contents within this document are subject to improvement and enhancement changes without notice.
3. The product(s) in this document are designed to be operated within the electrical and environmental specifications indicated on the datasheet. User accepts full risk and responsibility when operating the product(s) beyond their intended specifications.
4. The product(s) described in this document are intended for electronic applications in which a person's life is not reliant upon the LED. Please consult with a SunLED representative for special applications where the LED may have a direct impact on a person's life.
5. The contents within this document may not be altered without prior consent by SunLED.
6. Additional technical notes are available at http://www.SunLEDusa.com/TechnicalNotes.asp