Wire Wound Magnetically Shielded SMD Power Inductor (High Current)



ASPI-2010HC

FEATURES:

- Iron based core provides large saturation current
- Low DCR lowers power loss
- Magnetic-resin shielding reduces leakage flux and Electro Magnetic Interference (EMI)
- Metal core designed for excellent shock resistance
- Low profile package takes up little PCB space

ELECTRICAL SPECIFICATIONS:

Pb RoHS/RoHS II Compliant

▷ APPLICATIONS:

- Smart Phone, Tablet, Notebook, Desktop, Server
- Blu-Ray Disc Recorder, Set Top Box
- Portable Gaming Device, Navigation Device

tel 949-546-8000 | fax 949-546-8001 | www.abracon.com

Abracon P/N:	ASPI-2010HC
Operating Temperature & Humidity	$-40^{\circ}\text{C} \sim +125^{\circ}\text{C}$ (including self heating)
Storage Temperature & Humidity:	$-10^{\circ}C \sim +40^{\circ}C$ and 70% R.H. max. (In tape and reel)

Part Number ASPI-2010HC- Inductance Code	Inductance	Inductance Tolerance	DC Resistance Max	Min. Self Resonant Frequency	Saturation Current Typ	Saturation Current Max	Temperature Rise Current Typ	Temperature Rise Current Max
Units	μH	%	Ω Max	MHz	А Тур	A Max	А Тур	A Max
Symbol	L	М		SRF Min	Isat		Irms	
ASPI-2010HC-R24	0.24	М	0.040	145	5.50	4.50	3.45	3.00
ASPI-2010HC-R47	0.47	М	0.049	102	4.70	4.00	3.10	2.70
ASPI-2010HC-R68	0.68	М	0.065	77	4.00	3.50	2.80	2.50
ASPI-2010HC-1R0	1.0	М	0.090	70	3.85	3.35	2.35	2.05
ASPI-2010HC-2R2	2.2	М	0.170	39	2.15	1.90	1.70	1.45
ASPI-2010HC-100	10	М	0.826	15	0.95	0.80	0.75	0.65

Test Conditions:

CERTIFIED

a. Ambient Temperature: $20 \pm 15^{\circ}$ C

b. Relative Humidity: 65%±20%

c. Air Pressure: 86KPa to 106KPa

Inductance (L): WK3260B LCR meter or equivalent, 1MHz, 1V.

Direct Current Resistance (DCR): HIOKI 3540 or equivalent.

Saturation Current (Isat): WK3260B LCR meter or equivalent.

Temperature rise current (Irms): Electric Power, Electric current meter, Thermometer.

Saturation Current Max: DC current at which the inductance drops less than 30% from its value without current.


CORPORATION

Saturation Current Typ: DC current at which the inductance drops approximate 30% from its value without current.

Irms: DC current that causes the temperature rise (ΔT) from 20°C ambient.

 $\Delta T \le 40^{\circ}$ C for Irms max; ΔT is approximate 40°C for Irms typ.


OPTIONS AND PART IDENTIFICATION







ASPI-2010HC


ELECTRICAL CHARACTERISTICS CURVES



OUTLINE DIMENSIONS:








RoHS/RoHS II Compliant

 Δf : Clearance between terminal and the surface of plate must be 0.1mm max when coil is placed on a flat plate.

Α	В	C Max.	D	E	F	a Typ.	b Typ.	c Typ.
2.0±0.2	1.6±0.2	1.0	1.2±0.2	0.60 ± 0.2	$0.80{\pm}0.2$	0.70	0.70	1.70

Dimensions: mm

Materials



No	Components	Material
1	Core	Soft magnetic metal
2	Wire	Polyurethane system enameled copper wire
3	Magnetic Glue	Epoxy resin and magnetic powder
4	Substrate	FeNiCu/Ag
5	Top Electrodes	Sn alloy





Visit www.abracon.com for Terms & Conditions of Sale **Revised: 01.07.13** 30332 Esperanza, Rancho Santa Margarita, California 92688 tel 949-546-8000 | fax 949-546-8001 | www.abracon.com


Wire Wound Magnetically Shielded SMD Power Inductor (High Current)




RoHS/RoHS II Compliant

ASPI-2010HC

REFLOW PROFILE:



TAPE & REEL:



Storage Conditions

- a. To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.
- b. Recommended conditions: -10° C ~ $+40^{\circ}$ C, 70% RH (Max.)
- c. Even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, product should be used within one year from the time of delivery.
- d. In case of storage over 6 months, solderability shall be checked before actual usage.

Dimension: mm

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



