





## **BODY**




Transparent polyamide based (PA-T) technopolymer. Resistant to shocks, solvents, oils with additives, aliphatic and aromatic hydrocarbons, petrol, naphtha, phosphoric esters.

Avoid contact with alcohol or detergents containing alcohol.



Zinc-plated steel.


## PACKING RINGS



Roughness of the packing ring application surface  $Ra = 3 \mu m$ .







194°F (90°C), (with oil).

#### FEATURES AND PERFORMANCES

Ultrasound welding to guarantee a perfect seal. Maximum fluid level visibility even from side positions. Lens effect for a better visibility of the fluid level.

### **TECHNICAL DATA**


In laboratory tests carried out with mineral oil type CB68 (according to ISO 3498) at 23°C for a limited period of time, the weld stood up to: 18 bar (HCZ.76 and HCZ.127) 12 bar (HCZ.254)


For use with other fluids and under different pressure and temperature conditions, please contact ELESA Technical Department.


In any case we suggest to verify the suitability of the product under the actual working conditions.



ELESA Original design







# **INCH**

Code	Description	f	d	Α	В	С	L	е	m	r	d'-0.2	f'±0.2	C# [ft lb]	2,7
911382	HCZ.76-1/2-13	2.99	1/2-13	0.87	0.59	0.87	3.9	1.57	0.71	0.45	0.41	2.99	9	0.2
911385	HCZ.127-1/2-13	5	1/2-13	0.87	0.59	0.87	5.91	3.15	0.91	0.45	0.49	5	9	0.26
911388	HCZ.254-1/2-13	10	1/2-13	0.87	0.59	0.94	10.94	7.99	0.98	0.49	0.49	10	9	0.33