





1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint

MSL = N/A: Not Applicable

ABS04W SERIES

FEATURES

- Industry's smallest Tuning Fork Crystal (1.20 x 1.00 x 0.35 mm package)
- Ideally suited for space constraint IoT, Wearables & Wireless applications
- Simultaneously optimized for low plating load & ESR over extended temperature range
- Enhanced performance for start-up time and power savings with Low Energy SoC's
- · Low profile ideal for height constraint designs
- Available with ±20 ppm set-tolerance

Electrical Specifications

APPLICATIONS

- Wearables
- · Wireless Modules
- Internet of Things (IoT)
- Bluetooth / Bluetooth Low Energy (BLE)
- Machine-to-Machine (M2M) Connectivity
- Ultra-Low Power MCU's, SoC's, Transceivers
- Near Field Communication
- ISM Band Applications

Parameters	Min.	Тур.	Max.	Units	Note
Frequency	32.768		kHz		
Operation Mode	Flexural Mode (Tuning Fork)				
Operating Temperature	-40		+85	°C	See Options
Storage Temperature	-55		+125	°C	
Frequency Tolerance @ +25°C	-20		+20	ppm	Refer to Note #1 See options
Shift through standard RoHS Reflow, (2) reflow cycles maximum	-5.00	±2.00	+5.00	ppm	260°C peak maximum reflow tem- perature, relative to stand-alone set-tolerance frequency
Temperature Coefficient:	-0.04	-0.03	-0.02	ppm/T²	
Turn-over temperature:	+20	+25	+30	°C	
Frequency Stability Over Operating Temperature, relative to in-circuit measured frequency post reflow	-200		1	ppm	Over -40°C to +85°C
Load capacitance (CL)		4.0		pF	Refer to Note #2 See Options
Equivalent Series Resistance (ESR)		<75	80	kΩ	@ +25±3°C
Equivalent Series Resistance (ESR)		<75	130	kΩ	Over -40°C to +85°C
Shunt Capacitance (C0)		1.5	2.0	pF	Combined Electrode & Package Capacitance
Motional Capacitance (C1)		6.50		fF	C1 also referred as Cm
Motional Inductance (L1)		3,800,000		mH	L1 also referred as Lm
Drive Level		0.1	0.5	μW	
Crystal sensitivity to closed-loop oscillator loading (Ts)	45	55	65	ppm/pF	Refer to Note #3
Q value	8,000	10,000			Quality Factor
Aging @ +25°C±3°C [First Year]	-3		+3	ppm	Relative to post reflow measured frequency
Aging @ +25°C±3°C [Over 10-years]	-15		+15	ppm	Relative to post reflow measured frequency
Insulation Resistance	500			ΜΩ	@ 100Vdc ± 15V

^{*}Refer to Note #1, #2, & #3 on the following page



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 12.18.2018**





ABS04W SERIES




1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable

Note #1: With an effective loop capacitance of 4.0pF, the oscillator circuit will be within set-tolerance specification; less any frequency shift due to the reflow process.


Note #2: The oscillator loop needs to present an effective loop capacitance of 4.0 pF to track the stand-alone crystal frequency. This loop capacitance is essential to ensure highest possible Closed-Loop Safety Factor for the entire population of crystals.

Note #3: Ts = - (C1) / $[2*(C0 + CL)^2]$ Where CL = 4pF

Options and Part Identification



Typical Frequency Tolerance Distribution (at $25^{\circ}C \pm 3^{\circ}C$):





5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 12.18.2018**






ABS04W SERIES




1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable

Typical ESR Distribution (at $25^{\circ}C \pm 3^{\circ}C$):



The data above reflects typical distribution, lot-to-lot variation applies

Typical Frequency vs. Temperature Characteristics:





5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com REVISED: 12.18.2018






ABS04W SERIES




1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable

Typical ESR (Equivalent Series Resistance) vs. Temperature Characteristics:



SPICE Model (based on typical values at $25^{\circ}C \pm 3^{\circ}C$):

Quartz Crystal Equivalent Circuit



<u>Pl</u>	ating	Load (CL) = 0	<u>4pF</u>
C0	=	1.54	pF
R1	=	72,895	Ω
L1	=	3,702,326	mН
C1	=	6.47	fF

<u>Pl</u>	ating	Load (CL) =	<u>6pF</u>
C0	=	1.50	pF
R1	=	72,615	Ω
L1	=	3,750,717	mН
C1	=	6.38	fF

Plating Load (CL) = 12.5pF				
C0	=	1.48	pF	
R1	=	75,455	Ω	
L1	=	3,660,470	mН	
C1	=	6.55	fF	



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 12.18.2018**






ABS04W SERIES




1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable


Mechanical Dimensions

Top View






Crystal Internal Connections



Pin #2: GND* Pin #4: NC


*Pin #2 is connected to lid of the crystal package.

Bottom View



Dimensions: mm

Recommended Land Pattern





5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 12.18.2018**






ABS04W SERIES



1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable

Recommended Reflow Profile



Zone	Description	Temperature	Time
1	Preheat / Soak	$T_{\text{SMIN}} \sim T_{\text{SMAX}}$ $150 \sim 170^{\circ}\text{C}$	80 ~ 100 sec.
2	Reflow	$T_{\rm L}$ 220°C	50 ~ 70 sec.
3	Peak heat	Т _Р 260±5°С	5 sec. MAX.



REVISED: 12.18.2018






ABS04W SERIES

Pb

1.20 x 1.00 x 0.35mm RoHS/RoHS II Complaint MSL = N/A: Not Applicable

Packaging:

T5: Tape and reel (5,000pcs/reel)



Dimensions: mm

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 12.18.2018**