
## **SMT Power Inductors**

Round Wire Coils-PG0936NL series







@ Current Rating: up to 40Apk

@ Footprint: 17.5mm x 16.7mm Max

@ Height: 10.0mm Max P No Thermal Aging

				3	9			
		Electrica	Il Specifications @ 2	5°C — Operating Tem	perature -40°C to	+130°C ¹		
Part Number	Inductance <sup>2</sup> @ Irated (μΗ Typical)	Irated <sup>3</sup> (A)	Controlled Electrical Specs.		Saturation <sup>5</sup> Current Isat (A TYP)		Heating Current 6	Core Loss Factor 7
			DCR <sup>4</sup> (mΩ) Max	Inductance @ OAdc (μH ± 20%)	25°C	100°C	ldc (A TYP)	(K2)
PG0936.471NL	0.47	40	0.87	0.47	80	65	40	20.0
PG0936.681NL	0.60	40	0.87	0.68	62	48	40	29.0
PG0936.851NL	0.74	40	0.87	0.85	50	40	40	36.3
PG0936.162NL	1.4	31	1.5	1.6	36	30	31	45.5
PG0936.282NL	2.5	24	2.2	2.8	28	23	24	59.8
PG0936.452NL	3.6	22	2.9	4.5	22	18	22	76.9
PG0936.682NL	5.4	18	3.5	6.8	18	15	21	96.8
PG0936.113NL	8.8	14	7.0	11.0	14	11.5	14	117.5
PG0936.183NL	15.4	9.8	13.8	18.0	11	9	9.8	153.8
PG0936_253NI	23.5	70	19 4	25.0	9.7	8	70	178 0

## Notes:

- 1. Actual temperature of the component during system operation (ambient plus temperature rise) must be within the standard operating range.
- Inductance at Irated is a typical inductance value for the component taken at rated current.
- The rated current as listed is either the saturation current (@ 25°C) or the heating current depending on which value is lower.
- 4. The DCR of the part is measured at an ambient temperature of 20°C±3°C from point a to b as shown below on the mechanical drawing.
- 5. The saturation current, Isat, is the current at which the component inductance drop by 20% (typical) at an ambient temperature. This current is determined by placing the component in the specified ambient environment and applying a short duration pulse current (to eliminate self-heating effect) to the component.
- 6. The heating current, Idc, is the DC current required to raise the component temperature by approximately 40°C. The heating current is determined by mounting the component on a typical PCB and applying current for 30 minutes. The temperature is measured by placing the thermocouple on top of the unit under test. Take note that the components' performance varies depending on the system condition. It is suggested that the component be tested at the system level, to verify the temperature rise of the component during system operation.

7. Core loss approximation is based on published core data:

Core Loss =  $K1 * (f)^{1.72} * (K2\Delta I)^{2.41}$  in mW

K1 = 8.68E-10

f = switching frequency in KHz


K1 & K2 = core loss factors


 $\Delta I$ = delta I across the component in Ampere

 $K2\Delta I$ =one half of the peak to peak flux density across the component in Gauss

- 8. Unless otherwise specified, all testing is made at 100kHz, 0.1Vac
- 9. Optional Tape & Reel packaging can be ordered by adding a "T" suffix to the part number (i.e. PG0936.682NL becomes PG0936.682NLT). Pulse complies with industry standard tape and reel specification EIA481. The tape and reel for this product has a width (W=32.0mm), pitch (Po=24.0mm) and depth (Ko=10.8mm).
- 10. The core is a conductive material so care should be taken when mounting this component over an exposed via or if the voltage across the terminals exceeds 24V. Trickle current through the core material may generate additional losses and potential overheating. Please contact Pulse to discuss an alternative solution if required.

**Mechanicals Schematics** 






[17.50]

**PULSE** 

PG0936.XXXNL

.657MAX

[16.70]






PIN3 IS MECHANICAL SUPPORT ONLY HAS NO INTERNAL ELECTRICAL CONNECTION

PART NUMBER	X (±0.5)	Height H
PG0936.471NL	2.5	
PG0936.681NL	2.5	.315[8.0]
PG0936.851NL	2.5	
PG0936.162NL	2.5	
PG0936.282NL	2.5	
PG0936.452NL	2.5	
PG0936.682NL	2.5	.394[10.0]
PG0936.113NL	1.4	
PG0936.183NL	1.4	
PG0936.253NL	1.4	
PG0936.253NL	1.4	

PG0936.XXXNL



## Typical Inductance vs DC Bias



For More Information Pulse Worldwide Headquarters 15255 Innovation Drive Ste 100	Pulse Europe Pulse Electronics GmbH Am Rottland 12	Pulse China Headquarters Pulse Electronics (ShenZhen) CO., LTD D708, Shenzhen Academy of	Pulse North China Room 2704/2705 Super Ocean Finance Ctr.	Pulse South Asia 135 Joo Seng Road #03-02	Pulse North Asia 3F, No. 198 Zhongyuan Road
San Diego, CA 92128 U.S.A.	58540 Meinerzhagen Germany	Aerospace Technology, The 10th Keji South Road, Nanshan District, Shenzhen, P.R. China 518057	2067 Yan An Road West Shanghai 200336 China	PM Industrial Bldg. Singapore 368363	Zhongli City Taoyuan County 32068 Taiwan
Tel: 858 674 8100 Fax: 858 674 8262	Tel: 49 2354 777 100 Fax: 49 2354 777 168	Tel: 86 755 33966678 Fax: 86 755 33966700	Tel: 86 21 62787060 Fax: 86 2162786973	Tel: 65 6287 8998 Fax: 65 6280 0080	Tel: 886 3 4356768 Fax: 886 3 4356823

15

18

DC Bias (A)

21

24

27

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2017. Pulse Electronics, Inc. All rights reserved.

.282NL@100°C

30

33

3

6

9

12

0