



## **RFBPB 2012(0805) Series – RoHS Compliance**

# MULTILAYER CERAMIC BAND PASS FILTER

- Balanced Type

## Halogens Free Product

2.4 GHz ISM Band Working Frequency

## P/N: RFBPB2012090A9T

\*Contents in this sheet are subject to change without prior notice.

## **Approval sheet**



#### FEATURES


- 1. Miniature footprint: 2.0 X 1.2 X 0.9 mm<sup>3</sup>
- 2. Low Profile Thickness
- 3. Low Insertion loss
- 4. High Rejection Rate
- 5. High attenuation on 2<sup>nd</sup> harmonic suppressed
- 6. Allowable for DC biasing.
- 7. LTCC process

## APPLICATIONS

- 1. 2.4GHz ISM band RF applications
- 2. Bluetooth, Wireless LAN 802.11b/g/n, HomeRF


## CONSTRUCTION

Top view




PIN	Definition	PIN	Definition
P1	Unbalance Port	P5	Balance Port
P2	DC/GND F		GND
P3	NC	P7	Balance Port
P4	GND	P8	GND

DIMENSIONS




## **ELECTRICAL CHARACTERISTICS**

RFBPB2012090A9T	Specification		
Frequency range	2400 ~ 2500 MHz		
Insertion Loss	2.8 dB max.		
Phase Difference	180° ± 10°		
Amplitude Difference	2 .0 dB Max		
	35dB min. @ 880 ~ 960 MHz		
Attenuation	30dB min. @ 1575 MHz		
Allenualion	25dB min. @ 1710~1880 MHz		
	30dB min. @ 4800~5000 MHz		
Attenuation30dB min. @ 1575 MHz 25dB min. @ 1710~1880 MHz 30dB min. @ 4800~5000 MHzVSWR2.1 max.Impedance (Unbalanced)50 ΩImpedance ( Balanced )Conjugate match to BC series of Bluetooth of			
Impedance (Unbalanced)	50 Ω		
Impedance ( Balanced )	Conjugate match to BC series of Bluetooth chipset		
Operation Temperature Range	-40°C ~ +85 °C		
Moisture sensitivity levels	LEVEL 1 (Refer to : IPC/JEDEC J-STD-020)		
Typical Electrical Chart			



## SOLDER LAND PATTERN





## Approval sheet

**RELIABILITY TEST** 

Test item	Test condition / Test method	Specification	
Solderability	*Solder bath temperature : $235 \pm 5^{\circ}C$	At least 95% of a surface of each terminal	
JIS C 0050-4.6	*Immersion time $: 2 \pm 0.5$ sec	electrode must be covered by fresh solder.	
JESD22-B102D	Solder : Sn3Ag0.5Cu for lead-free		
Leaching	*Solder bath temperature : $260 \pm 5^{\circ}C$	Loss of metallization on the edges of each	
(Resistance to	*Leaching immersion time : 30 $\pm$ 0.5 sec	electrode shall not exceed 25%.	
dissolution of	Solder : SN63A		
metallization)			
IEC 60068-2-58			
Resistance to soldering heat	*Preheating temperature : $120~150^{\circ}$ C,	No mechanical damage.	
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the	
	*Solder temperature : 270±5°C	descriptions in electrical characteristics under	
	*Immersion time:10±1 sec	the operational temperature range within -40	
		~ 85°C.	
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each	
	Measurement to be made after keeping at	electrode shall not exceed 25%.	
	room temperature for 24±2 hrs		
Drop Test	*Height : 75 cm	No mechanical damage.	
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the	
Customer's specification.	steel.	descriptions in electrical characteristics under	
	*Times : 6 surfaces for each units ; 2 times	the operational temperature range within -40	
	for each side.	~ 85°C.	
Vibration	*Frequency : 10Hz~55Hz~10Hz(1min)	No mechanical damage.	
JIS C 0040	*Total amplitude : 1.5mm	Electrical specification shall satisfy the	
	*Test times : 6hrs.(Two hrs each in three	descriptions in electrical characteristics under	
	mutually perpendicular directions)	the operational temperature range within -40	
		~ 85°C.	
Adhesive Strength	*Droomulaing (array)		
of Termination	*Pressurizing force :	No remarkable damage or removal of the	
JIS C 0051- 7.4.3	5N(≦0603) ; 10N(>0603)	termination.	
	*Test time : 10±1 sec		
Bending test	The middle part of substrate shall be	No mechanical damage.	
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the	
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under	
	deflection becomes 1mm and then pressure	the operational temperature range within -40	
	shall be maintained for 5±1 sec.	~ 85°C.	
	Measurement to be made after keeping at		
	room temperature for 24±2 hours		

## PSA 華新科技股份有限公司 Walsin Technology Corporation

## Approval sheet

Temperature cycle JIS C 0025	<ol> <li>30±3 minutes at -40°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>30±3 minutes at +85°C±3°C,</li> <li>10~15 minutes at room temperature,</li> <li>Total 100 continuous cycles</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> </ol>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
High temperature JIS C 0021 Humidity (steady conditions) JIS C 0022	<ul> <li>*Temperature : 85°C±2°C</li> <li>*Test duration : 1000+24/-0 hours</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> <li>*Humidity : 90% to 95% R.H.</li> <li>*Temperature : 40±2°C</li> <li>*Time : 1000+24/-0 hrs.</li> <li>Measurement to be made after keeping at room temperature for 24±2 hrs</li> <li>% 500hrs measuring the first data then 1000hrs data</li> </ul>	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C. No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,




Fig 2. Infrared soldering profile


### ORDERING CODE

RF	BPB	201209	0	Α	9	Т
Walsin	Product Code	Dimension code	Unit of	Application	Specification	Packing
RF device	BPB :	Per 2 digits of Length,	dimension	A : 2.4GHZ	Design Code	T: 7" Reeled
	Balanced Type	Width, Thickness :	0 :0.1 mm	ISM Band		
	Band Pass Filter	e.g. :	1 : 1.0 mm			
		201209 =				
		Length 20,				
		Width 12,				
		Thickness 0.9				

Minimum Ordering Quantity: 2000 pcs per reel.

## By 7" Reeled package

## PACKAGING




#### Plastic Tape specifications (unit :mm)

Index	Ao	Во	$\Phi D$	Т	W		
Dimension (mm)	1.35 ± 0.10	2.30 ± 0.10	1.55 ± 0.10	0.95 ± 0.10	8.00 ± 0.30		
Index	E	F	Po	P1	P2		
Dimension (mm)	1.75 ± 0.10	$3.50 \pm 0.05$	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10		



### **Reel dimensions**



Typing Quantity: 2000 pieces per 7" reel

#### CAUTION OF HANDLING

#### Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

### Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
  - Products should be storage in the warehouse on the following conditions.
  - Temperature : -10 to +40°C
    - Humidity : 30 to 70% relative humidity
  - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
  - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
  - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
  - Products should be storage under the airtight packaged condition.