Ultra High Precision Z1 Foil Technology Flip Chip Resistor for Load Life Stability of 0.005% (50 ppm) with TCR of \pm 0.2, 35% Space Saving vs. Wraparound Design, Power to 750mW



INTRODUCTION

The FRFC is based on the new generation Z1 Foil Technology of the Bulk Metal® Precision Foil resistor elements by Vishay Precision Group (VPG), which makes these resistors virtually insensitive to destabilizing factors. Their element, based on the new Z1 Foil Technology is a solid alloy that displays the desirable bulk properties of its parent material; thus, it is inherently stable (remarkably improved load life stability of 30 ppm), noise-free and withstands ESD to 25KV or more. The alloy is matched to the substrate and forms a single entity with balanced temperature characteristics for an unusually low and predictable TCR over a wide range from - 55 °C to more than + 125 °C. Resistance patterns are photo-etched to permit trimming of resistance values to very tight tolerances.

The flip chip configuration provides a substantial PCB space saving of more than 35 % vs. a surface mount chip with wraparound terminations. The FRFC is available in any value within the specified resistance range.

The FRFC Series is an upgraded version of the VFCP Series (Z Foil) with an improved rated power of 750mW.

| TABLE 1 - TOLERANCE AND TCR VS. RESISTANCE VALUE ⁽¹⁾ | | | | | |
|---|------------------|--|--|--|--|
| RESISTANCE VALUE (Ω) | TOLERANCE (%) | TYPICAL TCR AND MAX. SPREAD (- 55 °C to + 125 °C, + 25 °C Ref.) | | | |
| 250 to 125K | ± 0.01 | ± 0.2 ± 1.6 | | | |
| 100 to < 250 | ± 0.02 | ± 0.2 ± 1.6 | | | |
| 50 to < 100 | ± 0.05 | ± 0.2 ± 1.8 | | | |
| 25 to < 50 | ± 0.1 | ± 0.2 ± 2.8 | | | |
| 10 to < 25 | ± 0.25 | ± 0.2 ± 2.8 | | | |
| 5 to <10 | ± 0.5 | ±0.2 ±7.8 | | | |


FEATURES

• Temperature coefficient of resistance (TCR): \pm 0.2 ppm/°C typical (- 55 °C to + 125 °C, + 25 °C ref.)



• Resistance range: 5 Ω to 125 k Ω (for higher values, please contact us)

- Tolerance: to ± 0.01 % (100 ppm)
- Power coefficient "∆R due to self heating" 5 ppm at rated power
- Power rating: 750 mW at + 70 °C (see table 2)
- Load life stability: ± 0.005% typical at 70 °C, 2000 h (rated power)
- Foil resistors are not restricted to standard values; specific "as required" values can be supplied at no extra cost or delivery (e.g. 1K2345 vs. 1K)
- · Non-inductive, non-capacitive design
- Short time overload ≤ 0.005 % (50 ppm)
- Electrostatic discharge (ESD) at least to 25kV
- Thermal stabilization time < 1 s (nominal value achieved within 10 ppm of steady state value)
- · Non hot spot design
- · Rise time: 1 ns effectively no ringing
- Current noise: 0.010 μVRMS/V of applied voltage (< -40 dB)
- Voltage coefficient: 0.1 ppm/V
- Non-inductive: 0.08 μH
- Terminal finishes available: lead (Pb)-free, tin/lead alloy
- Matched sets are available per request
- Prototype quantities please contact foil@vpgsensors.com



Notes

Revision: 15-Oct-15


(1) For tighter performances and non-standard values, please contact VFR's application engineering at foil@vpgsensors.com

* This datasheet provides information about parts that are RoHS-compliant and/or parts that are non-RoHS-compliant. For example, parts with lead (Pb) terminations are not RoHS compliant. Please see the information/tables in this datasheet for details.



Document Number: 63237

Revision: 15-Oct-15




| TABLE 2 - SPECIFICATIONS | | | | | | |
|--------------------------|-----------------------------------|--------------------------------------|----------------------|------------------------|--|--|
| CHIP SIZE | RATED POWER (mW) at + 70 °C | MAXIMUM VOLTAGE RATING (≤√P×R) | RESISTANCE RANGE (Ω) | MAXIMUM WEIGHT (mg) | | |
| 0805 | 200 | 40 | 5 to 8K | 5.2 | | |
| 1206 | 300 | 86 | 5 to 25K | 10.3 | | |
| 1506 | 400 | 109 | 5 to 30K | 12 | | |
| 2010 | 500 | 187 | 5 to 70K | 25 | | |
| 2512 | 750 | 306 | 5 to 125K | 35 | | |

| TABLE 3 - FRFC PERFORMANCE LIMITS (MIL-PRF-55342) | | | | | | |
|---|---|------------------------------|----------------------------------|--|--|--|
| TEST | CONDITIONS | TYPICAL LIMIT % (PPM) | MAX LIMIT % (PPM) ⁽¹⁾ | | | |
| Short Time Overload | 6.25 x P _{nom.} | ± 0.005% (50) | ± 0.01% (100) | | | |
| High Temperature Exposure | +150°C, 100 hrs | ± 0.005% (50) | ± 0.01% (100) | | | |
| Low Temperature Operation | - 65 °C, 45 min @ rated power (see table 2) | ± 0.005% (50) | ± 0.01% (100) | | | |
| Moisture Resistance | Per MIL-PRF-55342 (p. 4.8.9) | ± 0.005% (50) | ± 0.03% (300) | | | |
| Load Life Test, 70°C, 2,000 h | @ rated power (see table 2) | ± 0.005% (50) | ± 0.01% (100) | | | |
| Resistance to Soldering Heat | P.4.8.8.1 | ± 0.005% (50) ⁽²⁾ | ± 0.01% (100) ⁽²⁾ | | | |
| Thermal Shock | 5 x (- 65 °C to + 150 °C) | ± 0.001% (10) | ± 0.005% (50) | | | |
| Thermal Shock | 100 x (- 65 °C to + 150 °C) | ± 0.003% (30) | ± 0.01% (100) | | | |


 $^{^{(1)}}$ As shown + 0.01 Ω to allow for measurement errors at low values.


 $^{^{(2)}}$ For R<100 Ω , the performance depends on PCB design and assembly.



Notes

- · Avoid the use of cleaning agents which could attack epoxy resins, which form part of the resistor construction
- Vacuum pick up is recommended for handling
- · Soldering iron is not recommended







Note

• The TCR values for < 100 Ω are influenced by the termination composition and result in deviation from this curve










POWER COEFFICIENT OF RESISTANCE (PCR)

The TCR of a resistor for a given temperature range is established by measuring the resistance at two different ambient temperatures: at room temperature and in a cooling chamber or oven. The ratio of relative resistance change and temperature difference gives the slope of $\Delta R/R = f(T)$ curve. This slope is usually expressed in parts per million per degree Centigrade (ppm/°C). In these conditions, a uniform temperature is achieved in the measured resistance. In practice, however, the temperature rise of the resistor is also partially due to self-heating as a result of the power it is dissipating (self-heating). As stipulated by the Joule effect, when current flows through a resistance, there will be an associated generation of heat. Therefore, the TCR alone does not provide the actual resistance change for precision resistor. Hence, another metric is introduced to incorporate this inherent characteristic – the Power Coefficient of Resistance (PCR). PCR is expressed in parts per million per Watt or in ppm at rated power. In the case of Z-based Bulk Metal® Foil, the PCR is 5 ppm typical at rated power or 4 ppm per Watt typical for power resistors.



POST MANUFACTURING OPERATIONS (PMO) ENHANCE THE ALREADY SUPERIOR STABILITY OF FOIL RESISTORS

These Post Manufacturing Operations (PMOs) are uniquely applicable to resistors made of resistive foil and they take the already superior stability of Vishay Foil resistors one step further. They constitute an exercising of the resin that bonds the foil to the substrate, the foil, the alumina,the molding and the contacts. The operations employed are:

- Temperature Cycling/Thermal Shock
- Short Time Overload/Power Shot (Accelerated Load Life)
- · Power Conditioning

Temperature Cycling

Temperature Cycling is done initially in the chip stage of all production and will eliminate any fallout. The cycling exercises the Foil and the contacts without reducing its initial bonding strength. A small reduction in resistance is tolerable during this PMO.

Short Time Overload (Accelerated Load Life)

Short Time Overload (STO) occurs when a circuit is subjected at one point in time to a temporary, unexpected high pulse (or overload) that can result in device failure. This STO is performed on all resistors during manufacturing, with a function to eliminate any hot spots if they exist.

Power Conditioning

The standard load life curve of a Foil resistor exhibits a significant portion of its change in the first 250-500 hours, after which the curve begins to stabilize. The power conditioning exercise applies a load for a specified amount of time to eliminate this knee in the load life curve. Upon delivery, the resistor will be on the flat part of the curve for your convenience. The power conditioning is a function of the application and should be worked out between our Applications Engineering department and your design team.


Can We Use PMO on Other Resistor Technologies?

Applying these same operations to resistors of Thick Film, Thin Film, and Wirewound have vastly different consequences and can drive these devices out of tolerance or open circuit. These devices experience too many failures to discuss here. On the other hand, these operations are an enhancement to Foil resistor performance and should be considered when the level of stability required is beyond the published limits for standard products.



Document Number: 63237

Revision: 15-Oct-15



Note

(1) For non-standard requests, please contact application engineering.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014