


Features

- Radial / Through hole package
- Reliable & robust
- Low power consumption
- Available on tape and reel
- \bullet RoHS Compliant





Notes:

1. All dimensions are in millimeters (inches).

2. Tolerance is $\pm 0.25 (0.01")$ unless otherwise noted.

3. Specifications are subject to change without notice.


Absolute Maximum Ratings (T _A =25°C)		MOK (AlGaInP)	Unit		
Reverse Voltage	V_{R}	5	V		
Forward Current	\mathbf{I}_{F}	30	mA		
Forward Current (Peak) 1/10 Duty Cycle 0.1ms Pulse Width	ifs	195	mA		
Power Dissipation	PD	75	mW		
Operating Temperature	$T_{\rm A}$	$\Gamma_{\rm A}$ -40 ~ +85			
Storage Temperature	Tstg	$-40 \sim +85$	°C		
Lead Solder Temperature [2mm Below Package Base]	260°C For 3 Seconds				
Lead Solder Temperature [5mm Below Package Base]	260°C For 5 Seconds				


Operating Characteristics (T _A =25°C)		MOK (AlGaInP)	Unit
Forward Voltage (Typ.) (I _F =20mA)	$V_{\rm F}$	2.1	V
Forward Voltage (Max.) (I _F =20mA)	$V_{\rm F}$	2.5	V
Reverse Current (Max.) (V _R =5V)	I _R	10	uA
Wavelength of Peak Emission CIE127-2007*(Typ.) (I _F =20mA)	λP	610*	nm
Wavelength of Dominant Emission CIE127-2007*(Typ.) (I _F =20mA)	λD	601*	nm
Spectral Line Full Width At Half-Maximum (Typ.) (I _F =20mA)	$ riangle\lambda$	29	nm
Capacitance (Typ.) (V _F =0V, f=1MHz)	С	15	pF

Part Number	Emitting Color	Emitting Material	Lens-color	Luminous Intensity CIE127-2007* (IF=20mA) mcd		Wavelength CIE127-2007* nm λP	Viewing Angle 20 1/2
				min.	typ.		
XLMOK11D	Orange	AlGaInP	Orange Diffused	400 250*	995 597*	610*	40°


*Luminous intensity value and wavelength are in accordance with CIE127-2007 standards.










♦ MOK









Remarks:


If special sorting is required (e.g. binning based on forward voltage, luminous intensity / luminous flux, or wavelength),

the typical accuracy of the sorting process is as follows:

- 1. Wavelength: +/-1nm
- 2. Luminous Intensity / Luminous Flux: +/-15%
- 3. Forward Voltage: +/-0.1V

Note: Accuracy may depend on the sorting parameters.

Wave Soldering Profile For Thru-Hole Products (Pb-Free Components)



I.Recommend pre-heat temperature of 105°C or less (as measured with a thermocouple attached to the LED pins) prior to immersion in the solder wave with a maximum solder bath temperature of 260°C
2.Peak wave soldering temperature between 245°C ~ 255°C for 3 sec

2.Peak wave soldering temperature between 245°C ~ 255°C for 3 sec (5 sec max).


3.Do not apply stress to the epoxy resin while the temperature is above 85°C. 4.Fixtures should not incur stress on the component when mounting and during process.

during soldering process. 5.SAC 305 solder alloy is recommended.

6.No more than one wave soldering pass



T-1 (3mm) SOLID STATE LAMP



TERMS OF USE

1. Data presented in this document reflect statistical figures and should be treated as technical reference only.

- 2. Contents within this document are subject to improvement and enhancement changes without notice.
- 3. The product(s) in this document are designed to be operated within the electrical and environmental specifications indicated on the datasheet.
- User accepts full risk and responsibility when operating the product(s) beyond their intended specifications.
- 4. The product(s) described in this document are intended for electronic applications in which a person's life is not reliant upon the LED. Please consult with a SunLED representative for special applications where the LED may have a direct impact on a person's life.
- 5. The contents within this document may not be altered without prior consent by SunLED.
- Additional technical notes are available at http://www.SunLEDusa.com/TechnicalNotes.asp
- 6. Additional technical notes are available at <u>http://www.SunLEDusa.com/TechnicalNotes.asp</u>

Dec 10,2013