Chip resistor networks MNR04 (1005 × 4 size)

Features

1) Extremely small and light

Area ratio is 60% smaller than that of chip 3216 (MNR14), while weight ratio has been cut 75%.

2) High-density mounting

Can be mounted even more densely than four 1005 chips (MCR01), and mounting costs are lower.

- 3) Can be mounted on a wide variety of devices
 - Squared corners make it excellent for mounting on image recognition devices.
- 4) Convex electrodes

Easy to check the fillet after soldering is finished.

5) ROHM resistors comply with the international standard ISO-9001.

Furthermore, changes to the design and specifications of products may occur without notice. Therefore, before ordering or using this product, please make sure to reconfirm the specification sheet before ordering or using this product.

Ratings

| Item | Conditions | Specifications |
|-----------------------|--|------------------------------|
| Rated power | Power must be derated according to the power derating curve in Figure 1 when ambient temperature exceeds 70°C. **Power must be derated according to the power derating curve in Figure 1 when ambient temperature exceeds 70°C. **Power must be derated according to the power derating curve in Figure 1 when ambient temperature exceeds 70°C. **Additional Control of | 0.063W (1 / 16W) at 70°C |
| Rated voltage | The voltage rating is calculated by the following equation. If the value obtained exceeds the limiting element voltage, the voltage rating is equal to maximum operating voltage. $E: Voltage \ rating \ (V)$ $E = \sqrt{P \times R} \qquad P: Power \ rating \ (W)$ $R: Nominal \ resistance \ (\Omega)$ | Limiting element voltage 25V |
| Nominal resistance | See <u>Table 1</u> . | |
| Operating temperature | | −55°C~+125°C |


| Jumper type | | Table 1 | | | |
|-----------------------|--------------|----------------------|---|-------|---|
| Resistance | Max.50mΩ | Resistance tolerance | Resistance range (Ω) | | Resistance temperature coefficient (ppm / °C) |
| Rated current | 1A | | | | |
| Nated Current | | J (±5%) | 10 <r<1m< td=""><td>(E24)</td><td>+300</td></r<1m<> | (E24) | +300 |
| Operating temperature | −55°C~+125°C | - (==,,, | | (') | |

[•]Before using components in circuits where they will be exposed to transients such as pulse loads (short-duration, high-level loads), be certain to evaluate the component in the mounted state. In addition, the reliability and performance of this component cannot be guaranteed if it is used with a steady state voltage that is greater than its rated voltage.

Characteristics

| Item | Guaranteed value | | Test conditions (JIS C 5201-1) | |
|--|---|--|--|--|
| | Resistor type | Jumper type | rest conditions (313 C 3201-1) | |
| Resistance | J:±5% | Max. 50mΩ | JIS C 5201-1 4.5 | |
| Variation of resistance with temperature | See Table.1 | | JIS C 5201-1 4.8 Measurement : -55 / +25 / +125°C | |
| Overload | ± (2.0%+0.1Ω) | Max. 50mΩ | JIS C 5201-1 4.13 Rated voltage (current) ×2.5, 2s. Limiting Element Voltage×2 : 50V | |
| Solderability | A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage. | | JIS C 5201-1 4.17 Rosin-Ethanol (25%WT) Soldering condition : 235±5°C Duration of immersion : 2.0±0.5s. | |
| Resistance to soldering heat | $\begin{array}{c c} \pm \mbox{(1.0\%+0.05}\Omega) & \mbox{Max. 50m}\Omega \\ \mbox{No remarkable abnormality on the appearance.} \end{array}$ | | JIS C 5201-1 4.18 Soldering condition : 260±5°C Duration of immersion : 10±1s. | |
| Rapid change of temperature | ± (1.0%+0.05Ω) | Max. 50mΩ | JIS C 5201-1 4.19 Test temp. : -55°C~+125°C 5cyc | |
| Damp heat, steady state | ± (3.0%+0.1Ω) | Max. 50mΩ | JIS C 5201-1 4.24 40°C, 93%RH Test time : 1,000h~1,048h | |
| Endurance at 70°C | ± (3.0%+0.1Ω) | Max. 50mΩ | JIS C 5201-1 4.25.1 Rated voltage (current), 70°C 1.5h : ON – 0.5h : OFF Test time : 1,000h~1,048h | |
| Endurance | ± (3.0%+0.1Ω) | Max. 50mΩ | JIS C 5201-1 4.25.3 125°C Test time: 1,000h~1,048h | |
| Resistance to solvent | ± (1.0%+0.05Ω) | Max. 50mΩ | JIS C 5201-1 4.29 23±5°C, Immersion cleaning, 5±0.5min Solvent : 2-propanol | |
| Bend strength of the end face plating | \pm (1.0%+0.05 Ω) Without mechanica | Max. 50mΩ Il damage such as breaks. | JIS C 5201-1 4.33 | |


●External dimensions (Units: mm)




●Equivalent circuit

$$\begin{array}{c|c} & & & & & \\ & & & & \\$$

Packaging



| | | | (, |
|--------------|---------------------|--------|---------|
| А | В | С | D |
| φ180 0 -3 | φ60 ⁺¹ 0 | 9 +1.0 | φ13±0.2 |



| | | | | (011110 1 111111) |
|-----------------------------------|----------------|----------------|----------------|-------------------|
| W | F | Е | A ₀ | Bo |
| 8.0±0.3 | 3.5±0.05 | 1.75±0.1 | 1.2±0.1 | 2.2±0.1 |
| D ₀ | P ₀ | P ₁ | P ₂ | T ₂ |
| φ1.5 ^{+0.1} ₀ | 4.0±0.1 | 2.0±0.1 | 2.0±0.05 | Max. 0.5 |

Product designation

