


SPECIFICATION

Part No.	:	DSGP.1575.18.2.A.02
Description	:	GPS L1 / GALILEO E1 1575MHz 18*18*2mm Ceramic Patch SMT Antenna
Features	:	2.4 dBi Peak Gain for GPS/GALILEO Band Dimensions: 18 x 18 x 2mm SMT Direct Mount Ceramic Patch Antenna TS16949 Approved
		RoHS Compliant





1. Introduction

The DSGP.1575.18.2.A.02 is a ceramic GPS L1 / GALILEO E1 passive patch antenna, 18mm square, with a low profile of 2mm thickness. It is designed for applications in space constrained navigation devices, vehicle tracking/fleet management systems, as well as telematics devices.

The antenna has been tuned on a 50 x 50 mm ground plane, working at 1575.42MHz with a 2.4 dBi gain. The ceramic patch is mounted via SMT process, ideal for high volume low cost assembly. It is manufactured and tested in a TS16949 first tier automotive approved facility.

For further optimization to customer specific device environments where ground-plane size is different, custom tuned patch antennas can be supplied. For more details please contact your regional Taoglas sales office.



2. Specification


ELECTRICAL					
Application Bands	GPS/GALILEO				
Operation Frequency (MHz)	1575.42 ±1.023				
Return Loss (dB)	< -10				
Gain at Zenith (dBi)	2.4				
Efficiency (%)	55.94				
Impedance	50 ohms				
MECHANICAL					
Ceramic Dimension (mm)	18 x 18 x 2				
Weight (g)	2.9				
ENVIRONMENTAL					
Operation Temperature	-40°C to 85°C				
Humidity	Non-condensing 65°C 95% RH				

* Antenna properties were measured with the antenna mounted on 50*50mm Ground Plane Taoglas Part # DSGPD.18B




3. Antenna Characteristics


3.1. Return Loss



3.2. Efficiency








3.3. Average Gain

3.4. Peak Gain






4. Antenna Radiation Pattern

4.1. Measurement Setup


The DSGP.1575.18.2 antenna is tested with 50mm*50mm ground plane in a

CTIA certified ETS-Lindgren Anechoic Chamber. The test setup is shown below.






4.2. 2D Radiation Pattern




XY Plane













4.3. 3D Radiation Pattern






5. Mechanical Drawing (Unit: mm)





6. Evaluation Board (DSGPD.18B) (Unit: mm)




	Name	Material	Finish	QTY
1	PCB SMA(F) ST	Brass	Gold	1
2	DSGP.1575.18.2.A.02 Antenna	Ceramic	Clear	1
3	PCB (50x50x1mm)	Composite	Black	1


SPE-17-8-029/A/SS Page 10 of 15



7. PCB Footprint Recommendation










8. Recommended Reflow Soldering Profile

DSGP.1575.18 can be assembled following Pb-free assembly. According to the Standard IPC/JEDEC J-STD-020C, the temperature profile suggested is as follow:

Phase	Profile Features	Pb-Free Assembly (SnAgCu)	
PREHEAT	Temperature Min(Tsmin)	150°C	
	Temperature Max(Tsmax)	200°C	
	Time(ts) from (Tsmin to Tsmax)	60-120 seconds	
RAMP-UP	Avg. Ramp-up Rate (Tsmax to TP)	3°C/second(max)	
REFLOW	Temperature(TL)	217°C	
	Total Time above TL (tL)	30-100 seconds	
PEAK	Temperature(TP)	260°C	
	Time(tp)	2-5 seconds	
RAMP-DOWN	Rate	3°C/second(max)	
Time from 25°C to Peak Temperature		8 minutes max.	
Composition of solder paste		96.5Sn/3Ag/0.5Cu	
	Solder Paste Model	SHENMAO PF606-P26	

The graphic shows temperature profile for component assembly process in reflow ovens




Soldering Iron condition : Soldering iron temperature 270°C±10°C.


Apply preheating at 120°C for 2-3 minutes. Finish soldering for each terminal within 3 seconds, if soldering iron



9. Packaging







Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein.

Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

Copyright © Taoglas Ltd.