# IoT OPTIMIZED LOW PROFILE QUARTZ CRYSTAL



ABM11W-101-32.0000MHZ-T3



### **FEATURES**

- Optimized for energy saving wearables, and IoT applications
- 0.5 mm max height ideally suited for height constrained designs
- Seam sealed for longterm reliability

# **APPLICATIONS**

- Wearables
- Internet of Things (IoT)
- Bluetooth/Bluetooth Low Energy (BLE)
- Wireless modules
- Machine-to-machine (M2M) connectivity
- Ultra-low power MCU
- Near Field Communication (NFC)
- ISM Band

### KEY ELECTRICAL SPECIFICATIONS

Parameters	Minimum	Typical	Maximum	Units	Notes
Frequency	32.0000		MHz		
Operation Mode	Fundamental				
Operating Temperature Range	-40		+85	°C	
Storage Temperature	-55		+125	°C	
Frequency Tolerance @ +25°C	-10		+10	ppm	
Frequency Stability over the Operating Temperature ( ref. to +25°C)	-20		+20	ppm	
Equivalent series resistance (R1)			80	Ω	
Shunt capacitance (C0)		<1.0	2.0	pF	
Load capacitance (CL)		8.0		pF	
Drive Level		10	100	μW	
Aging (1 year)	-2		+2	ppm	@ 25°C±3°C
Insulation Resistance	500			ΜΩ	$ @ 100 \text{Vdc} \pm 15 \text{V} $

### PART IDENTIFICATION

ABM11W-101-32.0000MHz 
Packaging
Blank: Bulk
T3: 3kpcs / reel



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 03.19.2018** 

ABRACON IS ISO9001-2008 CERTIFIED

# IoT OPTIMIZED LOW PROFILE QUARTZ CRYSTAL









MSL = N/A: NOT APPLICABLE

# TYPICAL FREQUENCY vs. TEMPERATURE CHARACTERISTICS



## **MECHANICAL DIMENSIONS**



Note:

Due to material availability the Chamfer could be located on pin #1, 2 or 4. Be advised that the Chamfer location has no impact on the electrical performance of the device.

### **SEALING METHOD = GLASS SEALING**



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 03.19.2018** 

ABRACON IS ISO9001-2008 CERTIFIED


# IoT OPTIMIZED LOW PROFILE QUARTZ CRYSTAL



ABM11W-101-32.0000MHZ-T3




# **REFLOW PROFILE**



Zone	Description	Temperature	Time
1	Preheat	$\begin{array}{c} T_{\rm SMIN} \sim T_{\rm SMAX} \\ 150 ^{\rm o}{\rm C} \sim 180 ^{\rm o}{\rm C} \end{array}$	60 ~ 120 sec.
2	Reflow	T <sub>L</sub> 217°C	45 ~ 90 sec.
3	Peak Heat	T <sub>P</sub> 260°C MAX	10 sec.

## **PACKAGING:**

T3: Tape and reel (3,000 pcs/reel)



**Dimensions: mm** 



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com **REVISED: 03.19.2018** 

ABRACON IS ISO9001-2008 CERTIFIED