# Chip resistor networks

# MNR32 (3216×2 size)

#### Features

- 1) Convex electrodes
  - Easy to check the fillet after soldering is finished.
- Compatible with a wide range of mounting equipment.
   Squared corners make it excellent for mounting using image recognition devices.
- 3) High-density mounting
  - Can be mounted even more densely than two 3216 chips (MCR18). Also, the number of parts and costs of mounting have been reduced.
- 4) ROHM resistors have approved ISO-9001 certification.
  - Design and specifications are subject to change without notice. Carefully check the specification sheet supplied with the product before using or ordering it.

## ●Ratings

Item	Conditions	Specifications
Rated power	Power must be derated according to the power derating curve in Figure 1 when ambient temperature exceeds 70°C.  100 80 40 20 -55 0 70 100 125  AMBIENT TEMPERATURE (°C) Fig.1	0.125W (1 / 8W) at 70°C
Rated voltage	The voltage rating is calculated by the following equation. If the value obtained exceeds the limiting element voltage, the voltage rating is equal to the maximum operating voltage. $E: Rated \ voltage \ (V)$ $E=\sqrt{P\times R} \qquad P: Rated \ power \ (W)$ $R: Nominal \ resistance \ (\Omega)$	Limiting element voltage 200V
Nominal resistance	See Table 1.	
Operating temperature		−55°C ~ 125°C



# Resistors

Jumper type				
Resistance	Max. 50mΩ			
Rated current	2A			
Operating temperature	−55°C ~ 125°C			

Table 1						
Resistance tolerance	Resistance range (Ω)		Resistance temperature coefficient (ppm / °C)			
J (±5%)	10≤R≤1M	(E24)	±200			


<sup>•</sup>Before using components in circuits where they will be exposed to transients such as pulse loads (short-duration, high-level loads), be certain to evaluate the component in the mounted state. In addition, the reliability and performance of this component cannot be guaranteed if it is used with a steady state voltage that is greater than its rated voltage.

## Characteristics


ltom	Guaranteed value		T4 ditions (IIC C 5004 4)
Item	Resistor type	Jumper type	Test conditions (JIS C 5201-1)
Resistance	J:±5%	Max. 50mΩ	JIS C 5201-1 4.5
Variation of resistance with temperature	See Table.1		JIS C 5201-1 4.8 Measurement : -55 / +25 / +125°C
Overload	± (2.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.13 Rated voltage (current) ×2.5, 2s. Limiting Element Voltage×2 : 400V
Solderability	A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage.		JIS C 5201-1 4.17 Rosin-Ethanol (25%WT) Soldering condition: 235±5°C Duration of immersion: 2.0±0.5s.
Resistance to soldering heat	$\pm$ (1.0%+0.05Ω) Max. 50mΩ No remarkable abnormality on the appearance.		JIS C 5201-1 4.18 Soldering condition: 260±5°C Duration of immersion: 10±1s.
Rapid change of temperature	± (1.0%+0.05Ω)	Max. 50mΩ	JIS C 5201-1 4.19 Test temp. : -55°C~+125°C 5cyc
Damp heat, steady state	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.24 40°C, 93%RH Test time : 1,000h~1,048h
Endurance at 70°C	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.25.1 Rated voltage (current), 70°C 1.5h : ON – 0.5h : OFF Test time : 1,000h~1,048h
Endurance	± (3.0%+0.1Ω)	Max. 50mΩ	JIS C 5201-1 4.25.3 125°C Test time: 1,000h~1,048h
Resistance to solvent	± (1.0%+0.05Ω)	Max. 50mΩ	JIS C 5201-1 4.29 23±5°C, Immersion cleaning, 5±0.5min Solvent : 2-propanol
Bend strength of the end face plating	$\begin{array}{c c} \pm \ (1.0\% + 0.05\Omega) & \text{Max. } 50 \text{m}\Omega \\ & \text{Without mechanical damage such as breaks.} \end{array}$		JIS C 5201-1 4.33




# ●External dimensions (Units : mm)




# ●Equivalent circuit



# Packaging



# Product designation



#### •Electrical characteristics




Fig.2 Resistance




Fig.3 Variation resistance with temperature




Fig.4 Overload




Fig.5 Resistance to soldering heat




Fig.6 Rapid change of temperature






Fig.7 Damp heat, steady state








Fig.8 Endurance at 70°C

Fig.9 Endurance

Fig.10 Resistance to solvents