


## APHB1608Y2R2C-AMT

1.6 x 0.8 x 0.5 mm Bi-Color Surface Mount LED



## DESCRIPTIONS

- The Super Bright Yellow device is made with AlGaInP (on GaAs substrate) light emitting diode chip
- The Hyper Red source color devices are made with AIGaInP on GaAs substrate Light Emitting Diode
- · Electrostatic discharge and power surge could damage the LEDs
- It is recommended to use a wrist band or anti-electrostatic glove when handling the LEDs
- · All devices, equipments and machineries must be electrically grounded

### **FEATURES**

- 1.6 x 0.8 mm SMD LED, 0.5 mm thickness
- · Compatible with reflow soldering
- · Available in various color combination
- Package: 2000 pcs / reel
- Moisture sensitivity level: 3
- Tinned pads for improved solderability
- Halogen-free
- RoHS compliant

## **APPLICATIONS**


- Traffic signaling
- Backlighting (illuminated advertising , general lighting)
- Interior and exterior automotive lighting
- Substitution of micro incandescent lamps
- Reading lamps
- Signal and symbol luminaire for orientation
- Marker lights (e.g. Steps, exit ways, etc)
- Decorative and entertainment lighting
- · Indoor and outdoor commercial and residential architectural lighting

## **ATTENTION**

Observe precautions for handling electrostatic discharge sensitive devices



## PACKAGE DIMENSIONS



Notes

- 1. All dimensions are in millimeters (inches)
- 2
- Tolerance is ±0.15(0.006") unless otherwise noted. The specifications, characteristics and technical data described in the datasheet are subject to 3. change without prior notice.
- 4. The device has a single mounting surface. The device must be mounted according to the specifications.

Solder resist

## APHB1608Y2R2C-AMT

### **SELECTION GUIDE**

Part Number	Emitting Color	lv (mcd) @ 20mA <sup>[2]</sup>			Lens Type	Viewing Angle <sup>[1]</sup>	
Fait Nulliber	(Material)	Code.	Min.	Max.	Lens Type	201/2	
	Super Bright Yellow (AlGaInP)	М	80	120			
		Ν	120	200			
		Р	200	300	-		
		*M	*80	*120			
		*N	*120	*200			
APHB1608Y2R2C-AMT		*P *200 *300	Water Clear	4009			
APHD 1000 F2R2C-AMI		Ν	120	200	Water Clear	130°	
		Р	200	300			
		Q 300 400					
	Hyper Red (AlGaInP)	*G	*40	*55			
		*H	*55	*80			
		*M	*80	*120			

Notes: 1. 61/2 is the angle from optical centerline where the luminous intensity is 1/2 of the optical peak value. 2. Luminous intensity / luminous flux: +/-15%. \* Luminous intensity value is traceable to CIE127-2007 standards. 3. LEDs will be provided from the listed bin codes. The bins delivered to the customer will be at Kingbright's discretion.

## ABSOLUTE MAXIMUM RATINGS at T<sub>A</sub>=25°C

<b>-</b>		Val		
Parameter	Symbol	Super Bright Yellow	Hyper Red	Unit
Power Dissipation	P <sub>D</sub>	75	75	mW
Reverse Voltage	V <sub>R</sub>	5 5		V
Junction Temperature	Tj	115	115	°C
Operating Temperature	T <sub>op</sub>	-40 to	°C	
Storage Temperature	T <sub>stg</sub>	-40 to +115		°C
DC Forward Current	l <sub>F</sub>	30	30	mA
Peak Forward Current	I <sub>FM</sub> <sup>[1]</sup>	175	185	mA
Electrostatic Discharge Threshold (HBM)	-	3000 3000		V
Thermal Resistance (Junction / Ambient)	R <sub>th JA</sub> <sup>[2]</sup>	710	640	°C/W
Thermal Resistance (Junction / Solder point)	$R_{th}_{JS}^{[2]}$	520	490	°C/W

Notes: 1. 1/10 Duty Cycle , 0.1ms Pulse Width . 2. R<sub>m Ja</sub> R<sub>m Js</sub> Results from mounting on PC board FR4 (pad size≥16 mm<sup>2</sup> per pad). 3. Relative humidity levels maintained between 40% and 60% in production area are recommended to avoid the build-up of static electricity – Ref JEDEC/JESD625-A and JEDEC/J-STD-033.

## ELECTRICAL / OPTICAL CHARACTERISTICS at T<sub>A</sub>=25°C


Devenation	Quarte e l	Emitting Color	Value				Unit
Parameter	Symbol	Emitting Color	Code.	Min.	Тур.	Max.	Unit
Wavelength at Peak Emission $I_F$ = 20mA	$\lambda_{peak}$	Super Bright Yellow Hyper Red	-	-	590 645	-	nm
	λ <sub>dom</sub> <sup>[1]</sup>	Super Bright Yellow	3	586	-	588	
			4	588	-	590	
Dominant Wavelength $I_F$ = 20mA			5	590	-	592	nm
			6	592	-	594	
		Hyper Red	-	620	-	640	
Spectral Bandwidth at 50% $\Phi$ REL MAX $I_F$ = 20mA	Δλ	Super Bright Yellow Hyper Red	-	-	20 28	-	nm
Capacitance	С	Super Bright Yellow Hyper Red	-	-	20 35	-	pF
Forward Voltage I <sub>F</sub> = 20mA	V <sub>F</sub> <sup>[2]</sup>	Super Bright Yellow Hyper Red	-	-	2.0 1.95	2.5 2.5	V
Reverse Current (V <sub>R</sub> = 5V)	I <sub>R</sub>	Super Bright Yellow Hyper Red	-	-	-	10 10	μA
Temperature Coefficient of $\lambda_{\text{peak}}$ $I_F$ = 20mA, -10°C $\leq T \leq$ 100°C	TC <sub>λpeak</sub>	Super Bright Yellow Hyper Red	-	-	0.12 0.14	-	nm/°C
Temperature Coefficient of $\lambda_{dom}$ $I_F$ = 20mA, -10°C $\leq T \leq$ 100°C	TC <sub>λdom</sub>	Super Bright Yellow Hyper Red	-	-	0.07 0.05	-	nm/°C
Temperature Coefficient of $~V_F$ $I_F$ = 20mA, -10°C $\leq T \leq$ 100°C	TCv	Super Bright Yellow Hyper Red	-	-	-1.9 -1.9	-	mV/°C

Notes:


The dominant wavelength (λd) above is the setup value of the sorting machine. (Tolerance λd : ±1nm.)
Forward voltage: ±0.1V.
Wavelength value is traceable to CIE127-2007 standards.
Excess driving current and / or operating temperature higher than recommended conditions may result in severe light degradation or premature failure.
LEDs will be provided from the listed bin codes. The bins delivered to the customer will be at Kingbright's discretion.

## **TECHNICAL DATA**






#### SPATIAL DISTRIBUTION




## **TECHNICAL DATA**





**HYPER RED** 


Per




Forward Current Derating Curve








#### **REFLOW SOLDERING PROFILE for LEAD-FREE SMD PROCESS**




Notes:

 Don't cause stress to the LEDs while it is exposed to high temperature.
The maximum number of reflow soldering passes is 2 times.
Reflow soldering is recommended. Other soldering methods are not recommended as they might cause damage to the product.

TAPE SPECIFICATIONS (units : mm)



**REEL DIMENSION** (units : mm)



## **RELIABILITY TEST ITEMS AND CONDITIONS**

The reliability of products shall be satisfied with items listed below

#### LOT TOLERANCE PERCENT DEFECTIVE (LTPD): 10%

No.	Test Item	Standards	Test Condition	Test Times / Cycles	Number of Damaged
1	Continuous operating test	-	$T_a = 25^{\circ}C$ , $I_F =$ maximum rated current *	1,000 h	0 / 22
2	High Temp. operating test	EIAJ ED-4701/100(101)	$T_a$ = 100°C, I <sub>F</sub> = maximum rated current *	1,000 h	0 / 22
3	Low Temp. operating test	-	$T_a$ = -40°C, I <sub>F</sub> = maximum rated current *	1,000 h	0 / 22
4	High temp. storage test	EIAJ ED-4701/100(201)	T <sub>a</sub> = maximum rated storage temperature	1,000 h	0 / 22
5	Low temp. storage test	EIAJ ED-4701/100(202)	T <sub>a</sub> = -40°C	1,000 h	0 / 22
6	High temp. & humidity storage test	EIAJ ED-4701/100(103)	T <sub>a</sub> = 60°C, RH = 90%	1,000 h	0 / 22
7	High temp. & humidity operating test	EIAJ ED-4701/100(102)	$T_a$ = 60°C, RH = 90% I <sub>F</sub> = maximum rated current *	1,000 h	0 / 22
8	Soldering reliability test	EIAJ ED-4701/100(301)	Moisture soak: 30°C, 70% RH, 72h Preheat: 150~180°C (120s max.) Soldering temp: 260°C(10s)	2 times	0 / 18
9	Thermal shock operating test	-	$T_a = -40^{\circ}C(15min) \sim 100^{\circ}C(15min)$ $I_F = derated current at 100^{\circ}C$	1,000 cycles	0 / 22
10	Thermal shock test	-	T <sub>a</sub> = -40°C(15min) ~ maximum rated Storage temperature(15min)	1,000 cycles	0 / 22
11	Electric Static Discharge (ESD)	EIAJ ED-4701/100(304)	C = 100pF, R2 = 1.5KΩ V = 3000V (Yellow) V = 3000V (Red)	Once each Polarity	0 / 22
12	Vibration test	-	a = 196m/s², f = 100~2KHz, t = 48min for all xyz axes	4 times	0 / 22


\*: Refer to forward current vs. derating curve diagram

#### **CRITERIA FOR JUDGING DAMAGE**

Items	Symbols	Conditions	Failure Criteria		
luminous Intensity	lv	I <sub>F</sub> = 20mA	Testing Min. Value < Spec. Min. Value x 0.5		
Forward Voltage	V <sub>F</sub>	I <sub>F</sub> = 20mA	Testing Max. Value ≥ Spec. Max. Value x 1.2		
Reverse Current	I <sub>R</sub>	V <sub>R</sub> = Maximum Rated Reverse Voltage	Testing Max. Value ≥ Spec. Max. Value x 2.5		
High temp. storage test	-	-	Occurrence of notable decoloration, deformation and cracking		

## APHB1608Y2R2C-AMT

### **PACKING & LABEL SPECIFICATIONS**



#### **PRECAUTIONARY NOTES**

- The information included in this document reflects representative usage scenarios and is intended for technical reference only.
- The part number, type, and specifications mentioned in this document are subject to future change and improvement without notice. Before production usage customer should refer to the latest datasheet for the updated specifications. 2.
- 3.
- When using the products referenced in this document, please make sure the product is being operated within the environmental and electrical limits specified in the datasheet. If customer usage exceeds the specified limits, Kingbright will not be responsible for any subsequent issues. The information in this document applies to typical usage in consumer electronics applications. If customer's application has special reliability requirements or have life-threatening liabilities, such as automotive or medical usage, please consult with Kingbright representative for further assistance. The contents and information of this document may not be reproduced or re-transmitted without permission by Kingbright. All design applications should refer to Kingbright application notes available at <a href="https://www.KingbrightUSA.com/ApplicationNotes">https://www.KingbrightUSA.com/ApplicationNotes</a> 4
- 5.
- 6.