

APPROVAL SHEET

KFBPF Series – 2012(0805)- RoHS Compliance

MULTILAYER CERAMIC BAND PASS FILTER

Halogens Free Product

1125 ~ 1675 MHz Working Frequency

P/N: KFBPF2012100C67B1U

*Contents in this sheet are subject to change without prior notice.


FEATURES

- 1. Miniature footprint: 2.0 X 1.25 X 1.05 mm³
- 2. Low Profile Thickness
- 3. Low Insertion Loss
- 4. High Rejection
- 5. LTCC process


APPLICATIONS

- 1. 1125 ~ 1675 MHz band applications
- 2. MoCA related applications

CONSTRUCTION



Application information:
 DC blocking capacitors are needed at Input and
 Output port to prevent DC voltage as below figure.



PIN	Connection			
1	Input port			
2	GND			
3	Output port			

DIMENSIONS

Figure		Symbol	Dimension (mm)
		L	2.00 ± 0.15
<u> </u>		W	1.25 ± 0.15
Top view ≥ ■ ■		Т	1.05 ± 0.15
<u> </u>		А	0.475 ± 0.15
Bottom view	T	В	0.30 ± 0.15
		С	0.20 ± 0.15
	Side view	D	0.50 ± 0.15
	2.30 1.01.	E	0.60 ± 0.15
		F	0.95 ± 0.15



ELECTRICAL CHARACTERISTICS

KFBPF2012100C67B1U	Specification		
Frequency range	1125 ~ 1675 MHz		
Insertion Loss 2.5 dB max.			
	35 dB min. @ 1 ~ 900 MHz		
Attenuation	20 dB min. @ 900 ~ 1002 MHz		
Allendation	35 dB min. @ 2000 ~ 2500 MHz		
	20 dB min. @ 2500 ~ 5900 MHz		
VSWR	2.0 max.		
Impedance	50 Ω		
Moisture sensitivity levels	MSL is LEVEL 1 (Refer to : IPC/JEDEC J-STD-020)		


Operating & Storage Condition (Component)

Operation Temperature Range: -40°C ~ +85°C Storage Temperature Range: -40°C ~ +85°C


Storage Condition before Soldering (Included packaging material)

Storage Temperature Range: $+5 \sim +40$ °C Humidity: 30 to 70% relative humidity

Typical Electrical Chart



SOLDER LAND PATTERN





RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature: 235 ± 5°C	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time: 2 ± 0.5 sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder: Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature : $260 \pm 5^{\circ}$ C	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time : 30 \pm 0.5 sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	Shoulded Gridin Hot Gadeed 2076.
metallization)		
IEC 60068-2-58		
Resistance to soldering heat	*Preheating temperature : 120~150℃,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature: 270±5°C	descriptions in electrical characteristics under
1	*Immersion time: 10±1 sec	the operational temperature range within -40
	Oplidant Or OA vo Fourteen land for	~ 85°C.
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height: 75 cm	No mechanical damage.
JIS C 0044	*Test Surface: Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
	*Times: 6 surfaces for each units; 2 times	the operational temperature range within -40
	for each side.	~ 85°C.
	lor oddir oldd	
Vibration	*Frequency: 10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude: 1.5mm	Electrical specification shall satisfy the
	*Test times: 6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40
	mataday perpendicular directions/	~ 85°C.
Adhesive Strength	*Droccurizing force :	No nomenicable demands
of Termination	*Pressurizing force : 5N(≤0603) ; 10N(>0603)	No remarkable damage or removal of the
JIS C 0051- 7.4.3		termination.
Dandington	*Test time: 10±1 sec	
Bending test	The middle part of substrate shall be	No mechanical damage.
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40
	shall be maintained for 5±1 sec.	~ 85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	

Temperature cycle JIS C 0025	 30±3 minutes at -40°C±3°C, 10~15 minutes at room temperature, 30±3 minutes at +85°C±3°C, 10~15 minutes at room temperature, Total 100 continuous cycles Measurement to be made after keeping at room temperature for 24±2 hrs 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
High temperature JIS C 0021	*Temperature: 85°C±2°C *Test duration: 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Humidity (steady conditions) JIS C 0022	*Humidity: 90% to 95% R.H. *Temperature: 40±2°C *Time: 1000+24/-0 hrs. Measurement to be made after keeping at room temperature for 24±2 hrs % 500hrs measuring the first data then 1000hrs data	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,





Fig 2. Infrared soldering profile

ORDERING CODE

KF	BPF	201210	0	С	67B1U
Walsin	Product Code	Dimension code	Unit of	Application	Specification
RF device	BPF:	Per 2 digits of Length,	dimension	C: 1125 ~ 1675 MHz	Design Code
	Band Pass Filter	Width, Thickness:	0: 0.1 mm	Band	
		e.g. :	1: 1.0 mm		
		201210 =			
		Length 20,			
		Width 12,			
		Thickness 10			

Minimum Ordering Quantity: 2000 pcs per reel.


PACKAGING



Plastic Tape specifications (unit :mm)

actio rapo opcomoationo (ant mini)					
Index	Ao	Во	ΦD	Т	W
Dimension (mm)	1.30 ± 0.10	2.25 ± 0.10	1.55 + 0.10	1.10 ± 0.10	8.0 ± 0.10
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10

Reel dimensions



Index	Α	В	С
Dimension (mm)	Ф178.0	Ф60.0	Ф13.0

Taping Quantity: 2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.

Temperature : +5 to $+40^{\circ}$ C

Humidity : 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.