

Mag Layers USA, INC

Specification Sheet

P/N GMLB-100505-Series-N8-RU

Products:

Certifications:

Molded Power Chokes

Multilayer Chip Inductors

Lan Transformer

RF Passive / Antennas

<u>Automotive</u>

<u>ISO9001</u>

IATF16949

ISO14001

QC080000

US Office

5406 Bolsa Ave., Huntington Beach, CA 92649 (714) 898-8377

Contact Us

www.maglayersusa.com info@maglayersusa.com

APPLICATION

GMLB chip beads can be used in a variety of electronic applications including:

- Computers and Computer Peripherals
- Cellular Communication Equipment
- Digital Cameras
- Digital Televisions
- Audio Equipment

FEATURES

The GMLB Series is Mag.Layers' line of high quality ferrite chip beads. Using the latest in multilayer technology, we have developed chip beads that are able to resolve all EMI/EMC issues. High quality, reliability, and versatility make the GMLB series chip beads suitable for all your design needs.

• High Reliability

The monolithic inorganic materials used to construct GMLB chips restrain magnetic flux leakage thereby minimizing EMI concerns. GMLB chips are also extremely effective with unstable grounding.

- Small Chip-Shaped Design The chip-shaped design makes GMLB chip beads ideal for automatic mounting.
- High Soldering Heat Resistance High quality termination allows both flow and re-flow soldering methods to be applied.
- Sharp High Frequency Characteristics
 The GMLB high frequency chip series has sharp impedance characteristics, which
 make it suitable for high-speed signal lines.


PRODUCT IDENTIFICATION

<u>gmlb</u> -	<u>100505</u>	-	<u>0030</u>	<u>A</u> -	<u>N 8</u>	
\bigcirc	2		3	(4)	(5)	6

- ① Product Code
- ② Dimension Code
- ③ Impedance (at 100 MHz)
- ④ Series Type
- ⑤ Design Code
- © Code for Special Specification



PRODUCT DIMENSION




NOTE : Dimensions in mm

PRODUCT NO.	А	В	С	D
GMLB-100505	1.0±0.10	0.5±0.10	0.5±0.10	0.25±0.10
(0402)	(0.039±0.004)	(0.019±0.004)	(0.019±0.004)	(0.0095±0.004)

CURRENT DERATING

In operating temperatures exceeding $+85^{\circ}$ C, derating of current is necessary for chip ferrite beads for which rated current is 1.5A or over. Please apply the derating curve shown below according to the operating temperature.





ELECTRICAL REQUIREMENTS

Part Number	Impedance (Ω) at 100 MHz	R _{DC} (Ω) Max.	Rated Current (mA) Max.	Operating Temp. Range (℃)
GMLB-100505-0120A-N8-RU	120±25%	0.25	500	-55 ~ +125

 Temperature rise should be less than 40°C for P-type and less than 25°C for other types when rated current is applied.

MEASURING METHOD / CONDITION

- Test Instrument:
 - Z: Agilent 4291B Impedance Analyzer, Test Fixture: Agilent 16192 Osc. Level: 500mV

R_{DC}: Agilent 34401A


- •Test Condition:
 - < Unless otherwise specified > Temperature: 15°C to 35°C

Humidity: 25% to 85% RH

< In case of doubt > Temperature: 25°C ± 2°C

Humidity: 60% to 70% RH


ELECTRICAL CHARACTERISTICS (T=25°C)






PACKAGING

Peel-off Force




The force for peeling off cover tape is 10 grams in the arrow direction.

• Dimension (Unit: mm)




	TYPE	A	В	С	D	E	F
	8 mm	178±1	60 +0.5 -0	-	13 ±0.2	9 ±0.5	12 ±0.5
Ē	12 mm	178±0.3	60 ±0.2	19.3 ±0.1	13.5 ±0.1	13.6 ±0.1	-



TYPE	SIZE	А	В	W	Р	Т	CHIPS/REEL
GMLB	100505	0.6	1.1	8	2	1.0	10000

*: For paper reels






Taping Quantity

SERIES	1005
PCS/Reel	10000


• Tape Packing Case




No. of Reels	W	L	н
2	18±0.5	18±0.5	2.4±0.2
3	18±0.5	18±0.5	3.6±0.2
4	18±0.5	18±0.5	4.8±0.2
5	18±0.5	18±0.5	6.0±0.2

Unit: cm

RECOMMENDED PCB LAYOUT





Unit: mm

Тур	e	1005
0:	L	1.0
Size	W	0.5
A		0.45~0.55
В		0.40~0.50
С		0.40~0.50




RELIABILTY TEST

ITEM	SPECIFICATION	TEOT	CONDITIC	N	
	More than 90% of the terminal electrode shall be covered with fresh solder.	Solder: 96.5Sn-3.0Ag-0.5Cu Solder Temperature: $240 \pm 5^{\circ}C$ Flux: Rosin Dip Time: 3 ± 1 Seconds			
-	The chip shall not crack. More than 75% of the terminal electrode shall be covered with solder.	Solder: 96.5Sn-3.0 Solder temperature Flux: Rosin Dip time: 10 ± 1 se	e : 260 ± 5℃		
	The terminal electrode shall not be broken off	TYPE	W(KGF)	TIME (SEC)	
Terminal Strength	nor the ferrite damaged.	GMLB-100505	0.2	30 ± 5	
	No mechanical damage.	TYPE	A(MM)	P(KGF)	
Bending Strength	The ferrite shall not be damaged. $ \begin{array}{c} $	GMLB-100505	0.4	0.2	
 Climatic test 					
ITEM	SPECIFICATION	TEST		N	
Thermal Shock (Temperature Cycle)	Impedance shall be within \pm 20% of the initial value.	minutes each. Total: 100 cycles.		5°C for 30	
Humidity Resistance		Temperature : +60 Humidity: 90% RH Applied current: ra Time: 1000 ± 12 h	ed current		
High Temperature		Temperature : 80°(Applied current: ra	2		

75% RH. The product should be used within 6 months from the time of delivery.



RECOMMENDED REFLOW SOLDERING PROFILE



Profile Feature		Sn-Pb	Pb-Free	
	t _s	60~120 seconds	60~180 seconds	
Preheat	T _{smin}	100 ℃	150 ℃	
	T _{smax}	150 ℃	200 °C	
Average ramp-up rate (T _{smax} to T _P)		3°C/second max.	3°C/second max.	
Timo main abaya	Temperature (T_L)	183 ℃	217 ℃	
Time main above	Time (t _L)	60~150 seconds	60~150 seconds	
Peak temperature	(T _P)	230 ℃	250~260 ℃	
Time within 5°C of actual peak temperature (t _P)		10 seconds	10 seconds	
Ramp-down rate		6°C/sec max.	6°C/sec max.	
Time 25 $^\circ\!\!\mathbb{C}$ to peak temperature		6 minutes max.	8 minutes max.	

NOTES

The contents of this data sheet are subject to change without notice. Please confirm the specifications and delivery conditions when placing your order.

