

WiFi 6E Chip Antenna

ACR1004A

Request Samples 🕥

Check Inventory

10.0 x 4.0 x 1.5 mm RoHS/RoHS II Compliant MSL Level = N/A

Electrical Specification

Parameter		Specification	Unit	
	Min	Тур	Max	Omt
On anotin a Enaguan av	2400		2500	MIL
Operating Frequency	5150		7125	MHz
Peak Gain			4.02	dBi
Average Gain			-2.71	dBi
Efficiency	53		79	%
Impedance		50		Ω
Polarization		Linear		

Note : The chip antenna performance is evaluated as per the evaluation board dimension of 100×50 mm. Frequency detuning may occur based on the application materials and environment which can be compensated using a suitable matching circuit.

Mechanical Specification

Parameter	Specification
Antenna Dimension	10.0 x 4.0 x 1.5 mm
Evaluation Board Dimension	100.0 x 50.0 x 0.8 mm
Mounting Type	Surface Mount

Environmental Specification

Parameter	Specification
Operating Temperature	-30°C to +85°C
Storage Temperature	-40°C to +85°C
RoHS	Compliant
Termination	Ag
Pb-Free	Yes
Relative Humidity	0-95 %





5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

For terms and conditions of sales, please visit: www.abracon.com

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED






Unit: mm



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED



WiFi 6E Chip Antenna


ACR1004A

Request Samples 🕥

Check Inventory

10.0 x 4.0 x 1.5 mm RoHS/RoHS II Compliant MSL Level = N/A

Reflection Characteristics – Return Loss






5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

REVISED: 08-04-21


ABRACON IS ISO9001-2015 CERTIFIED





WiFi 6E Chip Antenna **ACR1004A** 10.0 x 4.0 x 1.5 mm Check Inventory Request Samples (\mathcal{S}) **RoHS/RoHS II Compliant** MSL Level = N/A 5550MHz Total Total Total 5550 5925 6245 330 (dBm) (dBm) dBm 90 270 270 270 90 90 ower ower POWER 240 12 240 Max: 10 Max: 5 Min: -40 Scale: 5/div Max: 5 Min: -40 Scale: 5/div Min: -40 Scale: 5/div 150 210 15 150 **XY-Plane XZ-Plane YZ-Plane** <u>6875MHz</u> Total Total Total 6875 7125 330 330 330 Power (dBm) (dBm) (dBm) 270 90 90 270 90 270 Power Power 240 12 Max: 10 Min: -40 Scale: 5/div Max: 5 Min: -40 Scale: 5/div Max: 5 Min: -40 Scale: 5/div 150 210 150 210 150 210 **XY-Plane XZ-Plane YZ-Plane** 5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 ABRACON IS ABRACON **REVISED: 08-04-21** ISO9001-2015

For terms and conditions of sales, please visit: www.abracon.com

CERTIFIED









5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED

WiFi 6E Chip Antenna

ACR1004A

Request Samples 🕥

Check Inventory

10.0 x 4.0 x 1.5 mm RoHS/RoHS II Compliant MSL Level = N/A

Reliability Test Report

Test Item	Test Condition / Method	Specification
Humidity Test	The device is subjected to +85°C and 90%~95% for 96h~98h, then dry out at normal temperature	After the test, examine its appearance and functions
High Temperature Exposure	Device is subjected to 85°C temperature for 16h, and measured after 24h leaving in 25°C±5°C and less than 65% relative humidity.	After the test, examine its appearance and functions
Low Temperature	Device is subjected to -40°C temperature for 16h, and measured after 24h leaving in 25°C±5°C and less than 65% relative humidity.	After the test, examine its appearance and functions
Sinusoidal Vibration Test	Frequency : 5Hz~200Hz~5Hz Total amplitude : 2.0 mm Test times : 4hrs (Two hrs each in X and Y directions) and 4hrs in Z direction.	After the test, examine its appearance and functions
Vibration test in Packaged condition	Frequency : 15Hz~60Hz~15Hz Total amplitude : 2.0 mm Test times : 6hrs (Two hrs each in X,Y and Z direction.)	After the test, examine its appearance and functions
Solder Ability	Soaked in solder bath at 270°C±5°C for 10s±0.5s and then left for 1hr or more at 25±5°C	After the test, examine its appearance and functions
Adhesion test	Device is subjected to be soldered on test PCB. Then apply 5N of force for 10s±1s in the direction parallel to the substrate	After the test, examine its appearance and functions
Free fall test in packaged condition	Drop the object, to a concrete surface from the height of 90 cm on one corner, 3 edges and six faces once each i.e 10 times in total	After the test, examine its appearance and functions




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED

WiFi 6E Chip Antenna			
ACR1004A	Request Samples 🕥	Check Inventory 🕥	10.0 x 4.0 x 1.5 mm RoHS/RoHS II Compliant MSL Level = N/A
Recommended Soldering Profile			




Phase	Profile features	Pb-Free Assembly (SnAgCu)	
Preheat	-Temperature Min(Tsmin) -Temperature Max(Tsmax) -Time(ts) form (Tsmin to Tsmax)	150°C 200°C 60-120 seconds	
Ramp-up	Avg. Ramp-up Rate (Tsmax to TP)	3°C/second(max)	
Reflow	-Temperature(TL) -Total Time above TL (t L)	217°C 30-100 seconds	
Peak	-Temperature(TP) -Time(tp)	260°C 20-30 second	
Ramp-down	Rate	6°C / second max.	
Time from 25°C to Peak Temperature		8 minutes max.	
Composition of solder paste		96.5Sn/3Ag/0.5Cu	
Solder Paste Model		SHENMAO PF606-P26	




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED





is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858

For terms and conditions of sales, please visit:

www.abracon.com

REVISED: 08-04-21

ABRACON IS ISO9001-2015 CERTIFIED