

Features

- Shielded construction
- Soft saturation
- Low DCR, High Efficiency
- Designed for switching frequencies between 100KHz-2MHz

Applications

- Body electronics and comfort system
- Infotainment and entertainment
- Electric vehicles
- Lighting
- Solar inverters and power
- Industrial and robotics
- Medium and high power switch mode power supplies.

Electrical Specifications

Part Number	Inductance 0.1MHz/0.1V	Tolerance	DC Resistance Max	Saturation Current Max	Temperature Rise Current Typ.
Units	μH	%	mΩ	Α	A
Symbol	L		DCR	Isat	Irms
ASPI-F7050 - 2R2	2.2	20	6.4	17.0	14.0
ASPI-F7050 - 3R3	3.3	20	11.4	14.0	13.0
ASPI-F7050 - 4R7	4.7	20	15.4	13.0	11.0
ASPI-F7050 - 5R6	5.6	20	17.2	11.0	7.0

Test Conditions


Isat: DC current at which the inductance drops 30% from its value without current. **Irms:** DC current that causes the temperature rise (Δ T, approximate 40 °C) from 20°C ambient


Operating Temperature: -40°C ~ +125°C (including self-temperature rise) **Storage Condition:** -10°C ~ +40°C (in original packaging) and R.H. 60 max **Operating Voltage:** 40V (across inductor) **ASPI-F7050 Series is RoHS Compliant and Pb free MSL level:** 1




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-28-21






Mechanical Dimensions



Series	А	В	С	D	E	F
ASPI-F7050	8.4 ± 0.3	8.0 ± 0.3	4.8 ± 0.3	6.2 ± 0.3	1.75 ± 0.2	3.15 ± 0.25




L	G	Η	
7.4 Ref.	2.8 Ref.	7.2 Ref.	

Dimensions: mm




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-28-21



Materials





	Components	Material
а	Core	Alloy powder
b	Wire	220 deg. C Flat Wire
с	Solder	100% Pb free solder
d	Ink	Halogen-free ketone



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-28-21






Zone	Description	Temperature	Times
1	Preheat	T _{SMIN} ~ T _{SMAX} 150°C ~ 200°C	60 ~ 180 sec.
2	Reflow	T _L 217°C	60 ~ 150 sec.
3	Peak heat	Т _Р 260°С	10 sec. MAX



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-28-21



ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-28-21