FY Series



Overview

FY Series Supercapacitors, also known as Electric Double-Layer Capacitors (EDLCs), are intended for high energy storage applications.

Applications

Supercapacitors have characteristics ranging from traditional capacitors and batteries. As a result, supercapacitors can be used like a secondary battery when applied in a DC circuit. These devices are best suited for use in low voltage DC hold-up applications such as embedded microprocessor systems with flash memory.

Benefits

- Wide range of temperature from -25°C to +70°C
- Maintenance free
- · Maximum operating voltage of 5.5 VDC
- · Highly reliable against liquid leakage
- · Lead-free and RoHS compliant




Part Number System

FY	ОН	104	Z	F
Series	Maximum Operating Voltage	Capacitance Code	Capacitance Tolerance	Environmental
FYD FYH	0H = 5.5 VDC	First two digits represent significant figures. Third digit specifies number of zeros to follow µF code.	Z = -20/+80%	F = Lead-free



Dimensions - Millimeters



Part Number	ø D	Н	P	ę	d ₁	d ₂
FYD0H223ZF	11.5	8.5	5.08	2.7	0.4	1.2
FYD0H473ZF	11.5	8.5	5.08	2.7	0.4	1.2
FYD0H104ZF	13.0	8.5	5.08	2.2	0.4	1.2
FYD0H224ZF	14.5	15.0	5.08	2.4	0.4	1.2
FYD0H474ZF	16.5	15.0	5.08	2.7	0.4	1.2
FYD0H105ZF	21.5	16.0	7.62	3.0	0.6	1.2
FYD0H145ZF	21.5	19.0	7.62	3.0	0.6	1.2
FYD0H225ZF	28.5	22.0	10.16	6.1	0.6	1.4
FYH0H223ZF	11.5	7.0	5.08	2.7	0.4	1.2
FYH0H473ZF	13.0	7.0	5.08	2.2	0.4	1.2
FYH0H104ZF	16.5	7.5	5.08	2.7	0.4	1.2
FYH0H224ZF	16.5	9.5	5.08	2.7	0.4	1.2
FYH0H474ZF	21.5	10.0	7.62	3.0	0.6	1.2
FYH0H105ZF	28.5	11.0	10.16	6.1	0.6	1.4
FYL0H103ZF	11.0	5.0	5.08	2.7	0.2	1.2
FYL0H223ZF	11.0	5.0	5.08	2.7	0.2	1.2
FYL0H473ZF	12.0	5.0	5.08	2.7	0.2	1.2



Performance Characteristics

Supercapacitors should not be used for applications such as ripple absorption because of their high internal resistance (several hundred $m\Omega$ to a hundred Ω) compared to aluminum electrolytic capacitors. Thus, its main use would be similar to that of secondary battery such as power back-up in DC circuit. The following list shows the characteristics of supercapacitors as compared to aluminum electrolytic capacitors for power back-up and secondary batteries.

	Secondar	ry Battery	Capacitor			
	NiCd	NiCd Lithium Ion		Supercapacitor		
Back-up ability	-	-	-	-		
Eco-hazard	Cd	-	-	-		
Operating Temperature Range	-20 to +60°C	-20 to +50°C	-55 to +105°C	-40 to +85°C (FR, FT, FMR Type)		
Charge Time	Few hours	Few hours	Few seconds	Few seconds		
Charge/Discharge Life Time	Approximately 500 times	Approximately 500 to 1,000 times	Limitless (*1)	Limitless (*1)		
Restrictions on Charge/Discharge	Yes	Yes	None	None		
Flow Soldering	Not applicable	Not applicable	Applicable	Applicable		
Automatic Mounting	Not applicable	Not applicable	Applicable	Applicable (FM and FC series)		
Safety Risks	Leakage, explosion	Leakage, combustion, explosion, ignition	Heat-up, explosion	Gas emission (*2)		

^(*1) Aluminum electrolytic capacitors and supercapacitors have limited lifetime. However, when used under proper conditions, both can operate within a predetermined lifetime.

Typical Applications

Intended Use (Guideline)	Power Supply (Guideline)	Application	Examples of Equipment	Series	
Long time back up	F00 uA and balow	Embedded memory backup	DVD player, television, game console, set-top box	EV agrica	
Long time back-up	500 μA and below	Motor driver	DVD player, printer, projector, camera	FY series	

^(*2) There is no harm as it is a mere leak of water vapor which transitioned from water contained in the electrolyte (diluted sulfuric acid). However, application of abnormal voltage surge exceeding maximum operating voltage may result in leakage and explosion.



Environmental Compliance

All KEMET supercapacitors are RoHS compliant.



Table 1 - Ratings & Part Number Reference

Part Number	Maximum Operating	Nominal C	apacitance	Maximum ESR	Maximum Current at 30	Voltage Holding Characteristic	
Part Number	Voltage (VDC)	Charge System (F)	Discharge System (F)	at 1 kHz (Ω)	Minutes (mA)	Minimum (V)	Weight (g)
FYL0H103ZF	5.5	0.01	0.013	300	0.015	4.2	0.9
FYL0H223ZF	5.5	0.022	0.028	200	0.033	4.2	1.0
FYH0H223ZF	5.5	0.022	0.033	200	0.033	4.2	1.5
FYD0H223ZF	5.5	0.022	0.033	220	0.033	4.2	1.6
FYH0H473ZF	5.5	0.047	0.075	100	0.071	4.2	2.2
FYL0H473ZF	5.5	0.047	0.061	200	0.071	4.2	1.2
FYD0H473ZF	5.5	0.047	0.070	220	0.071	4.2	1.7
FYH0H104ZF	5.5	0.10	0.16	50	0.15	4.2	3.4
FYD0H104ZF	5.5	0.10	0.14	100	0.15	4.2	2.4
FYH0H224ZF	5.5	0.22	0.30	60	0.33	4.2	3.6
FYD0H224ZF	5.5	0.22	0.35	120	0.33	4.2	4.3
FYH0H474ZF	5.5	0.47	0.70	35	0.71	4.2	7.2
FYD0H474ZF	5.5	0.47	0.75	65	0.71	4.2	6.0
FYH0H105ZF	5.5	1.0	1.5	20	1.5	4.2	13.9
FYD0H105ZF	5.5	1.0	1.6	35	1.5	4.2	11.0
FYD0H145ZF	5.5	1.4	2.1	45	2.1	4.2	12.0
FYD0H225ZF	5.5	2.2	3.3	35	3.3	4.2	22.9

Part numbers in bold type represent popularly purchased components.



Specifications

Surge	It	tem	FY	Type (FYD, FYH)	Test Conditions (conforming to JIS C 5160-1)			
Capacitance	Category Temperature Ran	ge	-25°C to +70°C					
Refer to "Measurement Conditions" Refer to Table 1 Measured at 1 kHz, 10 mA, See also Measurement Conditions" Measurement Conditions M	Maximum Operating Voltag	je	5.5 VDC					
ESR	Capacitance		Refer to Table 1		Refer to "Measurem	ent Conditions"		
Current (30 minutes value)	Capacitance Allowance		+80%, -20%		Refer to "Measurem	ent Conditions"		
Capacitance >90% of initial ratings Surge voltage: 6.3 V Charge: 30 seconds Discharge: minutes 30 second Discharge: minutes 30 second Discharge: no minutes 40 second Discharge: no minutes 30 second Discharge: no minutes 40 second Discharge: no minutes	ESR		Refer to Table 1					
Capacitance	Current (30 minutes value)		Refer to Table 1		Refer to "Measurem	ent Conditions"		
Surge ESR		Capacitance	> 90% of initial rati	> 90% of initial ratings		30 seconds 9 minutes 30 seconds 1,000		
Current (30 minutes value) Appearance Appearance No obvious abnormality Capacitance ESR Capacitance ESR Characteristics in Different Temperature ESR Current (30 minutes value) Capacitance ESR Capacitance ESR Phase 3 Satisfy initial value Capacitance ESR Current (30 minutes value) Appearance No terminal damage Conforms to 4.13 Frequency: Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Phase 6: +25 ±2°C Phase 6: +25 ±	Surge	ESR	≤ 120% of initial ra	tings	Series resistance.	0.022 F 560 Ω 0.047 F 300 Ω 0.068 F 240 Ω 0.10 F 150 Ω		
Capacitance		Current (30 minutes value)	≤ 120% of initial ra	tings		0.47 F 30 Ω 1.0 F, 1.4 F 15 Ω		
ESR Capacitance ESR Phase 2 400% of initial value Phase 2 400% of initial value Phase 2: -25 ±2°C Phase 2: -25 ±2°C Phase 3: -25 ±2°C Phase 4: +25 ±2°C Phase 5: +70 ±2°C Phase 6: +25 ±2°C		Appearance	No obvious abnorr	nality	resistance:			
ESR Capacitance ESR Phase 3 Characteristics in Different Temperature ESR Current (30 minutes value) Lead Strength (tensile) Vibration Resistance Vibration Resistance Solderability ESR Capacitance Vibration Resistance Capacitance ESR And A of the terminal should be covered by the new Solder Capacitance Vibration Resistance Capacitance ESR Current (30 minutes value) Appearance No obvious abnormality Capacitance Conforms to 4.11 Solder temp: +245 ±5°C Phase 6: +25 ±2°C Phase 6: +25 ±2°C Phase 6:		Capacitance	Dhara 0	≥ 50% of initial value	Conforms to 4.17			
Characteristics in Different Temperature ESR Capacitance ESR Capacitance ESR Phase 5 Satisfy initial ratings Current (30 minutes value) Capacitance ESR Phase 6 Satisfy initial ratings Satisfy initial ratings Satisfy initial ratings Satisfy initial ratings Current (30 minutes value) ESR Phase 6 Satisfy initial ratings Satisfy initial ratings Current (30 minutes value) No terminal damage Capacitance ESR Satisfy initial ratings Current (30 minutes value) No terminal damage Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Phase 5: +70 ±2°C Phase 6: +25 ±2°C		ESR	Phase 2	≤ 400% of initial value				
Characteristics in Different Temperature ESR Capacitance ESR Current (30 minutes value) ESR Current (30 minutes value) Capacitance ESR Current (30 minutes value) No terminal damage Capacitance ESR Current (30 minutes value) Vibration Resistance Capacitance ESR Current (30 minutes value) Appearance No obvious abnormality Conforms to 4.9 Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +245 ±5°C Conforms to 4.10 Solder temp: +245 ±00 ±00°C Conforms to 4.10 Solder temp: +260 ±10°C		Capacitance	Phase 3			+25 ±2°C		
Characteristics in Different Temperature ESR Current (30 minutes value) ESR Phase 5 Satisfy initial ratings ± 1.5 CV (mA) Capacitance ESR Phase 6 Satisfy initial ratings Satisfy initial ratings Satisfy initial ratings Satisfy initial ratings Current (30 minutes value) Lead Strength (tensile) No terminal damage Conforms to 4.9 Capacitance ESR Current (30 minutes value) Appearance No obvious abnormality Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Capacitance ESR Capacitance Satisfy initial ratings Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C		ESR	T Hase o					
Current (30 minutes value) Capacitance ESR Phase 6 Satisfy initial ratings Current (30 minutes value) Lead Strength (tensile) Capacitance ESR Current (30 minutes value) No terminal damage Capacitance ESR Current (30 minutes value) Satisfy initial ratings Conforms to 4.9 Conforms to 4.9 Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Capacitance ESR Satisfy initial ratings Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C		Capacitance	_	≤ 200% of initial value	Pilase 0.	723 12 C		
Capacitance ESR Phase 6 Phase 6 Satisfy initial ratings Satisfy initial ratings Current (30 minutes value) Lead Strength (tensile) Capacitance ESR Current (30 minutes value) Vibration Resistance Capacitance ESR Current (30 minutes value) Appearance No obvious abnormality Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C	Different Temperature	ESR	Phase 5	Satisfy initial ratings				
ESR Current (30 minutes value) Lead Strength (tensile) Capacitance ESR Satisfy initial ratings Current (30 minutes value) No terminal damage Conforms to 4.9 Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Capacitance Capacitance ESR Satisfy initial ratings Satisfy initial ratings Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C		Current (30 minutes value)		≤ 1.5 CV (mA)				
Current (30 minutes value) Lead Strength (tensile) No terminal damage Capacitance ESR Current (30 minutes value) Appearance No obvious abnormality Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C		Capacitance		Within ±20% of initial value				
Lead Strength (tensile) Capacitance ESR Satisfy initial ratings Conforms to 4.9		ESR	Phase 6	Satisfy initial ratings				
Capacitance ESR Satisfy initial ratings Conforms to 4.13 Frequency: 10 to 55 Hz Testing Time: 6 hours		Current (30 minutes value)		, ,				
Frequency: 10 to 55 Hz Current (30 minutes value) Appearance No obvious abnormality Over 3/4 of the terminal should be covered by the new solder Capacitance Capacitance ESR Capacitance ESR Satisfy initial ratings Satisfy initial ratings Frequency: 10 to 55 Hz Testing Time: 6 hours Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C	Lead Strength (tensile)		No terminal damag	ge				
Vibration Resistance Current (30 minutes value) Appearance No obvious abnormality Over 3/4 of the terminal should be covered by the new solder Capacitance Capacitance ESR Current (30 minutes value) Over 3/4 of the terminal should be covered by the new solder Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Conforms to 4.10 Solder temp: +260 ±10°C			_			10 to EE II-		
Current (30 minutes value) Appearance No obvious abnormality Over 3/4 of the terminal should be covered by the new solder Over 3/4 of the terminal should be covered by the new solder Conforms to 4.11 Solder temp: +245 ±5°C Dipping time: 5 ±0.5 seconds 1.6 mm from the bottom should be dipped Capacitance ESR Satisfy initial ratings Solder temp: +260 ±10°C	Vibration Resistance		Satisfy initial ratin	gs				
Solderability Over 3/4 of the terminal should be covered by the new solder Over 3/4 of the terminal should be covered by the new solder Conforms to 4.11 Solder temp: +245±5°C Dipping time: 5±0.5 seconds 1.6 mm from the bottom should be dipped Capacitance ESR Satisfy initial ratings Solder temp: +260±10°C					_			
Solderability Over 3/4 of the terminal should be covered by the new solder Over 3/4 of the terminal should be covered by the new solder 1.6 mm from the bottom should be dipped to the first seconds Capacitance ESR Satisfy initial ratings Satisfy initial ratings	Appearance		No obvious abnorr	mality				
Capacitance ESR Satisfy initial ratings Conforms to 4.10 Solder temp: +260 ±10°C	Solderability		1		Solder temp: Dipping time:	5 ±0.5 seconds		
ESR Satisfy initial ratings Solder temp: +260 ±10°C		Canacitanas				tom snoula de aippea.		
			Cotiofy initial anti-	an.				
	Solder Heat Resistance		Satisfy initial ratings		Dipping time: 10 ±1 seconds			
Current (30 minutes value) Appearance No obvious abnormality 1.6 mm from the bottom should be dippearance		,	No obvieve obsess	mality	1.6 mm from the bottom should be dipped.			




Specifications cont.

lt	em	FY Type (FYD, FYH)	Test Conditions (conforming to JIS C 5160-1)		
Temperature Cycle	Capacitance ESR Current (30 minutes value)	Satisfy initial ratings	Conforms to 4.12 Temperature Condition:	-25°C » Room temperature » +70°C » Room temperature	
	Appearance	No obvious abnormality	Number of cycles:	5 cycles	
High Temperature and	Capacitance ESR	Within ±20% of initial value ≤ 120% of initial ratings	Conforms to 4.14 Temperature: Relative humidity:		
High Humidity Resistance	Current (30 minutes value) Appearance	≤ 120% of initial ratings No obvious abnormality	Testing time:		
	Capacitance	Within ±30% of initial value	Conforms to 4.15 Temperature:	+70 ±2°C Maximum operating voltage	
High Temperature Load	ESR	< 200% of initial ratings	Voltage applied: Series protection		
·	Current (30 minutes value)	< 200% of initial ratings	resistance: Testing time:	0 Ω 1,000 +48 (+48/-0)	
	Appearance	No obvious abnormality		hours	
Self Discharge Characteristics			Charging condition Voltage applied: Series resistance: Charging time:	5.0 VDC (Terminal at the case side must be negative) 0 Ω 24 hours	
(Voltage Holding Character		Voltage between terminal leads > 4.2 V	Storage Let stand for 24 hours in condition describelow with terminals opened. Ambient temperature: < 25°C Relative humidity: < 70% RH		



Marking



Packaging Quantities


Part Number	Bulk Quantity per Box
FYD0H223ZF	1,000 pieces
FYD0H473ZF	1,000 pieces
FYD0H104ZF	800 pieces
FYD0H224ZF	400 pieces
FYD0H474ZF	240 pieces
FYD0H105ZF	90 pieces
FYD0H145ZF	90 pieces
FYD0H225ZF	50 pieces
FYH0H223ZF	1,600 pieces
FYH0H473ZF	800 pieces
FYH0H104ZF	600 pieces
FYH0H224ZF	500 pieces
FYH0H474ZF	90 pieces
FYH0H105ZF	50 pieces
FYL0H103ZF	2,000 pieces
FYL0H223ZF	2,000 pieces
FYL0H473ZF	1,600 pieces




Measurement Conditions

Capacitance (Charge System)

Capacitance is calculated from expression (9) by measuring the charge time constant (τ) of the capacitor (C). Prior to measurement, the capacitor is discharged by shorting both pins of the device for at least 30 minutes. In addition, use the polarity indicator on the device to determine correct orientation of capacitor for charging.





Eo: 3.0 (V) Product with maximum operating voltage of 3.5 V

5.0 (V) Product with maximum operating voltage of 5.5 V

6.0 (V) Product with maximum operating voltage of 6.5 V

10.0 (V) Product with maximum operating voltage of 11 V $\,$

12.0 (V) Product with maximum operating voltage of 12 V

τ: Time from start of charging until Vc becomes 0.632 Eo (V)

(seconds)

Rc: See table below (Ω) .

Charge Resistor Selection Guide

Charge Resistor Selection Guide													
Сар	FA	FE	FS	FYD	Y FYH	FR	FM, FME FMR	FMC	FG, FGR	FGH	FT	FC, FCS	HV
0.010 F	_	_	_	_	-	_	5,000 Ω	_	5,000 Ω	-	-	_	-
0.022 F	1,000 Ω	_	1,000 Ω	2,000 Ω	2,000 Ω	2,000 Ω	2,000 Ω	-	2,000 Ω	-	_	Discharge	-
0.033 F	-	-	_	-	_	_	Discharge	-	-	-	-	-	-
0.047 F	1,000 Ω	1,000 Ω	1,000 Ω	2,000 Ω	1,000 Ω	1,000 Ω	2000 Ω	1,000 Ω	2,000 Ω	-	-	_	-
0.10 F	510 Ω	510 Ω	510 Ω	1,000 Ω	510 Ω	1,000 Ω	1000 Ω	1,000 Ω	1,000 Ω	Discharge	510 Ω	Discharge	-
0.22 F	200 Ω	200 Ω	200 Ω	510 Ω	510 Ω	510 Ω	0H: Discharge 0V: 1000 Ω	-	1,000 Ω	Discharge	200 Ω	Discharge	-
0.33 F	_	_	_	-	-	_	_	Discharge	-	-	_	_	-
0.47 F	100 Ω	100 Ω	100 Ω	200 Ω	200 Ω	200 Ω	_	-	1,000 Ω	Discharge	100 Ω	Discharge	-
1.0 F	51 Ω	51 Ω	100 Ω	100 Ω	100 Ω	100 Ω	_	-	510 Ω	Discharge	100 Ω	Discharge	Discharge
1.4 F	_	_	_	200 Ω	-	_	_	-	-	-	_	_	-
1.5 F	_	51 Ω	_	-	-	_	_	-	510 Ω	-	_	_	-
2.2 F	_	_	_	100 Ω	_	_	_	-	200 Ω	-	51 Ω	_	-
2.7 F	-	-	_	-	_	_	_	-	-	-	-	-	Discharge
3.3 F	-	-	_	-	_	_	_	-	-	-	51 Ω	-	-
4.7 F	-	-	_	-	_	_	_	-	100 Ω	-	-	-	Discharge
5.0 F	-	-	100 Ω	-	_	_	_	-	-	-	-	-	-
5.6 F	-	-	_	-	_	_	_	-	-	-	20 Ω	-	-
10.0 F	_	_	_	_	-	-	_	-	-	-	_	_	Discharge
22.0 F	_	_	_	_	-	-	_	-	-	-	_	_	Discharge
50.0 F	_	_	_	_	-	-	_	-	_	-	_	_	Discharge
100.0 F	_	_	_	_	-	-	_	-	_	-	_	_	Discharge
200.0 F	-	-	_	-	-	-	_	-	-	-	-	_	Discharge

^{*}Capacitance values according to the constant current discharge method.

^{*}HV Series capacitance is measured by discharge system.





Measurement Conditions cont.


Capacitance (Discharge System)

As shown in the diagram below, charging is performed for a duration of 30 minutes once the voltage of the capacitor terminal reaches 5.5 V. Then, use a constant current load device and measure the time for the terminal voltage to drop from 3.0 to 2.5 V upon discharge at 0.22 mA per 0.22 F, for example, and calculate the static capacitance according to the equation shown below.

Note: The current value is 1 mA discharged per 1 F.









Capacitance (Discharge System - 3.5 V, 3.6 V)

As shown in the diagram below, charging is performed for a duration of 30 minutes once the voltage of the capacitor terminal reaches 3.5 V (3.6 V). Then, use a constant current load device and measure the time for the terminal voltage to drop from 1.8 to 1.5 V upon discharge at 1.0 mA per 1.0 F, for example, and calculate the static capacitance according to the equation shown below.

$$C = \frac{I \times (T_2 - T_1)}{V_1 - V_2} (F)$$







Capacitance (Discharge System - HV Series)

As shown in the diagram below, charging is performed for a duration of 30 minutes once the voltage of the capacitor terminal reaches maximum operating voltage. Then, use a constant current load device and measure the time for the terminal voltage to drop from 2.0 to 1.5 V upon discharge at 1.0 mA per 1.0 F, and calculate the static capacitance according to the equation shown below.

$$C = \frac{I \times (T_2 - T_1)}{V_1 - V_2} \ (F)$$







Measurement Conditions cont.

Equivalent Series Resistance (ESR)

ESR shall be calculated from the equation below.


$$ESR = \frac{V_{c}}{0.01}(\Omega)$$

$$f:1kHz$$

$$C = \frac{V_{c}}{0.01}$$

Current (at 30 minutes after charging)

Current shall be calculated from the equation below. Prior to measurement, both lead terminals must be short-circuited for a minimum of 30 minutes. The lead terminal connected to the metal can case is connected to the negative side of the power supply.



Self-Discharge Characteristic (0H - 5.5 V Products)

The self-discharge characteristic is measured by charging a voltage of 5.0 VDC (charge protection resistance: 0 Ω) according to the capacitor polarity for 24 hours, then releasing between the pins for 24 hours and measuring the pin-to-pin voltage. The test should be carried out in an environment with an ambient temperature of 25° C or below and relative humidity of 70% RH or below. The soldering is checked.

4. Dismantling

There is a small amount of electrolyte stored within the capacitor. Do not attempt to dismantle as direct skin contact with the electrolyte will cause burning. This product should be treated as industrial waste and not is not to be disposed of by fire.



Notes on Using Supercapacitors or Electric Double-Layer Capacitors (EDLCs)

1. Circuitry Design

1.1 Useful life

The FC Series Supercapacitor (EDLC) uses an electrolyte in a sealed container. Water in the electrolyte can evaporate while in use over long periods of time at high temperatures, thus reducing electrostatic capacity which in turn will create greater internal resistance. The characteristics of the supercapacitor can vary greatly depending on the environment in which it is used. Basic breakdown mode is an open mode due to increased internal resistance.

1.2 Fail rate in the field

Based on field data, the fail rate is calculated at approximately 0.006 Fit. We estimate that unreported failures are ten times this amount. Therefore, we assume that the fail rate is below 0.06 Fit.

1.3 Exceeding maximum usable voltage

Performance may be compromised and in some cases leakage or damage may occur if applied voltage exceeds maximum working voltage.

1.4 Use of capacitor as a smoothing capacitor (ripple absorption)

As supercapacitors contain a high level of internal resistance, they are not recommended for use as smoothing capacitors in electrical circuits. Performance may be compromised and, in some cases, leakage or damage may occur if a supercapacitor is used in ripple absorption.

1.5 Series connections

As applied voltage balance to each supercapacitor is lost when used in series connection, excess voltage may be applied to some supercapacitors, which will not only negatively affect its performance but may also cause leakage and/or damage. Allow ample margin for maximum voltage or attach a circuit for applying equal voltage to each supercapacitor (partial pressure resistor/voltage divider) when using supercapacitors in series connection. Also, arrange supercapacitors so that the temperature between each capacitor will not vary.

1.6 Case Polarity

The supercapacitor is manufactured so that the terminal on the outer case is negative (-). Align the (-) symbol during use. Even though discharging has been carried out prior to shipping, any residual electrical charge may negatively affect other parts.

1.7 Use next to heat emitters

Useful life of the supercapacitor will be significantly affected if used near heat emitting items (coils, power transistors and posistors, etc.) where the supercapacitor itself may become heated.

1.8 Usage environment

This device cannot be used in any acidic, alkaline or similar type of environment.



Notes on Using Supercapacitors or Electric Double-Layer Capacitors (EDLCs) cont.

2. Mounting

2.1 Mounting onto a reflow furnace

Except for the FC series, it is not possible to mount this capacitor onto an IR / VPS reflow furnace. Do not immerse the capacitor into a soldering dip tank.

2.2 Flow soldering conditions

Keep solder under 260°C and soldering time to within 10 seconds when using the flow automatic soldering method. (Except for the FC and HV series)

2.3 Installation using a soldering iron

Care must be taken to prevent the soldering iron from touching other parts when soldering. Keep the tip of the soldering iron under 400°C and soldering time to within 3 seconds. Always make sure that the temperature of the tip is controlled. Internal capacitor resistance is likely to increase if the terminals are overheated.

2.4 Lead terminal processing

Do not attempt to bend or polish the capacitor terminals with sand paper, etc. Soldering may not be possible if the metallic plating is removed from the top of the terminals.

2.5 Cleaning, Coating, and Potting

Except for the FM series, cleaning, coating and potting must not be carried out. Consult KEMET if this type of procedure is necessary. Terminals should be dried at less than the maximum operating temperature after cleaning.

3. Storage

3.1 Temperature and humidity

Make sure that the supercapacitor is stored according to the following conditions: Temperature: $5 - 35^{\circ}$ C (Standard 25°C), Humidity: 20 - 70% (Standard: 50%). Do not allow the build up of condensation through sudden temperature change.

3.2 Environment conditions

Make sure there are no corrosive gasses such as sulfur dioxide, as penetration of the lead terminals is possible. Always store this item in an area with low dust and dirt levels. Make sure that the packaging will not be deformed through heavy loading, movement and/or knocks. Keep out of direct sunlight and away from radiation, static electricity and magnetic fields.

3.3 Maximum storage period

This item may be stored up to one year from the date of delivery if stored at the conditions stated above.



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

When providing KEMET products and technologies contained herein to other countries, the customer must abide by the procedures and provisions stipulated in all applicable export laws and regulations, including without limitation the International Traffic in Arms Regulations (ITAR), the US Export Administration Regulations (EAR) and the Japan Foreign Exchange and Foreign Trade Act.