BPW 34 FSR

DIL SMT

Silicon PIN Photodiode with Daylight Blocking Filter





Applications

- Electronic Equipment
- Industrial Automation (Machine Controls, Light Barriers, Vision Controls)
- Measurement Levelling
- Rain Sensors

Features:

- Package: black epoxy
- Qualifications: The product qualification test plan is based on the guidelines of AEC-Q102, failure mechanism based Stress Test Qualification for Discrete Optoelectronic Semiconductors in Automotive applications.
- ESD: 2 kV acc. to ANSI/ESDA/JEDEC JS-001 (HBM, Class 2)
- Especially suitable for applications from 780 nm to 1100 nm
- Short switching time (typ. 20 ns)
- DIL plastic package with high packing density
- Suitable for reflow soldering

Ordering Information

Type Photocurrent 1) Photocurrent Ordering Code typ. $E_e = 1 \text{ mW/cm}^2; \ \lambda = 950 \text{ nm}; \ V_R = 5 \text{ V} E_e = 1 \text{ mW/cm}^2; \ \lambda = 950 \text{ nm}; \ V_R = 5 \text{ V}$ I_P $BPW 34 FSR-Z \ge 44 \ \mu\text{A}$ $50 \ \mu\text{A}$ Q65110A2740



Maximum Ratings	M	axiı	mum	ı Ra	itinas
------------------------	---	------	-----	------	--------

Т	=	25	$^{\circ}C$
* A			\sim

Parameter	Symbol		Values
Operating Temperature	T _{op}	min.	-40 °C
	•	max.	100 °C
Storage temperature	T _{stg}	min.	-40 °C
	-19	max.	100 °C
Reverse voltage	V _R	max.	16 V
Reverse voltage	V _R	max.	32 V
$t \le 2 \text{ min; } T_A = 25 ^{\circ}\text{C}$			
Total power dissipation	P _{tot}	max.	150 mW
ESD withstand voltage	V_{ESD}	max.	2 kV
acc. to ANSI/ESDA/JEDEC JS-001 (HBM, Class 2)			



Characteristics


T_A = 25 °C

Parameter	Symbol	Values	
Wavelength of max sensitivity	$\lambda_{_{S \; max}}$	typ.	950 nm
Spectral range of sensitivity	λ _{10%}	typ.	780 1100 nm
Radiant sensitive area	А	typ.	7.02 mm²
Dimensions of active chip area	LxW	typ.	2.65 x 2.65 mm x mm
Half angle	φ	typ.	60 °
Dark current V _R = 10 V	I _R	typ. max.	2 nA 30 nA
Spectral sensitivity of the chip $\lambda = 950 \text{ nm}$	S_{λ}	typ.	0.7 A / W
Quantum yield of the chip $\lambda = 950 \text{ nm}$	η	typ.	0.91 Electrons / Photon
Open-circuit voltage $E_e = 0.5 \text{ mW/cm}^2$; $\lambda = 950 \text{ nm}$	V _o	min. typ.	275 mV 330 mV
Short-circuit current $E_e = 0.5 \text{ mW/cm}^2$; $\lambda = 950 \text{ nm}$	I _{SC}	typ.	25 μΑ
Rise time $V_R = 5 \text{ V}; R_L = 50 \Omega; \lambda = 850 \text{ nm}$	t _r	typ.	0.02 μs
Fall time $V_R = 5 \text{ V}; R_L = 50 \Omega; \lambda = 850 \text{ nm}$	t _f	typ.	0.02 μs
Forward voltage I _F = 100 mA; E = 0	V_{F}	typ.	1.3 V
Capacitance $V_R = 0 \text{ V}; f = 1 \text{ MHz}; E = 0$	C ₀	typ.	72 pF
Temperature coefficient of voltage	TC_v	typ.	-2.6 mV / K
Temperature coefficient of short-circuit current $\lambda = 950 \text{ nm}$	TC ₁	typ.	0.18 % / K
Noise equivalent power $V_R = 10 \text{ V}; \lambda = 950 \text{ nm}$	NEP	typ.	0.036 pW / Hz ^{1/2}
Detection limit	D*	typ.	7.3e12 cm x Hz ^{1/2} / W




Relative Spectral Sensitivity 2), 3)

$$S_{rel} = f(\lambda)$$




Directional Characteristics 2), 3)

$$S_{rel} = f(\phi)$$




Photocurrent/Open-Circuit Voltage ^{2), 3)}

$$I_P (V_R = 5 V) / V_O = f (E_e)$$




Dark Current 2), 3)

$$I_R = f(V_R); E = 0$$




Capacitance 2), 3)

$$C = f(V_R)$$
; $f = 1MHz$; $E = 0$; $T_A = 25$ ° C




Dark Current 2)

$$I_{R} = f(T_{A}); E = 0; V_{R} = 10 V$$




Power Consumption

$$P_{tot} = f(T_A)$$



Dimensional Drawing 4)




Further Information:

Approximate Weight: 43.0 mg


Package marking: Cathode




Recommended Solder Pad 4)











Component Location on Pad



E062.3010.111 -03

Reflow Soldering Profile

Product complies to MSL Level 4 acc. to JEDEC J-STD-020E




Profile Feature	Symbol	Pb	Pb-Free (SnAgCu) Assembly		
		Minimum	Recommendation	Maximum	
Ramp-up rate to preheat*)			2	3	K/s
25 °C to 150 °C					
Time t _s	$t_{\scriptscriptstyle{S}}$	60	100	120	S
T_{Smin} to T_{Smax}					
Ramp-up rate to peak*)			2	3	K/s
T_{Smax} to T_{P}					
Liquidus temperature	T_{L}		217		°C
Time above liquidus temperature	$t_{\scriptscriptstyle L}$		80	100	S
Peak temperature	T_{P}		245	260	°C
Time within 5 °C of the specified peak temperature T _P - 5 K	t _P	10	20	30	S
			3	6	V/a
Ramp-down rate* T _P to 100 °C			J	6	K/s
Time				480	S
25 °C to T _P					

All temperatures refer to the center of the package, measured on the top of the component




^{*} slope calculation DT/Dt: Dt max. 5 s; fulfillment for the whole T-range

Taping 4)



Tape and Reel 5)




Reel Dimensions

Α	W	N_{\min}	W ₁	W_{2max}	Pieces per PU
180 mm	12 + 0.3 / - 0.1 mm	60 mm	12.4 + 2 mm	18.4 mm	1500

Barcode-Product-Label (BPL)



Dry Packing Process and Materials 4)



Moisture-sensitive product is packed in a dry bag containing desiccant and a humidity card according JEDEC-STD-033.



Notes

The evaluation of eye safety occurs according to the standard IEC 62471:2006 (photo biological safety of lamps and lamp systems). Within the risk grouping system of this IEC standard, the device specified in this data sheet falls into the class **exempt group (exposure time 10000 s)**. Under real circumstances (for exposure time, conditions of the eye pupils, observation distance), it is assumed that no endangerment to the eye exists from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect. When looking at bright light sources (e.g. headlights), temporary reduction in visual acuity and afterimages can occur, leading to irritation, annoyance, visual impairment, and even accidents, depending on the situation.

Subcomponents of this device contain, in addition to other substances, metal filled materials including silver. Metal filled materials can be affected by environments that contain traces of aggressive substances. Therefore, we recommend that customers minimize device exposure to aggressive substances during storage, production, and use. Devices that showed visible discoloration when tested using the described tests above did show no performance deviations within failure limits during the stated test duration. Respective failure limits are described in the IEC60810.

For further application related information please visit www.osram-os.com/appnotes



Disclaimer

Attention please!

The information describes the type of component and shall not be considered as assured characteristics. Terms of delivery and rights to change design reserved. Due to technical requirements components may contain dangerous substances.

For information on the types in question please contact our Sales Organization.

If printed or downloaded, please find the latest version on the OSRAM OS website.

Packing

Please use the recycling operators known to you. We can also help you – get in touch with your nearest sales office. By agreement we will take packing material back, if it is sorted. You must bear the costs of transport. For packing material that is returned to us unsorted or which we are not obliged to accept, we shall have to invoice you for any costs incurred.

Product and functional safety devices/applications or medical devices/applications

OSRAM OS components are not developed, constructed or tested for the application as safety relevant component or for the application in medical devices.

OSRAM OS products are not qualified at module and system level for such application.

In case buyer – or customer supplied by buyer – considers using OSRAM OS components in product safety devices/applications or medical devices/applications, buyer and/or customer has to inform the local sales partner of OSRAM OS immediately and OSRAM OS and buyer and /or customer will analyze and coordinate the customer-specific request between OSRAM OS and buyer and/or customer.



Glossary

- Photocurrent: The photocurrent values are measured (by irradiating the devices with a homogenous light source and applying a voltage to the device) with a tolerance of ±11 %.
- Typical Values: Due to the special conditions of the manufacturing processes of semiconductor devices, the typical data or calculated correlations of technical parameters can only reflect statistical figures. These do not necessarily correspond to the actual parameters of each single product, which could differ from the typical data and calculated correlations or the typical characteristic line. If requested, e.g. because of technical improvements, these typ. data will be changed without any further notice.
- ³⁾ **Testing temperature:** TA = 25°C (unless otherwise specified)
- Tolerance of Measure: Unless otherwise noted in drawing, tolerances are specified with ±0.1 and dimensions are specified in mm.
- ⁵⁾ **Tape and Reel:** All dimensions and tolerances are specified acc. IEC 60286-3 and specified in mm.



BPW 34 FSR

Revision	Revision History				
Version	Date	Change			
1.5	2019-06-24	Disclaimer			
1.6	2019-07-10	Barcode-Product-Label (BPL) Notes			
1.7	2020-02-14	Ordering Information Barcode-Product-Label (BPL) Notes			
1.8	2020-03-02	Features			
1.9	2020-10-01	Taping			



Published by OSRAM Opto Semiconductors GmbH EU RoHS and China RoHS compliant product Leibnizstraße 4, D-93055 Regensburg www.osram-os.com © All Rights Reserved.

此产品符合欧盟 RoHS 指令的要求; 按照中国的相关法规和标准,不含有毒有害物质或元素。

