

## **RA RECEIVER 10 X 4.8 X 2 MM WITH MESH**

www.knowles.com

## Contents

1	heory of operation	.3
2.	Aechanical Layout and Dimensions	.4
2.1		
2.2		
2.3		
2.4		
2.5	•	
2.6		
3.	lectrical and Acoustical Specifications	.9
3.1		
3.2		
3.3	. Power handling1	10
3.4	. Measurement setup1	1
3.5	. Measured Parameters1	1
3.6	. Measurement adapter1	12
4.	nvironmental Conditions	13
4.1	. Storage1	13
4.2	. Transportation	13
4.3	. Functionality1	13
5.	nvironmental tests	14
5.1	. Qualification tests	4
5.2	. Reliability tests	4
5.3	. Sample Size, Sequence	4
5.4	. Period of Shelf-Life1	4
5.5	. Testing Procedures1	4
6.	Related Documents1	18
7.	Change History	۱9
8.	Disclaimer	19





## 1. Theory of operation

Ra Receiver  $10 \times 4.8 \times 2$  with mesh is a high end micro size receiver specifically designed for mobile phone and other applications where high quality sound is needed and only very little space for components is available.


## 2. Mechanical Layout and Dimensions


## 2.1. Main Dimensions







DETAIL A CROSS SEKTION










Release – Revision: E

Page 4 of 19


www.knowles.com

©2011 Knowles Electronics


## 2.2. PWB Layout





### 2.3. Spring Force




## 2.4. Force on component







PULL (BASKET)




FORCES ON DIFFERENT STATE OF COMPONENT					
STATE	MIN. SURFACE OF PRESSURE [mm <sup>2</sup> ]	MAX PERMANENT FORCE [N]	MAX HANDLING FORCE [N]		
FROM FRONT TO BACK	-	5	15		
FROM SIDE 1 TO SIDE 1	3	5	15		
FROM SIDE 2 TO SIDE 2	10	5	15		
РОТ	-	0	0		
MEMBRANE	-	0	0		
PULL OF FORCE (ADHESIVE/BASKET)	-	0.15	5		




the carles + 101-

### 2.5. Part Marking/Labeling

The samples have a serial number on bottom (pot) side



**VARIANT B – Inkjet Printing** 






www.knowles.com

### 2.6. Material List

1.	MATERIAL of BASKET:	Polycarbonat (Halogen free)
2.	MATERIAL of MEMBRANE:	Polyarylat-Compound
3.	MATERIAL of POT:	soft magnetic iron
4.	MATERIAL of MAGNET:	Nd Fe B
5.	MATERIAL of CONTACT	CrNi Steel gold plated
6.	MATERIAL of COVER:	CuZn
7.	FRONT ADHESIVE :	Acrylic
8.	DIMENSION:	10x4,8x2
9.	MASS:	0,2 g
10.	STAMP	numbered by production sequence

## 3. Electrical and Acoustical Specifications

#### 3.1. Frequency response



TYPICAL FREQUENCY RESPONSE measured on Baffle according to

	Tolerance window					
f	f lower limit upper limit f		upper limit			
Hz	[db SPL]	[db SPL]	Hz	[%THD]		
300	67	83	350	50		
450	-	94	500	25		
600	86	94	700	10		
700	-	94	1000	5		
2000	82	88	6000	5		
4500	82	88	7000	10		
6500	82	91	10000	10		



### **3.2.** Electro-Acoustic Parameters

#### LOUDSPEAKER MOUNTED IN ADAPTER ACC. TO SHEET 190-6.1


1. RATED IMPEDANCE	Z:	32 Ω
2. VOICE COIL RESISTANCE	R:	$28.8\Omega\pm10~\%$
3. RESONANCE FREQUENCY (measured @1mW)	f <sub>0</sub> :	520 Hz ± 15 %
4. MAXIMUM useable EXCURSION Xmax:		0.40 mm p-p
5. NOMINAL CHARACT. SENSITIVITY (calculated f average from 2kHz to 4kHz	for 1W in 1m )	65 ± 2 dB
5.1. MEASURED CHARACT. SENSITIVITY (at 10mV average from 2kHz to 4kHz	V in 1cm )	85 ± 2 dB
6. FREQUENCY RANGE IN TELECOM APPLICATION	N	300 - 3,4 kHz
7. THD		according to Sheet 190 - 4
8. RUB & BUZZ	< 60 dBSPL (300 Hz 150	00Hz) in 1cm at 5mW (400mV <sub>eff</sub> )

#### **3.3.** Power handling

#### **RECEIVER MOUNTED IN LIFETIME TEST DEVICE ( OPEN REAR / OPEN FRONT)**


(pink noise shaped according to diagram below, Crestfaktor 2)

- 1. MAX.SHORT TERM POWER (0,5sec. ON / 3sec. OFF) 75 mW (RMS)
- 2. MAX. CONTINUOUS POWER (500h) 40 mW (RMS)



#### Spectrum of life time test signal

### 3.4. Measurement setup



### 3.5. Measured Parameters

#### 3.5.1. Sensitivity

SPL is expressed in dB rel 20µPa, computed according to IEC 268-5. Measurement set up and parameters according chapter 3.4. This test is performed for 100% of products in the production line.

#### 3.5.2. Frequency response

Frequency response is measured according test set up in chapter 3.4 data sheet and checked against the tolerance window defined in chapter 3.1. This Test is performed for 100% of products in the production line.

#### **3.5.3.** Total harmonic distortion (THD)


Is measured according IEC 268-5 (2nd to 5th harmonics) and test set up in chapter 3.4. This test is performed for 100% of products in the production line.


#### 3.5.4. Rub& Buzz


Rub & Buzz will be measured in the Inline-measuring device with a sinusoidal sweep. Rub & Buzz is defined as the maximum level of no harmonic energy, expressed as signal to non-harmonic content ratio, in a certain frequency-range. Signal and evaluation criteria are according to chapter 3.1. This test is performed for 100% of products in the production line.




## 3.6. Measurement adapter









www.knowles.com

Ó

0

©2011 Knowles Electronics

## 4. Environmental Conditions

#### 4.1. Storage

The transducer fulfils the specified data after treatment according to the conditions of

ETS 300 019-2-1Specification of environmental test: Storage<br/>Test spec. T 1.2: Weather protected, not temperature controlled storage<br/>locations.

#### 4.2. Transportation

The transducer fulfils the specified data after treatment according to the conditions of

ETS 300 019-2-2	Specification of environmental test: Transportation		
	Test Spec. T 2.3: Public Transportation		

#### 4.3. Functionality

The transducer fulfils the specified data after treatment according to the conditions of

ETS 300 019-2-5	Specification of environmental test: Ground vehicle installations
	Test spec. T 5.1: Protected installation
ETS 300 019-2-7	Specification of environmental test: Portable and non-stationary use
	Test spec. T 7.3E: Partly weather protected and non-weather protected
	locations.



## 5. Environmental tests

#### 5.1. Qualification tests

According to our milestone plan (Product Creation Process), a complete qualification test will be done at design validation of products manufactured under serial conditions.

1x per year and product family a requalification takes place. The qualification process covers all tests described under 5.5 and a complete inspection.

#### 5.2. Reliability tests

1x per month and product family samples are taken and submitted to tests described under 5.5.2

#### 5.3. Sample Size, Sequence

Unless otherwise stated 20 arbitrary new samples will be used to perform each test for both, qualification and requalification test as described under 5.1 and 5.2.

#### 5.4. Period of Shelf-Life

The period of shelf-life is 5 years.

#### 5.5. Testing Procedures

#### 5.5.1. Storage Tests

#### 5.5.1.1. Low Temperature Storage Test

Parameter	Test Method and Conditions	Duration	Evaluation Standard
Low Temperature Storage (Ref. EN 60068-2-1)	-40°C rel. humidity not controlled	168h	Measurements after 2 hours recovery time. All samples fully operable. All acoustical parameters according specification with tolerances increased by 50 %.


#### 5.5.1.2. High Temperature Storage Test


Parameter	Test Method and Conditions	Duration	Evaluation Standard
Dry Heat Storage (Ref. EN 60068-2-2)	+85°C rel. humidity not controlled	168h	Measurements after 2 hours recovery time. All samples fully operable. All acoustical parameters according specification with tolerances increased by 50 %.



#### 5.5.1.3. **Temperature Cycle Test**


Parameter	Test Method and Conditions	Duration	Evaluation Standard
Change of Temperature (Ref. EN 60068-2-14)	-40°C/+85°C Transition time <3 min. See Figure 5-1 below	5 cycles >2h for each temperature	Measurements after 2 hours recovery time. All samples fully operable. All acoustical parameters according specification with tolerances increased by 50 %.






#### 5.5.1.4. **Temperature / Humidity Cycle Test**

Parameter	Test Method and Conditions	Duration	Evaluation Standard
Damp heat, cyclic	+25°C/+55°C	6 cycles.	Measurements after 2 hours
(Ref. IEC 60068-2-30)	90% to 95% RH.	24h at each	recovery time.
	Temp. change time <3h	temperature	All samples fully operable.
	See Figure 5-2 below Caution: no condensed		All acoustical parameters according specification with
	water on products!		tolerances increased by 50 %.







### 5.5.2. Operating Tests

#### 5.5.2.1. Cold Operation Test

Parameter	Test Method and Conditions	Duration	Evaluation Standard
Cold Operation Test (Ref. EN 60068-2-1)	-20°C rel. humidity not controlled signal acc. Chapter 3.3	72h	Measurements after 2 hours recovery time. All samples fully operable. THD may be increased after test. All other acoustical parameters according specification with tolerances increased by 50 %.

### 5.5.2.2. Dry Heat Operation Test

Parameter	Test Method and Conditions	Duration	Evaluation Standard
Dry Heat Operation (Ref. EN 60068-2-2)	+70°C rel. humidity not controlled signal acc. Chapter 3.3	500h	Measurements after 2 hours recovery time. All samples fully operable. The allowable change in sensitivity shall not be greater than 3 dB. All other acoustical parameters according specification with tolerances increased by 50 %.

#### 5.5.3. Salt Mist Test

Parameter	Test Method and Conditions	Duration	Evaluation Standard
Salt Mist (Ref. IEC60068-2-52, Kb / Severity 2	The part must be subjected to 2 hours spray of 5% NaCl salt mist, at 35°C then be left at 40°C and 95% RH for 22h.	3 cycles	The samples shall be washed after the test with distilled water and dried at T< 50°C. Component may have reduced performance, but must still function properly. The allowable sensitivity difference shall not be greater than ±3dB from initial sensitivity.

### 5.5.4. Shock Resistance Test (Free Fall Test) - unprotected product

Parameter	Test Method and	Conditions /	Evaluation Standard	
	Conditions	Sample size		
Mechanical shock	Drop of sample without	Each 3 shocks	Component may have reduced	
(Ref. IEC60068-2-32	fixation of release plane from a height of 1.5m onto concrete floor.	in both	performance, but must still	
Ed), Procedure 1		directions of the	function properly. The allowable	
		3 axes.	sensitivity difference shall not	
		(18 drops in	be greater than ±3dB from	
		total)	initial sensitivity.	

### 5.5.5. Impact Durability Test (Tumble Test) – protected product

Parameter	Test Method and Conditions	Conditions / Sample size	Evaluation Standard
Impact durability (in a Tumble Tester) (Ref. IEC60068-2-32 Ed) (SPR a7.1.1)	Speaker <i>in drop test box</i> <i>or</i> representative mechanics. Random drops on steel base.	30 units 180 drops, 1m DUT power off	Component may have reduced performance, but must still function properly. The allowable sensitivity difference shall not be greater than ±3 dB from initial sensitivity.

### 5.5.6. Resistance to Electrostatic Discharge

Parameter	Test Method and Conditions	Conditions / Sample size	Evaluation Standard
Resistance to ESD IEC61000-4-2 Level 4 (SPR c 2.5.1)	One pole is grounded and the ESD pulse is applied to the other pole. The speaker must be stressed first with one polarisation and then with the other polarisation. DUT must be discharged between each ESD exposure. Level 4: contact +/- 8kV, air +/- 15kV	10 exposures on each polarity / 5 units DUT Power off	All samples fully operable. All acoustical parameters according specification with tolerances increased by 50%.



## 6. Related Documents

IEC 268-5	Sound System equipment
	Part 5: Loudspeaker
IEC 68-2	Environmental testing
EN 60068-2	Environmental testing
ISO 2859 - 1	Sampling procedures for inspection by attributes
	Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection
ISO 3951	Sampling procedures and charts for inspection by variables for percent defectives.
ETS 300 019-2-1	Specification of environmental test: Storage
	Test spec. T 1.2: Weather protected, not temperature controlled storage locations
ETS 300 019-2-2	Specification of environmental test: Transportation
	Test spec. T 2.3: Public Transportation
ETS 300 019-2-5	Specification of environmental test: Ground vehicle installations
	Test spec. T 5.1: Protected installation
ETS 300 019-2-7	Specification of environmental test: Portable and non-stationary use Test spec. T 7.3E: Partly weather protected and non-weather protected locations



## 7. Change History

Status	Version	Date	ECR	Comment / Changes	Initials of owner
Obsolete	A	18.12.07	2333	First release	BU
Obsolete	В	17.07.08	1957	Halogen free basket	СР
Obsolete	С	07.04.09	2435	Update legal disclaimer and printing methods	СР
Obsolete	D	06.04.10	2802	Update legal disclaimer and logo	СР
Release	E	07.06.11	3189	Introduction 5 layer gasket/Migration NXP to Knowles template	SA/CP

### 8. Disclaimer

Stresses above the Absolute Maximum Ratings may cause permanent damage to the device. These are stress ratings only. The device may not function when operated at these or any other conditions beyond those indicated under "Electrical and Acoustical Specifications". Exposure beyond those indicated under "Electrical Specifications" for extended periods may affect device reliability.

This product is not qualified for use in automotive applications

Frequency range in telecom application: 300 Hz – 3,4 kHz

The information contained in this literature is based on our experience to date and is believed to be reliable and it is subject to change without notice. It is intended as a guide for use by persons having technical skill at their own discretion and risk. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. For specific dimensional requirements consult factory. This publication is not to be taken as a license to operate under, or recommendation to infringe any exiting patents. This supersedes and voids all previous literature.

