Data sheet | Item number: 2092-1600

Gripping plate; for female and male connectors; 1 part; Pin spacing 5 mm; 2-pole; light gray



www.wago.com/2092-1600

Picture differs from the item.	
	Color:

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2092-1600

www.wago.com/2092-1600



Data

Physical data

Pin spacing 5 mm / 0.197 inches

Material Data

Note (material data)

Information on material specifications can be found here

Color	light gray
Fire load	0.004 MJ
Weight	0.1 g

Commercial data

26 (picoMAX Connectors)
27-14-11-92
27-14-11-92
EC002848
EC002848
100 (25) pcs
box
DE
4050821164302
85389099990

Environmental Product Compliance

Downloads

Documentation

Additional Information

2019 年4月3日	pdf	Download
	2.0 MB	

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 2092-1600

www.wago.com/2092-1600



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2092-1600 URL Download

Gripping plate; for female and male connectors; 1 part; Pin spacing 5 mm; 2-pole; light

gray

Installation Notes
Strain relief
Gripping plates are suitable for factory and
field assembly.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.