


SECTION A-A



SECTION B-B

NOTES:

- ① 1,25 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
- ② 0,75 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
- ③ 0,4 μm SELECTIVE Au OVER 1,25 μm NI. REMAINDER 1,25 μm Ni.
- ④ WIRE RANGE 0,5-1,5 mm², INSULATION RANGE 2,0-2,5 mm.
- ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

OBS	-166636-5	SEE NOTE ③	BRASS	166479-7
OBS	-166636-4	SEE NOTE ②	BRASS	166479-6
OBS	-166636-3	SEE NOTE ①	PHOSPHORBRONZE	166479-5
OBS	-166636-2	SEE NOTE ②	PHOSPHORBRONZE	166479-4
OBS	-166636-1	SEE NOTE ①	BRASS	166479-2
	LOOSE PIECE	FINISH	MATERIAL	PARTNUMBER

CUSTOMER DRAWING					FOR REFERENCE ONLY WILL NOT BE UPDATED							
© COPYRIGHT 19 - BY AMP HOLLAND B.V.					ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN AND/OR PATENTS PENDING.							
THIS DRAWING IS UNPUBLISHED					RELEASED FOR PUBLICATION _____, 19____							
AMP			AMP HOLLAND B.V. 's-Hertogenbosch, The Netherlands.									
E1	ECO-09-024717	KK	AEG	28DEC09	NAME							
E	SR10-0506-02	F.B.	F.B.	17-01-03	CRIMP-ON / SNAP-IN TAB RECEPTACLE STRIP							
C	EH-1280-95	J.G.	R.v.L	26-10-95								
LTR.	REVISION RECORD	DR.	CHK.	DATE								
DR.:	J.Gibbels	CHK.:	R.v.Lokven	APP.:	-	DWG.No.	C-166479	REV.LTR.	E1	SHEET	1 OF 1	A3
DATE:	26-10-95	DATE:	-	DATE:	-							