


PART NUMBER	REVISION	DESCRIPTION	FEED TYPE
2150331-1	B	FINE CRIMP HEIGHT ADJUST	MECHANICAL
2150331-2	B	FINE CRIMP HEIGHT ADJUST	PNEUMATIC
7-2150331-1	B	MECHANICAL AND CRIMP TOOLING KIT	MECHANICAL
7-2150331-2	B	PNEUMATIC AND CRIMP TOOLING KIT	PNEUMATIC
7-2150331-7	A	CRIMP TOOLING KIT	-

ATLANTIC VERSION TERMINATOR INTERFACE ADAPTER



APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	2.29 mm [.090]	F
INSUL	2.79 mm [.110]	OV
APPL INSTRUCTIONS 408-35043		

TERMINAL DATA: TE TERMINAL		TE CRIMP SPECIFICATION	
TERMINAL NAME: .250 SER. FASTIN-ON REC.			
WIRE STRIP LENGTH		INSULATION DIAMETER RANGE	
4.80-5.60 mm [.189-.220 IN]		∅1.19-2.41 mm [.047-.095 IN]	
TERMINAL APPLICATION SPECIFICATION	114-3118		
TERMINALS APPLIED			
TE TERMINAL	TE TERMINAL	TE TERMINAL	TE TERMINAL
338052-4	160844-2		

WIRE SIZE	CRIMP HEIGHT mm [INCH]	CRIMP HEIGHT REFERENCE SETTING
1.50mm2	1.57 +/- 0.05 [.062 +/- .002]	8.7
1.00mm2	1.52 +/- 0.05 [.060 +/- .002]	9.1
0.75mm2	1.47 +/- 0.05 [.058 +/- .002]	9.7
0.50mm2	1.42 +/- 0.05 [.056 +/- .002]	10.1

- 1. RECOMMENDED SPARE PARTS
- 2. REFER TO SUPPLIED INSTRUCTION SHEET FOR CLEANING, LUBRICATION AND STORAGE OF APPLICATOR.
- 3. APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.
- 4. CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD.
- 5. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER DOCUMENT, 101-35000.

***WARNING**
ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING FOR LARGEST WIRE SIZE. CRIMP HEIGHT REFERENCE SETTINGS GREATER THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING, REFER TO THE INSTRUCTION SHEET FOR PROPER SETUP AND ADJUSTMENTS.


ATLANTIC VERSION
Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

LOC	DIST	REVISIONS			
A	66	REV	DATE	BY	APPV
		A	RELEASED	28FEB2014	LG TE
		B	ECR-18-018141	20NOV2018	FZ KZ

-	1	-	1	-	2119640-1	PUSH ROD, AIR FEED	250	
-	1	-	1	-	1803259-1	BUSHING, FLANGED	249	
-	1	-	1	-	2119641-1	FEED CAM, AIR FEED	248	
-	1	1	1	1	2119082-9	CAM, SNAIL, INSULATION ADJUSTMENT	244	
-	1	1	1	1	2079764-1	WASHER, WAVE SPRING, CREST-TO-CREST	243	
-	1	1	1	1	2119083-1	RETAINER, INSULATION DIAL	242	
-	-	1	-	1	2119580-1	MECHANICAL FEED ASSEMBLY	239	
-	1	-	1	-	2063440-1	AIR FEED MODULE	238	
-	1	1	1	1	1-18028-0	WASHER, FLAT, REG M8	192	
-	2	-	2	-	21045-3	RING, RETAIN, EXTERN, 3/16 CRESCENT	172	
-	REF	REF	REF	REF	994970-2	COUNTER, MAGNETIC	164	
-	1	-	1	-	240638-1	SPRING, FEED FINGER	163	
-	1	-	1	-	3-23627-7	PIN, RETAIN, GRVD, 3/16 X .854	137	
-	1	1	1	1	455888-4	SPACER, CRIMPER	82	
-	1	1	1	1	2119791-9	DEPRESSOR, WIRE	73	
-	1	1	1	1	1803607-2	DOCUMENTATION PACKAGE	71	
-	2	2	2	2	2-18032-2	SCR, SET, FLT PNT, M3 X 10.0	70	
-	1	1	1	1	2119740-1	TAG, IDENTIFICATION	67	
-	2	2	2	2	2168078-1	SCREW, DRIVE, RH, RoHS, 2 x .188	66	
-	2	2	2	2	2168400-8	SHCS, LOW HEAD, RoHS, M4 X 16	64	
-	1	1	1	1	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	60	
-	-	1	-	1	5-18022-5	SCR, HEX HD CAP, M4 X 6.0	59	
-	-	1	-	1	2063961-1	FEED FINGER	58	
-	3	3	3	3	2168400-4	SHCS, LOW HEAD, RoHS, M4 X 8	57	
-	2	2	2	2	2168083-3	SCR, SKT HD CAP, RoHS, M4 X 12.0	56	
-	2	2	2	2	5018030-1	NUT, HEX, REG, RoHS, M3	54	
-	2	2	2	2	986965-8	NUT, LOCK, HEX, TORQUE (M4)	53	
-	1	-	1	-	2119792-2	PAWL, EF, AIR	51	
-	1	2	1	2	18023-9	SCR, SKT HD CAP M4 X 6.0	49	
-	-	1	-	1	2119652-1	FEED CAM, PRE FEED	48	
-	-	1	-	1	2119653-1	FEED CAM, POST FEED	47	
-	1	1	1	1	2119655-5	APPLICATOR BASIC ASSEMBLY, EF	46	
-	1	1	1	1	1803517-1	RAM ASSEMBLY, EF ATLANTIC	44	
-	1	1	1	1	1803602-1	SCR, BHSC, RoHS (M8 X 25)	41	
-	7	7	7	7	1-18028-2	WASHER, FLAT, REG M4	33	
-	2	2	2	2	2168083-9	SCR, SKT HD CAP, RoHS, M4 X 20	31	
-	2	2	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	29	
-	1	1	1	1	240639-1	STRIPPER (MACHINING)	27	
-	2	2	2	2	1-2168083-5	SCR, SKT HD CAP, RoHS, M4 X 30	25	
-	1	1	1	1	1752371-3	PLATE, STRIP GUIDE	24	
-	1	1	1	1	240825-4	PLATE, STRIP HOLD DOWN	23	
-	2	2	2	2	2-22281-3	SPRING, COMPRESSION	22	
-	1	1	1	1	1803292-4	DRAG	20	
-	2	2	2	2	1901259-4	GUIDE, LOWER STRIP	18	
-	4	4	4	4	1-2079383-1	SCR, BHSC, RoHS (M6 X 12)	17	
-	1	1	1	1	240833-2	PLATE, REAR SHEAR	11	
-	-	-	-	-	-	-	10	
-	1	1	1	1	2-690482-9	PLATE, FRONT SHEAR	9	
-	1	2	2	1	1	4-1333217-1	ANVIL, EF .090	8
-	1	1	1	1	1	1-2217206-4	BLADE, SLUG	7
-	-	-	-	-	-	-	6	
-	1	1	1	1	6-240641-5	SPACER	5	
-	1	1	1	1	238011-2	BLOCK, CRIMPER SPACER	4	
-	1	2	2	1	1	1633963-1	CRIMPER, INSULATION OVERLAP PREMIUM	3
-	1	1	1	1	1	455888-2	SPACER, CRIMPER	2
-	1	2	2	1	1	4-456406-5	CRIMPER, WIRE PREMIUM	1
-	77-72-71	-2	-1			PART NO	DESCRIPTION	ITEM NO


DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DRAWING NO		SCALE		SHEET		REV	
mm	0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±	4 PLC ±	ANGLES ±	FINISH	WT	SCALE	SHEET	REV
									1:1	1	B

REVISONS		DATE	OWN	APVD
LOC	DIST			
A	66			
P	LTN	DESCRIPTION		
		SEE SHEET 1		





RAM SET-UP


FEED TYPE
MECHANICAL



PNEUMATIC



CAM POSITIONS




ATLANTIC VERSION
 Shown on sheets 1 of 4 & 2 of 4
 (Pacific version shown on sheets 3 of 4 & 4 of 4)

<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.</small>		DWN: ALIERO 01JUN2011 CHK: P. BARLETTA 01JUN2011 APVD: C. LIMA 01JUN2011	TE Connectivity Harrisburg, PA 17105-3608
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME: Ocean End Feed Applicator PRODUCT SPEC: APPLICATION SPEC: WEIGHT:	SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2150331 SCALE: 1:1 SHEET: 2 of 4 REV: B
MATERIAL:		Customer Accessible Production Drawing	

PART NUMBER	REVISION	DESCRIPTION	FEED TYPE
2-2150331-1	B	FINE CRIMP HEIGHT ADJUST	MECHANICAL
2-2150331-2	B	FINE CRIMP HEIGHT ADJUST	PNEUMATIC
7-2150331-7	A	CRIMP TOOLING KIT	-

PACIFIC VERSION TERMINATOR
INTERFACE ADAPTER



APPLICATOR DATA		
CRIMP	SIZE	TYPE
WIRE	2.29 mm (.090)	F
INSUL	2.79 mm (.110)	OV
APPL INSTRUCTIONS 408-35043		

TERMINAL DATA: TE TERMINAL		TE CRIMP SPECIFICATION	
TERMINAL NAME: .250 SER. FASTIN-ON REC.			
WIRE STRIP LENGTH		INSULATION DIAMETER RANGE	
4.80-5.60 mm (.189-.220 IN)		1.19-2.41 mm (.047-.095 IN)	
TERMINAL APPLICATION SPECIFICATION	114-3118		
TERMINALS APPLIED			
TE TERMINAL	TE TERMINAL	TE TERMINAL	TE TERMINAL
338052-4	160844-2		

WIRE SIZE	CRIMP HEIGHT mm [INCH]	CRIMP HEIGHT REFERENCE SETTING
1.50mm2	1.57 +/- 0.05 [.062 +/- .002]	8.7
1.00mm2	1.52 +/- 0.05 [.060 +/- .002]	9.1
0.75mm2	1.47 +/- 0.05 [.058 +/- .002]	9.7
0.50mm2	1.42 +/- 0.05 [.056 +/- .002]	10.1

- RECOMMENDED SPARE PARTS
- REFER TO SUPPLIED INSTRUCTION SHEET FOR CLEANING, LUBRICATION AND STORAGE OF APPLICATOR.
- APPLY PART NUMBER 2-23419-6 LOCTITE TO THREADS OF ITEM 242.
- CRIMP HEIGHT REFERENCE SETTING WAS THE SETTING USED WHEN THE APPLICATOR WAS QUALIFIED AT THE FACTORY. ADJUSTMENT MAY BE NECESSARY WHEN RUNNING APPLICATOR IN THE FIELD.
- 5. UNLESS SPECIFIED OTHERWISE TORQUE VALUES SHALL BE USED PER DOCUMENT, 101-35000.

***WARNING**
ON INSTALLATION, SET WIRE DISC TO CRIMP HEIGHT REFERENCE SETTING FOR LARGEST WIRE SIZE. CRIMP HEIGHT REFERENCE SETTINGS GREATER THAN THE VALUE SHOWN MAY CAUSE DAMAGE TO THE CRIMP TOOLING, REFER TO THE INSTRUCTION SHEET FOR PROPER SETUP AND ADJUSTMENTS.

PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)


LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DMN	APVD
A	66	-	-	SEE SHEET 1	-	-	-

-	1	1	2119640-1	PUSH ROD, AIR FEED	250	
-	1	1	1803259-1	BUSHING, FLANGED	249	
-	1	1	2119082-9	CAM, SNAIL, INSULATION ADJUSTMENT	244	
-	1	1	2079764-1	WASHER, WAVE SPRING, CREST-TO-CREST	243	
-	1	1	2119083-1	RETAINER, INSULATION DIAL	242	
-	-	1	2119580-1	MECHANICAL FEED ASSEMBLY	239	
-	1	-	2063440-1	AIR FEED MODULE	238	
-	1	1	1-18028-0	WASHER, FLAT, REG M8	192	
-	4	4	2079383-9	SCR, BHSC, RoHS (M6 X 20)	186	
-	2	2	21045-3	RING, RETAIN, EXTERN, 3/16 CRESCENT	172	
-	REF	REF	994970-2	COUNTER, MAGNETIC	164	
-	1	1	240638-1	SPRING, FEED FINGER	163	
-	1	-	2119641-2	FEED CAM, AIR FEED	152	
-	1	1	2168083-8	SCR, SKT HD CAP, RoHS, M4 X 16	144	
-	-	1	2119653-2	FEED CAM, POST FEED	142	
-	1	1	2119655-6	APPLICATOR BASIC ASSEMBLY, EF	141	
-	1	1	1803518-1	RAM ASSEMBLY, EF PACIFIC	140	
-	1	1	3-23627-7	PIN, RETAIN, GRVD, 3/16 X .854	137	
-	1	1	455888-4	SPACER, CRIMPER	82	
-	1	1	2119791-9	DEPRESSOR, WIRE	73	
-	1	1	1803607-2	DOCUMENTATION PACKAGE	71	
-	2	2	2-18032-2	SCR, SET, FLT PNT, M3 X 10.0	70	
-	1	1	2119740-1	TAG, IDENTIFICATION	67	
-	2	2	2168078-1	SCREW, DRIVE, RH, RoHS, 2 x .188	66	
-	2	2	2168400-8	SHCS, LOW HEAD, RoHS, M4 X 16	64	
-	1	1	5-18022-5	SCR, HEX HD CAP, M4 X 6.0	59	
-	-	1	2063961-1	FEED FINGER	58	
-	3	3	2168400-4	SHCS, LOW HEAD, RoHS, M4 X 8	57	
-	2	2	2168083-3	SCR, SKT HD CAP, RoHS, M4 X 12.0	56	
-	2	2	5018030-1	NUT, HEX, REG, RoHS, M3	54	
-	2	2	986965-8	NUT, LOCK, HEX, TORQUE (M4)	53	
-	1	-	2119792-2	PAWL, EF, AIR	51	
-	1	2	18023-9	SCR, SKT HD CAP M4 X 6.0	49	
-	-	1	2119652-1	FEED CAM, PRE FEED	48	
-	1	1	1803602-1	SCR, BHSC, RoHS (M8 X 25)	41	
-	7	7	1-18028-2	WASHER, FLAT, REG M4	33	
-	2	2	2168083-9	SCR, SKT HD CAP, RoHS, M4 X 20	31	
-	2	2	2168083-2	SCR, SKT HD CAP, RoHS, M4 X 8.0	29	
-	1	1	240639-1	STRIPPER (MACHINING)	27	
-	2	2	1-2168083-5	SCR, SKT HD CAP, RoHS, M4 X 30	25	
-	1	1	1752371-3	PLATE, STRIP GUIDE	24	
-	1	1	240825-4	PLATE, STRIP HOLD DOWN	23	
-	2	2	2-22281-3	SPRING, COMPRESSION	22	
-	1	1	1803292-4	DRAG	20	
-	2	2	1901259-4	GUIDE, LOWER STRIP	18	
-	1	1	240833-2	PLATE, REAR SHEAR	11	
-	-	-	-	-	10	
-	1	1	2-690482-9	PLATE, FRONT SHEAR	9	
-	1	1	4-1333217-1	ANVIL, EF .090	8	
-	1	1	1-2217206-4	BLADE, SLUG	7	
-	-	-	-	-	6	
-	1	1	6-240641-5	SPACER	5	
-	1	1	238011-2	BLOCK, CRIMPER SPACER	4	
-	1	1	1633963-1	CRIMPER, INSULATION OVERLAP PREMIUM	3	
-	1	1	455888-2	SPACER, CRIMPER	2	
-	1	1	4-456406-5	CRIMPER, WIRE PREMIUM	1	
-	77	22	21	PART NO	DESCRIPTION	ITEM NO

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DRAWING NO		SCALE	
mm	0 PLC ±	1 PLC ±	2 PLC ±	3 PLC ±	4 PLC ±	5 PLC ±	6 PLC ±
	ANGLES	FINISH		WEIGHT		SCALE	
MATERIAL							


OWN	ALIERO	01JUN2011	TE Connectivity Harrisburg, PA 17105-3608
CHK	P. BARLETTA	01JUN2011	
APVD	C. LIMA	01JUN2011	NAME
Customer Accessible Production Drawing			Product Spec
Customer Accessible Production Drawing			Application Spec
Customer Accessible Production Drawing			Size
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production Drawing			Finish
Customer Accessible Production Drawing			Weight
Customer Accessible Production Drawing			Material
Customer Accessible Production			

LOC		DIST		REVISIONS			
A	66	P	LTM	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1			





RAM SET-UP


FEED TYPE
MECHANICAL




PNEUMATIC




CAM POSITIONS



MECHANICAL POST FEED



MECHANICAL PRE FEED



AIR FEED

PACIFIC VERSION
 Shown on sheets 3 of 4 & 4 of 4
 (Atlantic version shown on sheets 1 of 4 & 2 of 4)

<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.</small>		DWN: ALIERO 01JUN2011 CHK: P. BARLETTA 01JUN2011 APVD: C. LIMA 01JUN2011	TE Connectivity Harrisburg, PA 17105-3608
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	PRODUCT SPEC APPLICATION SPEC	NAME: Ocean End Feed Applicator SIZE: A CAGE CODE: 00779 DRAWING NO: C=2150331
MATERIAL:	FINISH:	WEIGHT:	RESTRICTED TO:
Customer Accessible Production Drawing		SCALE: 1:1	SHEET 4 OF 4 REV B