

SKMU EMV PG16**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

| | |
|------------|---|
| Version | SKMU MS EMV (brass locknut - EMC), Locknut, PG 16, 4.7 mm, Brass, nickel-plated |
| Order No. | 1718940000 |
| Type | SKMU EMV PG16 |
| GTIN (EAN) | 4008190352165 |
| Qty. | 10 pc(s). |

SKMU EMV PG16

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight 5.2 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1 SCIP f350dea6-3de1-42c5-a935-c4eb3e9d5e3c

General information

| | | | |
|-----------------|----------------------|------------------|----------|
| AF size 1 | 26 mm | Cable glands | PG 16 |
| External thread | PG 16 | Halogen | No |
| Internal thread | PG 16 | Length of thread | 4,7 mm |
| Material | Brass, nickel-plated | O.D. | 30.03 mm |
| Pitch of thread | 1.41 mm | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000940 | ETIM 7.0 | EC000940 |
| ETIM 8.0 | EC000940 | ECLASS 9.0 | 27-14-44-24 |
| ECLASS 9.1 | 27-14-44-24 | ECLASS 10.0 | 27-14-44-24 |
| ECLASS 11.0 | 27-14-44-24 | ECLASS 12.0 | 27-14-08-05 |

Approvals

ROHS Conform

Downloads

| | |
|------------------|--|
| Engineering Data | EPLAN, WSCAD |
| Catalogues | Catalogues in PDF-format |
| Brochures | |

SKMU EMV PG16

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

