1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0152

General Information

Part Number: 76650-0152

Manufacturer: Molex / Waldom

Title: MX150L Connector Kit

Description: Dual Row Panel Mount Sealed Plug and Receptacle, IP-67

Product Family: MX150L™

Certificates: (Molex Parts within this kit) - EU RoHS Compliant

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Wire

Pitch: 5.84mm (0.230")

Connector Type: Plugs (Panel Mount) and Receptacles

Circuit Sizes: 2, 4 and 6
Current Rating: 18 Amps

Voltage: 600 Volts

Wire: (22-18) and (16-14) AWG

Product Highlights

The pre-assembled, submersible MX150L is a high performance, environmentally sealed connector system suitable for challenging, rugged and harsh applications, supporting both low-level signal as well as power applications. The cost-effective connector design features all-in-one plug and receptacle housings with pre-assembled mat-wire and interfacial connector seals. The mating interface provides full IP67 sealing capability.

Features and Benefits

Applications

1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0152

- Simple crimp, poke and plug application, no need to crimp individual wire seals
- Audible and tactile clicks on insertion, extraction and mating
- Easy terminal extraction and insertion
- Quick, low-cost field repairs using common screw driver, needle nose pliers and terminal extraction tool
- Environmentally sealed to IP67
- · Integrated mat wire seal
- Circuit plugs provide the ability to plan for possible future circuit additions, while maintaining the sealing integrity of the mated pair.

- Agriculture Equipment
- Construction Equipment
- · Recreational Vehicles
- On-Engine automotive applications
- Marine Equipment

Bill of Materials for Part No. 76650-0152

Molex Part No.	Country of Origin	Description	Quantity in Kit
19420-0010-C	USA	Female Terminal (18-22) AWG, MX150L™	100
19417-0048-C	USA	Male Terminal (18-22) AWG, MX150L™	100
19420-0009-C	USA	Female Terminal (14-16) AWG, MX150L™	100
19417-0047-C	USA	Male Terminal (14-16) AWG, MX150L™	100
19418-0016	Taiwan	2-Way MX150L Receptacle Assy 22-18 AWG (Red Seal) no CPA	2
19429-0033	Taiwan	2 Way MX150L™ Panel Mount Plug 22-14 AWG, Rear Mount Flange, w/ Gasket	2
19418-0017	Taiwan	2-Way MX150L Receptacle Assy 16-14 AWG (Blue Seal) no CPA	2
19429-0041	Taiwan	2 Way MX150L™ Panel Mount Plug 22-14 AWG, Thru Hole Flange, w/ Gasket	2
19418-0018	Taiwan	4-Way MX150L Receptacle Assy 22-18 AWG (Red Seal) no CPA	1
19429-0035	Taiwan	4 Way MX150L™ Panel Mount Plug 22-14 AWG, Rear Mount Flange, w/ Gasket	1
19418-0019	Taiwan	4-Way MX150L Receptacle Assy 16-14 AWG (Blue Seal) no CPA	1
19429-0043	Taiwan	4 Way MX150L™ Panel Mount Plug 22-14 AWG, Thru Hole Flange, w/ Gasket	1
19418-0020	Taiwan	6-Way MX150L Receptacle Assy 22-18 AWG (Red Seal) no CPA	1
19429-0036	Taiwan	6 Way MX150L™ Panel Mount Plug 22-14 AWG, Rear Mount Flange, w/ Gasket	1
19418-0021	Taiwan	6-Way MX150L Receptacle Assy 16-14 AWG (Blue Seal) no CPA	1



Datasheet for 76650-0152

19429-0044		6 Way MX150L™ Panel Mount Plug 22-14 AWG, Thru Hole Flange, w/ Gasket	1
19417-0119	Taiwan	MX150L(TM) Circuit Voiding Key, DUAL GENDER	10
63813-1500	USA	Manual Extraction Tool	1

Recommended Molex Tool(s) for Part No. 76650-0152*

Country

Molex Part No.	of Origin	Description
63811-4400 *	Germany	Hand Crimp Tool (22-18) and (16-14) AWG
63811-7600 *	Germany	Hand Crimp Tool (22-18) AWG

^{*}Tool(s) not included in kit. Tool(s) ordered separately.