1456989-3 - ACTIVE

TE Internal #: 1456989-3 Housing for Female Terminals, Wire-to-Wire, 16 Position, .1 in [2.54 mm] Centerline, Gray, Wire & Cable, Signal, Cable Mount (Free-Hanging)

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: Housing for Female Terminals

Connector System: Wire-to-Wire

Number of Positions: 16

Centerline (Pitch): 2.54 mm [.1 in]

Sealable: No

Features

Product Type Features

Connector Shape	Rectangular	
Connector & Housing Type	Housing for Female Terminals	
Connector System	Wire-to-Wire	
Sealable	No	
Hybrid Connector	No	
Primary Locking Feature	Integrated in Housing	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Number of Positions	16	
Number of Rows	2	
Electrical Characteristics		
Nominal Voltage Architecture	12 V	
Body Features		
Primary Product Color	Gray	

1456989-3

Housing for Female Terminals, Wire-to-Wire, 16 Position, .1 in [2.54 mm] Centerline, Gray, Wire & Cable, Signal, Cable Mount (Free-Hanging)



Connector & Keying Code	A
Contact Features	
Contact Size	.64mm
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA
Centerline (Pitch)	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]
Operation/Application	
Circuit Application	Signal
Other	
Connector Position Assurance Capable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		
Product Compliance Disclaimer			

1456989-3

Housing for Female Terminals, Wire-to-Wire, 16 Position, .1 in [2.54 mm] Centerline, Gray, Wire & Cable, Signal, Cable Mount (Free-Hanging)



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 1411275-1 GET; FEMALE SPACER; 2X8 POS.

Customers Also Bought









	TE TE	ETE	TE
TE Part #6-1419167-1 GET .64 CONNECTOR SYSTEM, CONNECTOR HSG	TE Part #2098067-6 Plug Assembly, Hybrid, BCM, B2, F Key	TE Part #2203937-4 52 pos plug assy, 0.64 and 2.8	TE Part #2304517-2 (1x3P, 12x2P) 13 Pocket CAN Module Assy
ETE			
TE Part #2141647-3 13POS, MIXED,TAB HSG,ASSY,CODA	TE Part #1924878-2 GET, FEM TERM, AG, THIN, A-CRIMP	TE Part #1924941-5 PLUG ASSY, 96P GPEC II KEY C RIGHT EXIT	TE Part #2-1924940-4 PLUG ASSY, 96P GPEC II KEY A LEFT EXIT

1456989-3

Housing for Female Terminals, Wire-to-Wire, 16 Position, .1 in [2.54 mm] Centerline, Gray, Wire & Cable, Signal, Cable Mount (Free-Hanging)





TE Part #6-1924939-9 PLUG ASSY, 96P GPEC II KEY A RH

Documents

Product Drawings 2x8 Fem unsealed LP assy Key

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1456989-3_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1456989-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1456989-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets Instruction Sheet (U.S.)

English