NOTES: 1. MATERIALS AND FINISHES: REVERSE POLARITY SMA BULKHEAD CRIMP JACK IP 67 - P/N: 132422RP MICRO COAX RIGHT ANGLE PLUG TERMINATED USING 1.13 MM CABLE - P/N: A-1PA-113-XXXB2 2. ELECTRICAL: A. IMPEDANCE: 50 OHM, NOMINAL 3. PACKAGING: A. QUANTITY: SINGLE PACK B. BAG TO BE MARKED: AMPHENOL RF, 336312-12-XXXX, AND DATE CODE		336312-12 Drawin Third angle p	G NO. RE	/ DESCR RELEASE SEE S
HEAT SHRINK T HEAT S	CONNEX NUMBER 336312-12-0050 336312-12-0100 336312-12-0100 336312-12-0200 336312-12-0200 336312-12-0250 336312-12-0300 * ADDITIONAL LEP		AND TOLERANCE (SEE <u>BLE LENGTH (MM)</u> 50±3.81 100±3.81 150±3.81 200±5.08 250±5.08 300±5.08 TE	
INS. LOSS db MAX OTHER				
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL \pm .015 (0,381 mm) \pm .005 (0,127 mm) \pm 1°MATERIALNOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.MATERIAL		DRAWN ABHAYA KISHORE ENGINEER ABHAYA KISHORE APPROVED B.C. GLEISSNER CAD FILE	DATE 09-Feb-11 DATE 09-Feb-11 DATE 08-Jul-14	TITLE REVERSE POLARITY SMA JACK IP 67 TO AMC RI PLUG TERMINATED USIN VARIOUS LENGTHS

REVIS	LONS				
PTION			DATE	ECO	APPR
TO MFG.			09-Feb-11		RAK
IEET 1			08-Jul-14	2751	KR/BG
					THE
		M CABLE	SC /		
AER C HER SHEETS BULKHEAD CF HT ANGLE 1.13 MM CA	ARE FC		E DR RNAL UBE Amph Con	en o	
dwg sizedraw B	/ING NO	scale: 3363	5.0:1 SHE 312-12-XX	ET 2 (XX	DF 2 REV B