TI Home > Semiconductors > Digital Signal Processor & ARM Microprocessor Platforms > TMS320C6670 Evaluation Modules

Technical Documents

▼Worldwide (In English)

TMS320C6670 Evaluation Modules Status: ACTIVE

TMDSEVM6670

Description/Features

Description

TMDSEVM6670L | TMDSEVM6670LE | TMDSEVM6670LXE

TMDSEVM6670L - TMS320C6670 Lite Evaluation Module

The TMS320C6670 Lite Evaluation Module (EVM), or TMDSEVM6670L, is an easy-to-use, cost-efficient development tool that is designed to help developers quickly get started with designs using the C6670 multicore DSP. It includes an on-board, single C6670 processor with robust connectivity options that allows customers to use an AMC form factor card in various systems. It also works as a stand alone board.

Support & Community

Order Now

The TMDSEVM6670L EVM comes with XDS100 embedded emulation capability. In addition, an external emulator via JTAG emulation header can be also be used. Software accompanying the 6670L EVM includes Code Composer Studio Studio™ version 4.2 (CSv4.2), Board Support Package (BSP), Chip Support Library (CSL), Power On Self Test (POST), Network Development Kit (NDK), and Out of Box (OOB) Demonstration SW.

The TMDSEVM6670L EVM is designed for an ease of use environment to evaluate the features & functions of the multicore C6670 DSP. The emulation capability and software included in the EVM will allow customer to program the C6670 DSP to benchmark the algorithms that are intended to be implemented on C6670 DSP.

TMDSEVM6670LE - TMS320C6670 Lite Evaluation Module with XDS560V2 Emulation

The TMDSEVM6670LE Lite Evaluation Module (EVM) is an easy-to-use, cost-efficient development tool that is designed to help developers quickly get started with designs using the C6670 multicore DSP. It includes an on-board, single C6670 processor with robust connectivity options that allows customers to use this AMC form factor card in various systems. It also works as a stand alone board.

The TMDSEVM6670LE EVM comes with XDS560V2 embedded emulation capability. The software accompanying the 6670LE EVM includes Code Composer Studio Studio™ version 4.2 (CSv4.2), Board Support Package (BSP), Chip Support Library (CSL), Power On Self Test (POST), Network Development Kit (NDK), and Out of Box (OOB) Demonstration SW

The TMDSEVM6670LE EVM is designed for an ease of use environment to evaluate the features & functions of the C6670 multicore DSP. The emulation capability and software included in the EVM will allow customer to program the C6670 DSP to benchmark the algorithms that are intended to be implemented on C6670 DSP.

NOTE: The TMDSEVM6670LE is expected to be available in September 2011.

TMDSEVM6670LXE - TMS320C6670 Lite Evaluation Module with Encryption and XDS560V2

The TMDSEVM6670LXE Lite Evaluation Module (EVM) is an easy-to-use, cost-efficient development tool that is designed to help developers quickly get started with designs using the C6670 multicore DSP. It includes an on-board, single C6670 processor with robust connectivity options that allows customers to use this AMC form factor card in various systems. It also works as a stand alone board.

The TMDSEVM6670LXE EVM has encryption enabled and comes with XDS560V2 embedded emulation capability. The software accompanying the 6670LE EVM includes Code Composer Studio Studio™ version 4.2 (CSv4.2), Board Support Package (BSP), Chip Support Library (CSL), Power On Self Test (POST), Network Development Kit (NDK), and Out of Box (OOB) Demonstration SW.

The TMDSVM6670LXE EVM is designed for an ease of use environment to evaluate the features & functions of the multicore C6670 DSP. The emulation capability and software included in the EVM will allow customer to program the C6670 DSP to benchmark the algorithms that are intended to be implemented on C6670 DSP.

NOTE: Please contact your local TL sales representative to request the TMDSEVM6670LXE.

Features

TMDSEVM6670L, TMDSEVM6670LE and TMDSEVM6670LXE all feature:

Single wide AMC like form factor Single TMS320C6670 multicore processor 512 MB DDR3 128 MB Nand Flash 1Mb I2C EEPROM for local boot (remote boot possible) Two 10/100/1000 Ethernet ports on board RS232 UART 2 user programmable LEDs and DIP SWs 14-pin JTAG emulator header Embedded JTAG emulation with USB Host interface Board-specific Code Composer Studio™ Integrated Development Environment Simple setup Design files such as Orcad and Gerber

Board support library accelerates software development on the EVM Comptaible with TMDSEVMPCI adaptor card

TMDSEVM6670LE & TMDSEVM6670LXE both feature their embedded JTAG emulation with USB Host interface via XDS560V2



TMS320C6670 Evaluation Module

Order Now

| Part Number | Texas Instruments | Status | Host | os | Current Version | Version Date |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------|------------------------------------------|---------------------------------------|--------------------|-----------------|
| TMDSEVM6670L: TMS320C6670 Lite Evaluation Module | TI eStore | ACTIVE | PC | Microsoft Windows 2000 & XP; Linux | v2.0 | 03 FEB 2012 |
| TMDSEVM6670LXE: TMS320C6670 Lite Evaluation Module with Encryption and XDS560V2 | | ACTIVE | PC | Microsoft Windows 2000 & XP; Linux | v2.0 | 03 FEB 2012 |
| TMDSEVM6670LE: TMS320C6670 Lite Evaluation Module with XDS560V2 Emulation | TI eStore | ACTIVE | PC | Microsoft Windows 2000 & XP; Linux | v2.0 | 03 FEB 2012 |
| Related Products | | | | | | |
| Name | Part | Number Too | ol Type | | | |
| Hyperlink Cable Name SYS/BIOS and Linux Multicore Software Development Kits (MCSDK) for Search for Third Party Products & Services Name Part Number Company Headquarters Location Type | | | velopment Bo Part Num ors BIOSLINU | ber Software Type | eent Kit (SDK) | |
| 3L Ltd United Kingdom Development Tool | s | | | | | |
| 3L Ltd United Kingdom Operating System | (OS/RTOS) | | | | | |
| Part Number Name | Product Fam | nily | | | | |
| TMS320C6670 Multicore Fixed and Floating-Point System-on-Chip TMS320C6671 Fixed and Floating-Point Digital Signal Processor TMS320C6672 Multicore Fixed and Floating-Point Digital Signal Process TMS320C6674 Multicore Fixed and Floating-Point Digital Signal Process TMS320C6675 Multicore Fixed and Floating-Point Digital Signal Process TMS320C6674 Multicore Fixed and Floating-Point Digital Signal Process TMS320C6678 Multicore Fixed and Floating-Point Digital Signal Process | C6000 High sor C6000 High sor C6000 High | Performance I | DSP Multicore DSF Multicore DSF | | | |
| Support and Community | | | | | | |
| Sustamor Tone | | | | | | |

Customer Tags ② No Tags are Available for this Part Number

Create a Tag