





PRODUCT NUMBER
63346-XYLFL



spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	1:1														
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Narayanan, Aru	2021/01/29			ecn no		ELX-I-39837-1															
ISO 406		chr	-	-			rel level		Released															
ISO 1101		appr	Kuriakose, San	2021/02/02	product family		METRAL																	
surface	3.200	Amphenol FCi amphenol-icc.com			title		METRAL POWER HEADER		dwg no		63346		rev											
ISO 1302	linear														0.X	±0.3	cat. no.		-		Product - Customer Drw		sheet 1 of 3	
															0.XX	±0.13								
	angular	0°	±2°																					

PRODUCT NUMBER
63346-XYLFF



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.25
P02	7.25	4.25
P03	8.00	4.25
P04	5.00	4.25
P05	5.75	4.25

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
 - MATERIAL : BODY : THERMOPLASTIC UL94-V0. ; CONTACT : COPPER ALLOY.
 - FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
 - ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXPLF.
 - PRODUCT SPECIFICATION GS-12-180.
 - APPLICATION SPECIFICATION BUS-20-073.
 - THE PRODUCTS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
 - ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
 - A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE DRAWING CURRENT REVISION
 - 63346-XYLFF.
- ↑ 'X' REFER DRAWING # 10159408.

spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1			
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Narayanan, Aru	2021/01/29			← →	ecn no	ELX-I-39837-1				
ISO 406 ISO 1101		chr	-	-				product family	METRAL		rel level	Released	
surface	3.200	appr	Kuriakose, San	2021/02/02	product family		METRAL		rel level	Released			
ISO 1302	linear	0.X	±0.3		title			METRAL POWER HEADER		dwg no	63346	rev	G
		0.XX	±0.13		1 MOD , 5 ROW STB								
	angular	0°	±2°		cat. no.			Product - Customer Drw					

Creo F114:ELX-FCI:AC,REV F,2020-12-21

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X01LF	E	P04	P04
	D	P04	P04
	C	P04	P04
	B	P04	P04
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X05LF	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P02	P02
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X09LF	E	P02	P02
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X02LF	E	P04	P04
	D	P04	P04
	C	P04	P04
	B	P04	P04
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X06LF	E	P01	P01
	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X10LF	E	P03	P03
	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X03LF	E	P05	P05
	D	P01	P01
	C	P05	P05
	B	P05	P05
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X07LF	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X04LF	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. 1	
		1	2
63346-X08LF	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P05	P05

spec ref	*	dr	Terran Huang	2010/07/09	projection 	MM 	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Narayanan, Aru	2021/01/29			ecn no	ELX-I-39837-1		
ISO 406 ISO 1101		chr	-	-			rel level	Released		
surface 3.200	linear	appr	Kuriakose, San	2021/02/02	product family	METRAL	dwg no	63346	rev	G
ISO 1302	angular									
	0.X	±0.3	Amphenol FCI	title		METRAL POWER HEADER				
	0.XX	±0.13		1 MOD , 5 ROW STB						
	0.XXX	±0.050		cat. no.	-	Product - Customer Drw	sheet 3 of 3			