

**Series: Ceramic Patch Antenna** 

#### **TECHNICAL DATA SHEET**

Description: 2.4-2.5GHz RHCP 25x25x4mm

6.5dBic patch antenna

**PART NUMBER: W3229** 



### Features:

2400-2500 MHz

Size: 25x25x4mm

Polarization: RHCP

Gain: +6.5dBic

Pin feed, adhesive tape

RoHS compliant

Moisture sensitivity level:MSL1

# **Applications:**

- 2.4-2.5GHz ISM Band radios
- · WiFi, Bluetooth
- Applications requiring high gain directional antenna pattern

All dimensions are in mm / inches

Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 2.4-2.5GHz RHCP 25x25x4mm

6.5dBic patch antenna

**Series: Ceramic Patch Antenna** 

**PART NUMBER: W3229** 

Frequency	2400-2500MHz
Nominal Impedance	50 Ω
Return Loss	-7dB
Axial Ratio(typical)	3dB
Peak Gain	6.5dBic
Efficiency	80%
Polarization	RHCP

### **MECHANICAL SPECIFICATIONS**

Overall Length 25x25x4mm

Weight 8.08g

MSL Level Not applicable for non-reflow part

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -40~+105° C

RoHS Compliant Yes

(\*) All RF parameters measured on 70\*70mm metal ground plane in free space.






Description: 2.4-2.5GHz RHCP 25x25x4mm

6.5dBic patch antenna

**PART NUMBER: W3229** 

# **Series: Ceramic Patch Antenna**

## **MECHANICAL DRAWING**



NO.	Description	Structure and material
1	Antenna Substrate	Dielectric Ceramics
2	Pin	Copper and tinplated
3	Electrode	Ag Plated
4	Ground Base	Ag Plated
5	Adhesive type	NITTO 5000NS




Description: 2.4-2.5GHz RHCP 25x25x4mm

6.5dBic patch antenna

**PART NUMBER: W3229** 

## **Series: Ceramic Patch Antenna**

### **TEST SETUP**



Test on 70\*70mm metal ground plane in free space.





Description: 2.4-2.5GHz RHCP 25x25x4mm


6.5dBic patch antenna

**PART NUMBER: W3229** 


# **Series: Ceramic Patch Antenna**

# **CHARTS**

# Return Loss



# Efficiency(%)



Issue: 1910





**Description**: 2.4-2.5GHz RHCP 25x25x4mm


6.5dBic patch antenna

**PART NUMBER: W3229** 


# **Series: Ceramic Patch Antenna**

### **CHARTS**

# Peak Gain(dBic)



# Axial Ratio(dB)









**Description**: 2.4-2.5GHz RHCP 25x25x4mm


6.5dBic patch antenna

**PART NUMBER: W3229** 

## **Series: Ceramic Patch Antenna**

## **CHARTS**

# Radiation Pattern (2450MHz)









Description: 2.4-2.5GHz RHCP 25x25x4mm

6.5dBic patch antenna

**PART NUMBER: W3229** 

# **Series: Ceramic Patch Antenna**

## **PACKAGING**

40pcs antennas per tray

15pcs trays per box

Outside box size: 285mm\*375mm\*200mm

600pcs antennas per outside box

