


## Replacement die - CRIMPFOX-M CX-1/DIE - 1212087

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Die, for Crimpfox-M, for coaxial connectors: RG 174, RG 179 / BNC / TNC , packed in a serial storage box

### Key commercial data

Packing unit	1 PCE
Catalog page	Page 280 (CL2-2011)
GTIN	 4 046356 454575
Custom tariff number	82032000
Country of origin	SWEDEN

### Technical data

#### General

Length (b)	114 mm
Height	25.5 mm
Width (a)	75 mm
Color	black
Die station	<p></p>
Max. cross section	0.7 mm <sup>2</sup>
Die station	<p></p>
Min. cross section	1.69 mm <sup>2</sup>
Die station	<p></p>
Max. cross section	3.25 mm <sup>2</sup>
Die station	<p></p>
Max. cross section	4.52 mm <sup>2</sup>
Compression	HEX crimp

# Replacement die - CRIMPFOX-M CX-1/DIE - 1212087

## Classifications

### ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC001282
ETIM 5.0	EC001282

### UNSPSC

UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518
UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518

### eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043811
eCl@ss 7.0	21043811

## Approvals

### Approvals

---

Approvals

GOST

---

Ex Approvals

---

Approvals submitted

---

### Approval details

GOST 
--

