



Notes:

1. Electrical:
 - Meets EIA/TIA-568-B.2-10 Cat. 6A Channel Specification
 - Connector Operating Temperature: -40° C to +85° C
2. Materials and Finish:
 - Metal Coupling Ring: Brass, Nickel Plated
 - Plug Housing: Metallized ABS, UL94 V-0, Nickel Plated
 - Interfacial Seal: Silicon, Color: White
 - Cable Gland: Brass, Nickel Plated
 - Cable Gland Seal: NBR, Color: Black
 - Cat.6A RJ45 Plug Metal Shell: Copper Alloy, Nickel Plated
 - Cat.6A RJ45 Plug Plastic Housing: Clear Polycarbonate UL94 V-2
 - Cat.6A RJ45 Plug Contacts: Phosphor Bronze, Finish: 50 u" Gold min. over Nickel
 - Cable: Cat.6A SSTP, 4 Pairs, AWG26, Stranded, Jacket Color: Black
 - RJ45 Modular Boot: PVC, Color: Black

| Cable Length L | Part Number |
|-----------------------|-------------|
| 2 m | 17-150764 |
| 4 m | 17-150774 |
| 5 m | 17-150784 |

Note: Special cable length are available please contact factory

Directive 2002/95/EC RoHS Compliant

| | | | | | | | | | |
|---|-----------|---------|---------------|---|--------------|--|---|---------------------|-----------|
| THIS DRAWING MAY NOT BE COPIED, OR REPRODUCED IN ANY WAY AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC CORPORATION DOT NOT ALTER CAD DRAWING BY HAND | Customer: | | | Tolerance Unless otherwise specified | | | Scale: NTS | Dim. in meter | |
| | Name | Title | Approval Date | 0 PLC ±0.50 | 1 PLC ±0.38 | | Autodesk Inventor Vincent Ke J. Chaudry | Material: See Notes | |
| | | | | 2 PLC ±0.25 | 3 PLC ±0.10 | Cat. 6A RJ45 Ethernet Patch Cords IP67 Industrial to Standard M28 Thread Metal Version | | | |
| | | | | ANGES ±3° | | Drawing No.: 17K1A279 | | | |
| | | | | 2011 | Date | Name | Drawing No.: 17K1A279 | | DIN A3 |
| | | | | Draw. | Sept. 28 | Vincent Ke | Part No.: SEE PART NUMBER TABLE | | Sheet 1/1 |
| | | | | Appd. | Sept. 28 | J. Chaudry | | | |
| | | | | | Norm | | | | |
| | | | | | D-old | | | | |
| | | a | original | | | | | | |
| | Rev. | Changes | Date | Name | CONEC | | | | |