

## flexx2 Development Kit

The pmd 3D Sensing Family gives you the flexibility to easily add 3D vision to your product. It works out of the box and has all the tools and software you`ll need to start.

Countless exciting and industry-changing projects are built upon the flexibility and reliability of these 3D Development Kits and make use of the high-quality depth data from Infineon's IRS2381C REAL3™ Time-of-Flight Image Sensor. The flexx2 comes with a special software development kit (SDK) "Royale", and will be code compatible with the previous pico flexx. Royale supports popular programming extensions including Matlab, OpenCV, and ROS 1+2.




## Features: pmd patented 3D Time-of-Flight Technology up to 2.4 Mio. 3D points per second 4 m measurement range with incredible data quality including powerful software suite

You can contact us at any time via



or visit 3d.pmdtec.com





## flexx2 Development Kit

Encased, CE Certified, Laser Safety Certificate

	ToF-Sensor	IRS2381C Infineon® REAL3™ 3D Image Sensor IC based on pmd ToF Technology
	Resolution  Measurement Range  Depth Resolution  Viewing Angle (H x V)  Illumination  Sunlight Tolerance  Framerate  Power Consumption  Interface  Data Output  Operating Temperature	HQVGA 224 x 172 pixels (38k)  0.1 – 4 m  <= 1% of Distance, all Operation Modes  56° x 44°  940 nm, VCSEL, Laser Class 1  At 100K Lumens (Full Sunlight), loses ~10% max Range vs. Indoors  Up to 60fps (3D Frames), 9 pre-defined Modes  570mW – 680mW, USB 3.0 compliant  USB 3.0 (Data & Power)  3D PointCloud and IR Image  0-70 Degrees Celsius
Software Developn	nent Kit	
Software Developn	Software	Royale SDK (C++ based, supports Matlab, OpenCV, ROS 1/2)
Software Developn		
Software Developn  Dimensions	Software	OpenCV, ROS 1/2)
·	Software	OpenCV, ROS 1/2)
·	Software Operating System	OpenCV, ROS 1/2) Windows 10, Linux/ARM*
·	Software Operating System Size	OpenCV, ROS 1/2) Windows 10, Linux/ARM*  71.9 x 19.2 x 10.6 mm
Dimensions	Software Operating System Size	OpenCV, ROS 1/2) Windows 10, Linux/ARM*  71.9 x 19.2 x 10.6 mm
Dimensions	Software Operating System Size Weight	OpenCV, ROS 1/2) Windows 10, Linux/ARM*  71.9 x 19.2 x 10.6 mm  13g (Camera only, without Accesories)

 $<sup>^*</sup>$ 32Bit tested on Raspbian GNU/Linux 10 (Buster) Raspberry Pi 3 reference 2020-08-20 64Bit tested on Odroid C2 with Ubuntu Mate 16.04 ARM 64