


Eleven press-fit (compliant) pins for single sided use in  $.062''$  (1.57mm) PCB's with tin plated through holes.


Dual side "belly-to-belly" use requires  $.093''$  (2.36 mm) minimum PCB thickness.

Material full-hard, tin plated brass or bronze  $.010''$  (0.25mm) thick.


EC NO: USY2003-0028 IDRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	QUALITY SYMBOLS ▴ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	
		4 PLACES ± --- ± ---	3 PLACES ± --- ± .002	DIMENSION STYLE IN/MM		TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS		
		2 PLACES ± 0.05 ± ---	1 PLACE ± --- ± ---	DRAWN BY DIRKERS	DATE 2001/12/18	MOLEX INCORPORATED		
		ANGULAR ± 1/2°		CHECKED BY BRUSSELL	DATE 2001/12/18	APPROVED BY BRUSSELL	DATE 2001/12/18	MATERIAL NO 73927-0008
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						





Cage Front View



Center EMI Pins




Cage Top View





Cage Rear View

EC NO: <b>USY2002-0826</b> DRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	QUALITY SYMBOLS ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± .002 2 PLACES ± 0.05 ± --- 1 PLACE ± --- ± --- ANGULAR ± 1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SCALE 3:1 DESIGN UNITS METRIC DIMENSION STYLE IN/MM DRAWN BY DIRKERS DATE 2001/12/18 CHECKED BY BRUSSELL DATE 2001/12/18 APPROVED BY BRUSSELL DATE 2001/12/18	THIRD ANGLE PROJECTION REVISE ON CAD ONLY TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS MOLEX INCORPORATED MATERIAL NO 73927-0008 DOCUMENT NO SD-73927-008 SHEET NO 2 OF 7




Isometric  
Scale 2.5:1



Cage Bottom View

EC NO: W5172002-00826 DRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	QUALITY SYMBOLS ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± .002 2 PLACES ± 0.05 ± --- 1 PLACE ± --- ± --- ANGULAR ± 1/2°	SCALE 3:1 DESIGN UNITS METRIC DIMENSION STYLE IN/MM DRAWN BY DIRKERS DATE 2001/12/18 CHECKED BY BRUSSELL DATE 2001/12/18 APPROVED BY BRUSSELL DATE 2001/12/18	THIRD ANGLE PROJECTION TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS MOLEX INCORPORATED	REVISE ON CAD ONLY SHEET NO. 3 OF 7
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. 73927-0008 DOCUMENT NO. SD-73927-008	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	B	




Cross-hatched area denotes component and trace keep-out (except chassis ground)

This area denotes component keep-out (traces allowed)





- ▲ Datum and basic dimensions established by customer.
- ▲ Vias and pads chassis ground, tin plated through, 11 places. Pads optional.
- ▲ Holes optionally plated through.
- 4 Hole pattern allows two parts to be mounted "belly-to-belly" on .093"+ nom. boards. Hole layout shown for one side only. Transceiver profile determines minimum board thickness in "belly-to-belly" applications.
- ▲ Cage datum Y shown for reference to cage, only.

EC NO: <b>UST2002-0826</b> DRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	DESCRIPTION REV	QUALITY SYMBOLS ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY																
		<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .002</td> </tr> <tr> <td>3 PLACES</td> <td>± .005</td> <td>± .002</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.05</td> <td>± .005</td> </tr> <tr> <td>1 PLACE</td> <td>± .010</td> <td>± .005</td> </tr> </tbody> </table>			mm	INCH	4 PLACES	± .005	± .002	3 PLACES	± .005	± .002	2 PLACES	± 0.05	± .005	1 PLACE	± .010	± .005	DIMENSION STYLE IN/MM		TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS			
	mm	INCH																						
4 PLACES	± .005	± .002																						
3 PLACES	± .005	± .002																						
2 PLACES	± 0.05	± .005																						
1 PLACE	± .010	± .005																						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		CHECKED BY DATE BRUSSELL 2001/12/18		MATERIAL NO 73927-0008		DOCUMENT NO SD-73927-008															
					APPROVED BY DATE BRUSSELL 2001/12/18		SHEET NO 4 OF 7		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															



1. Connector pad pattern per MSA, will accommodate surface mount Molex connector 74441 or equivalent.  
 ⚠ Cage mounting pads not required for press-fit application.

EC NO: <b>USY2002-0826</b> DRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY		
	▽ = 0	4 PLACES	± .005	± .002	DIMENSION STYLE IN/MM		TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS		
	∇ = 0	3 PLACES	± .005	± .002	DRAWN BY DIRKERS	DATE 2001/12/18	MOLEX INCORPORATED		
		2 PLACES	± 0.05	± .005	CHECKED BY BRUSSELL	DATE 2001/12/18	MATERIAL NO 73927-0008	DOCUMENT NO SD-73927-008	SHEET NO 5 OF 7
		1 PLACE	± .005	± .005	APPROVED BY BRUSSELL		DATE 2001/12/18	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
		ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					



Relational geometry per MSA standard  
 See sheet 1 for PCB thickness details.

EC NO: <b>USY2002-0826</b> DRWN: KLOYD 2002/09/19 CHKD: BRUSSELL 2002/09/19 APPR: KLOYD 2002/10/01	QUALITY SYMBOLS = 0 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± .002</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.05</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .002	2 PLACES	± 0.05	± ---	1 PLACE	± ---	± ---	SCALE 1.5:1 DESIGN UNITS METRIC DIMENSION STYLE IN/MM	THIRD ANGLE PROJECTION REVISE ON CAD ONLY	TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS
		mm	INCH																	
	4 PLACES	± ---	± ---																	
	3 PLACES	± ---	± .002																	
2 PLACES	± 0.05	± ---																		
1 PLACE	± ---	± ---																		
DESCRIPTION SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS	ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY DIRKERS DATE 2001/12/18	CHECKED BY BRUSSELL DATE 2001/12/18	MATERIAL NO 73927-0008 DOCUMENT NO SD-73927-008	SHEET NO 6 OF 7															
APPROVED BY BRUSSELL DATE 2001/12/18	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	MOLEX INCORPORATED																		
REV	B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		

DATE	REV	CHANGES	REASONS	APPROVAL
2001/06/30	A	INITIAL DRAWING		CD
2002/01/31	B	SHEET 1,B9&C4&E2: TEXT CHANGE. SHEET 4,B9: TEXT CHANGE SHEET 6, B9: TEXT CHANGE, D3: NOTE ADDED	REMOVE 3 EMI PINS. REPLACE WITH COUNTERCUTS. CUSTOMER REQUEST.	CD
2002/09/19	C	SHEET 1,B9&C4&E2: TEXT CHANGE. SHEET 4,B9: TEXT CHANGE SHEET 6, B9: TEXT CHANGE, D3: NOTE ADDED	CORRECTION	KL

EC NO: USY2003-0028 DRWN: KLOYD 2002/09/19 CHK: BRUSSELL APPR: KLOYD 2002/10/01	QUALITY SYMBOLS ▽ = 0 ∇ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY
			mm	INCH	DIMENSION STYLE IN/MM		TITLE SFP CAGE ASSEMBLY WITH 11 PRESS-FIT LEGS AND 3 EMI CLIPS
		4 PLACES	± ---	± ---	DRAWN BY DIRKERS	DATE 2001/12/18	
		3 PLACES	± ---	± .002	CHECKED BY BRUSSELL	DATE 2001/12/18	MATERIAL NO. 739270008 DOCUMENT NO. SD-73927-008 SHEET NO. 7 OF 7
		2 PLACES	± 0.05	± ---	APPROVED BY BRUSSELL DATE 2001/12/18		
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		