



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	19JUN2020	J.G	I.Y
	A1	ECR-20-010349	26JUL2020	J.G	I.Y
	A2	ECN-21-113425	17AUG2021	J.G	Z.Z



6CCT PLUG CONNECTOR




DETAIL A
SCALE 2:1




DATE CODE: X XX XX
 X- DAY: 1- 7
 XX- WEEK: 01 - 52
 XX- YEAR: 00 - 99

#- MACHINE NO. 1


EXAMPLE: 11315 = DAY 1, WEEK 13, YEAR 15
 i.e. 23rd OF MARCH 2015




6CCT PLUG CONNECTOR WITH
HEATSHRINK HOUSING ULTRASONICALLY
WELDED IN PLACE




21.05±0.30




24.42 REF



32.40±0.30





18.95±0.30



44.30±0.50

16.90±0.30



- THIS PLUG MATES WITH RECEPTACLE ASSEMBLY PN X-2600034-X, WEDGE LOCK PN W6S.
- MATERIALS
 PLUG HOUSING: NYLON GF30, SEE PN TABLE FOR COLOUR; PLUG SEAL: SILICONE RUBBER, RED
 BACK SEAL: SILICONE RUBBER
 BACK COVER: NYLON GF30, BLACK
 HEATSHRINK HOUSING: NYLON GF30, BLACK

3 CIRCUIT IDENTIFICATION

4 DATE CODE DESCRIPTION

- JACKET RANGE LARGE = Ø2.23MM TO 3.68MM (SEAL COLOUR: LIGHT BLUE)
 JACKET RANGE SMALL = Ø1.35MM TO 3.05MM (SEAL COLOUR: BURNT ORANGE)

6. SEE SHEET 2 FOR FINAL PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.GU 19JUN2020	TE Connectivity		
DIMENSIONS: mm		CHK E. JIANG 19JUN2020			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD I.YIN 19JUN2020	NAME 6CCT DT-XT CONNECTOR PLUG ASSEMBLY		
		PRODUCT SPEC 108-160026	RESTRICTED TO		
MATERIAL -		APPLICATION SPEC 114-160017	SIZE A3	CAGE CODE 00779	DRAWING NO C-2600035
FINISH -		WEIGHT -	SCALE 1:1		
		CUSTOMER DRAWING;RESTRICTED CUSTOMER		SHEET 1 OF 2	REV A2

