

**Data sheet | Item number: 280-305**

End and intermediate plate; 2.5 mm thick; gray

[www.wago.com/280-305](http://www.wago.com/280-305)



**Data**

**Physical data**

Width	2.5 mm / 0.098 inches
Height	113 mm / 4.449 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	50 mm / 1.969 inches
-------	----------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.253 MJ
Weight	6 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332150163
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block	
<b>Item no.: 280-550</b>	
Triple-deck terminal block; Through/through/through terminal block; with additional jumper position on	<a href="http://www.wago.com/280-550">www.wago.com/280-550</a>

Subject to changes. Please also observe the further product documentation!



lower level; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray/gray/gray

**Item no.: 280-508**

Triple-deck terminal block; Through/through/through terminal block; with additional jumper position on [www.wago.com/280-508](http://www.wago.com/280-508)

lower level; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray/gray/blue

Carrier terminal block

**Item no.: 280-889**

Triple-deck terminal block; with additional jumper position on lower level; for DIN-rail 35 x 15 and 35 x [www.wago.com/280-889](http://www.wago.com/280-889)  
7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray/gray/gray

**Downloads**

**Documentation**

**Bid Text**

280-305 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
280-305 doc - Datei	2017 年4月28 日	doc 23.0 kB	Download

**Additional Information**

pdf 2.2 MB	Download
---------------	----------

**CAD/CAE-Data**

**CAD data**

2D/3D Models 280-305	URL	Download
----------------------	-----	----------

**CAE data**

EPLAN Data Portal 280-305	URL	Download
---------------------------	-----	----------

WSCAD Universe 280-305	URL	Download
------------------------	-----	----------

ZUKEN Portal 280-305	URL	Download
----------------------	-----	----------

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 280-305	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-305

[www.wago.com/280-305](http://www.wago.com/280-305)



End and intermediate plate; 2.5 mm thick; gray

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.