





Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 16.6 mm, Rated cross-section: 4 mm², Colour: natural

#### **Business data**

| Dusiness data                              |                 |
|--|-----------------|
| Article number                             | 2088.0          |
| Article name                               | Q 3             |
| GTIN (EAN)                                 | 4044211048969   |
| Packaging unit                             | 50              |
| Quantity unit                              | PC              |
| Weight per piece (not including packaging) | 3.45 g          |
| Weight per piece (including packaging)     | 3.5 g           |
| Unit of weight                             | G               |
| Customs number                             | 85389099        |
| Country of origin                          | CZ              |
| Product description                        | Cross-connector |
| Colour                                     | Natural         |
|  | ·               |





| Technical data                        |            |  |
|---------------------------------------|------------|--|
| Dimensions                            |            |  |
| Length                                | 4 mm       |  |
| Width                                 | 16.6 mm    |  |
| Hole height                           | 2.5 mm     |  |
| Hole diameter                         | 2.8 mm     |  |
| Hole spacing (mid-point to mid-point) | 6.1 mm     |  |
| Pitch size                            | 6 mm       |  |
| Slotted hole                          | ✓          |  |
| Ratings                               |            |  |
| Voltage with partition, max.          | 800 V      |  |
| Voltage without partition, max.       | 400 V      |  |
| Rated current                         | 20 A       |  |
| Rated cross-section                   | 4 mm²      |  |
| Contamination degree                  | 3          |  |
| Connection data                       |            |  |
| No. of poles                          | 3          |  |
| Screw head                            | Slotted    |  |
| Screw threading                       | M 2,5      |  |
| Tightening torque, min.               | 0.4 Nm     |  |
| Tightening torque, max.               | 0.8 Nm     |  |
| Materials                             |            |  |
| Material                              | Copper     |  |
| Surface                               | Tin-plated |  |
| Surface screw                         | Galvanized |  |
| Further technical data                |            |  |
| Mounting type                         | Screwable  |  |
| Number of bridged terminals           | 3          |  |
|                                       |            |  |





| Technical data                   |            |  |
|----------------------------------|------------|--|
| Environmental Product Compliance |            |  |
| REACH Conform                    | No         |  |
| REACH Reference date             | 2023-01-17 |  |
| REACH Candidate Substance Note   | No         |  |
| REACH CAS 1 Substance            | LEAD       |  |
| REACH CAS 1 Percent minimal      | 0.1 %      |  |
| REACH CAS 1 Percent maximum      | 4 %        |  |
| REACH CAS 1 Number               | 7439-92-1  |  |
| RoHS Conform                     | yes        |  |
| RoHS Exception rule              | 6c         |  |

2088.0 Q 3



Media



2088.0 Q 3



#### **Accessories**

#### **Screwdriver**

Screwdriver with bare blade, Colour: Black-grey



| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>1086.0</u>  | SDB 0,6x3,5  | 4044211014797 | 1 ST           |

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 2317.2         | RKD 4/LED5(RD)/60V AC BG | 4044211146740 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1046.2         | RKD 4/D1 BG  | 4044211009663 | 100            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 1047.2         | RKD 4/D2 BG  | 4044211009885 | 100               |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2584.2         | RKDG 4 BG    | 4044211080532 | 100            |





Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 2313.2         | RKD 4/LED2(GN)/24V DC BG | 4044211051006 | 100 ST         |



Ex double-level terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1429.2         | RKD 4 Ex BG  | 4044211044763 | 100            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 2312.2         | RKD 4/LED1(GN)/24V DC BG | 4044211050993 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 2313.2         | RKD 4/LED2(GN)/24V DC BG | 4044211051006 | 100 ST         |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1015.2         | RK 1,5-4 BG  | 4044211003425 | 100            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 12 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging<br>unit |
|----------------|-----------------|---------------|-------------------|
| 1029.2         | RKD 4/UV/75V BG | 4044211006501 | 50 ST             |





Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| 1031.2         | RKD 4/UV/130V BG | 4044211006891 | 50 ST          |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 12 mm, Colour: Beige

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| 1033.2         | RKD 4/UG/90V/5kA BG | 4044211007300 | 50 ST          |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 1034.2         | RKD 4/UG/230V/5kA BG | 4044211007515 | 50 ST          |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------------------|---------------|-------------------|
| 1040.2         | RKD 4/LED1(RD)/24V DC BG | 4044211008406 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------------------|---------------|-------------------|
| 1041.2         | RKD 4/LED2(RD)/24V DC BG | 4044211008611 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------------------|---------------|-------------------|
| 1042.2         | RKD 4/LED5(RD)/24V AC BG | 4044211008826 | 100 ST            |





Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 1043.2         | RKD 4/LED5(RD)/48V AC BG | 4044211009038 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------------|---------------|-------------------|
| 1044.2         | RKD 4/G/230V AC BG | 4044211009243 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 1023.2         | RKD 4/UV/30V BG | 4044211005238 | 50 ST          |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 2322.2         | RKD 4/D3 BG  | 4044211051082 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 2323.2         | RKD 4/D4 BG  | 4044211051099 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 2324.2         | RKD 4/RD1 BG | 4044211051105 | 100 ST            |





Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| 1051.2         | RKD 4/UV/275V BG | 4044211010782 | 50 ST          |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------------------|---------------|-------------------|
| 2314.2         | RKD 4/LED1(RD)/60V DC BG | 4044211051013 | 100 ST            |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2319.2         | RKD 4/D0 BG  | 4044211051051 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| 2316.2         | RKD 4/LED5(RD)/150V AC BG | 4044211051037 | 100 ST         |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 1018.2         | RKB 4 BG     | 4044211004118 | 100               |



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 1018.2         | RKB 4 BG     | 4044211004118 | 100               |





Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1433.2         | RK 1,5-4/15 Ex BG | 4044211044817 | 100            |



Feed-through terminal/block variant, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 1011.2         | KBL 1,5-4/15 BG | 4044211002565 | 10 ST          |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 17048.2        | RKDG 4/SV BG | 4044211155889 | 100            |



Feed-through terminal/block variant, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| 1012.2         | KBL 1,5-4/15 m.B. BG | 4044211002787 | 10 ST          |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 17048.2        | RKDG 4/SV BG | 4044211155889 | 100               |



Ex double-level terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1429.2         | RKD 4 Ex BG  | 4044211044763 | 100            |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2584.2         | RKDG 4 BG    | 4044211080532 | 100            |





Double-level terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1027.2         | RKD 4/SV BG  | 4044211006075 | 100            |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 1128.2         | RKD 4/35 BG  | 4044211019648 | 100               |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging<br>unit |
|----------------|----------------|---------------|-------------------|
| 1010.2         | RK 1,5-4/15 BG | 4044211002275 | 100               |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1015.2         | RK 1,5-4 BG  | 4044211003425 | 100            |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| 1128.2         | RKD 4/35 BG  | 4044211019648 | 100               |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging<br>unit |
|----------------|--------------|---------------|-------------------|
| <u>2584.2</u>  | RKDG 4 BG    | 4044211080532 | 100               |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| 1010.2         | RK 1,5-4/15 BG | 4044211002275 | 100            |

2088.0 Q 3



#### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 1015.2         | RK 1,5-4 BG  | 4044211003425 | 100            |



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| 1433.2         | RK 1,5-4/15 Ex BG | 4044211044817 | 100            |

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging<br>unit |
|----------------|-----------------|---------------|-------------------|
| 1023.2         | RKD 4/UV/30V BG | 4044211005238 | 50 ST             |

#### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name             | GTIN (EAN)    | Packaging unit |
|----------------|--------------------------|---------------|----------------|
| 1041.2         | RKD 4/LED2(RD)/24V DC BG | 4044211008611 | 100 ST         |

2088.0 Q 3



#### ##INVERSE##CONTA-CONNECT

Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| 1029.2         | RKD 4/UV/75V BG | 4044211006501 | 50 ST          |