Infrared light emitting diode, top view type

SIR-568ST3F Datasheet

Outline

The SIR-568ST3F has the response speed and luminous output necessary for image transmission in audio-visual applications. It can support almost all types of optical transmission through air, including audio and data transmission. The luminous output is 13mW and the cutoff frequency is 50MHz.


Applications

- Transmission of images from a video cassette recorder to a television.
- · ETransmission of audio signals between audio devices.
- · High speed data transmission.

Features

- 1) High luminous output 13mW.
- 2) Fast response is possible 50MHz cutoff frequency.

● Dimensions (Unit: mm)



• A'so ute maximum ratings $(\Gamma_a = 25^{\circ}C)$

Parameter	Symbol	Value	Unit
Forward current	I _F	100	mA
Reverse voltage	V_{R}	4.0	V
Power dissipation	P_{D}	230	mW
Pulse forward current	I _{FP} *	500	mA
Operating temperature	T _{opr}	-25 to +85	°C
Storage temperature	T _{stg}	-40 to +85	°C

^{*}Pulse width = 0.1 msec, duty ratio 1%

•Electrical and optical characteristics ($T_a = 25$ °C)

Parameter		Symbol	Conditions	Values			Unit
		Syllibol	Conditions	Min.	Тур.	Max.	Offic
Optical output		Po	I _F =50mA	-	13	-	mW
Emitting strength		I _E	I _F =50mA	18	38	-	mW/sr
Forward voltage		V _F	I _F =50mA	-	1.6	2.1	V
Reverse current		I _R	V _R =2V	-	-	10	μΑ
Peak light emitting wavelength		λ_{p}	I _F =20mA		850	-	nm
Spectral line half width		Δλ	I _F =20mA		40	-	nm
Half-viewing angle		$\theta_{1/2}$	I _F =50mA		±13	-	deg
Response time	Rise time	tr	I _F =50mA	-	8.0	-	μS
	Fall time	tf	I _F =50mA	-	6.0	-	μS
Cut-off frequency		f _C	I _F =300 DC 20mA p-p		50	-	MHz

Classified table of rank

Item	Emitting Stre	Unit		
Р	18.0 to	38.8	mW/sr	
Q	27.1 (to	55.3	mw/sr	
R	38.6 to	83.1	mW / sr	
S	57.8 to	110.0	mW / sr	



•Electrical and optical characteristics curves

Fig.1 Forward Current Falloff




Fig.2 Forward Current vs. Forward Voltage






Fig.3 Wavelength



muring Strength vs. Forward Current



ROHM

www.rohm.com

•Electrical and optical characteristics curves

Fig.5 Relative Emitter Strength vs. Ambient Temperature




Fig.6 Frequency Characteristics





Fig.7 Directional Pattern



Notes

- 1) The information contained herein is subject to change without notice.
- Before you use our Products, please contact our sales representative and verify the latest specifications.
- 3) Although ROHM is continuously working to improve product reliability and quality, semiconductors can break down and malfunction due to various factors. Therefore, in order to prevent personal injury or fire arising from failure, please take safety measures such as complying with the derating characteristics, implementing redundant and fire prevention designs, and utilizing backups and fail-safe procedures. ROHM shall have no responsibility for any damages arising out of the use of our Poducts beyond the rating specified by ROHM.
- 4) Examples of application circuits, circuit constants and any other information contained herein are provided only to illustrate the standard usage and operations of the Products. The peripheral conditions must be taken into account when designing circuits for mass production.
- 5) The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly, any license to use or exercise intellectual property or other rights held by ROHM or any other parties. ROHM shall have no responsibility whatsoever for any dispute arising out of the use of such technical information.
- 6) The Products are intended for use in general electronic equipment (i.e. AV/OA devices, communication, consumer systems, gaming/entertainment sets) as well as the applications indicated in this document.
- 7) The Products specified in this document are not designed to be radiation tolerant.
- 8) For use of our Products in applications requiring a high degree of reliability (as exemplified below), please contact and consult with a ROHM representative : transportation equipment (i.e. cars, ships, trains), primary communication equipment, traffic lights, fire/crime prevention, safety equipment, medical systems, servers, solar cells, and power transmission systems.
- 9) Do not use our Products in applications requiring extremely high reliability, such as aerospace equipment, nuclear power control systems, and submarine repeaters.
- 10) ROHM shall have no responsibility for any damages or injury arising from non-compliance with the recommended usage conditions and specifications contained herein.
- 11) ROHM has used reasonable care to ensure the accuracy of the information contained in this document. However, ROHM does not warrants that such information is error-free, and ROHM shall have no responsibility for any damages arising from any inaccuracy or misprint of such information.
- 12) Please use the Products in accordance with any applicable environmental laws and regulations, such as the RoHS Directive. For more details, including RoHS compatibility, please contact a ROHM sales office. ROHM shall have no responsibility for any damages or losses resulting non-compliance with any applicable laws or regulations.
- 13) When providing our Products and technologies contained in this document to other countries, you must abide by the procedures and provisions stipulated in all applicable export laws and regulations, including without limitation the US Export Administration Regulations and the Foreign Exchange and Foreign Trade Act.
- 14) This document, in part or in whole, may not be reprinted or reproduced without prior consent of ROHM.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/

General Precaution

- 1. Before you use our Products, you are requested to care fully read this document and fully understand its contents. ROHM shall not be in an y way responsible or liable for failure, malfunction or accident arising from the use of a ny ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this docume nt is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sale s representative.
- 3. The information contained in this doc ument is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate an d/or error-free. ROHM shall not be in an y way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.

Notice – WE © 2015 ROHM Co., Ltd. All rights reserved. Rev.001