TE Internal #: 1-2823448-6

Standard Circular Connectors, Cable-to-Cable, 8 Position, Sealable,

Wire & Cable, Signal, Panel Mount, Nickel, Brass, A Polarization

Code

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > M12 Panel Mount Crimped Strain Relief











Connector System: Cable-to-Cable

Number of Positions: 8

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 2A

All M12 Panel Mount Crimped Strain Relief (4)

# Features

## **Product Type Features**

Product Type	Connector Kit
Connector System	Cable-to-Cable
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Receptacle
Shell Type	Full Metal Shell
Configuration Features	
Number of Positions	8
Contacts Preloaded	No
Electrical Characteristics	
Operating Voltage	30 VDC

1 Gb/s

Data Rate



#### **Body Features**

Environmental Protection Type	Elastomer Sealed
Environmental Protection	Yes
Weight	25 g[.0552 lb]
Shell Plating Material	Nickel
Shell Base Material	Brass
Circular Connector Insulation Material Type	Low Fire Hazard Thermoplastic
Hermetically Sealed	Yes
Contact Features	
Contact Current Rating (Max)	2 A
Circular Connector Contact Type	Socket
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	With
Dimensions	
Compatible Insulation Diameter Range	8.2 mm
Wire Size	22 AWG
Usage Conditions	
IP Water Sealing Level	IP67
IP Dust Sealing Level	6
Operating Temperature Range	-40 – 70 °C, -40 – 85 °C[-40 – 158 °F][-40 – 185 °F]
Operating Temperature Range  Operation/Application	
Operation/Application	185 °F]
Operation/Application  Durability Rating	185 °F] 250 Cycles
Operation/Application  Durability Rating  Circuit Application	185 °F]  250 Cycles  Signal
Operation/Application  Durability Rating  Circuit Application  Shielded	185 °F]  250 Cycles  Signal
Operation/Application  Durability Rating  Circuit Application  Shielded  Industry Standards	185 °F]  250 Cycles  Signal  Yes



#### Other

Field Serviceable	Yes
-------------------	-----

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



















# Customers Also Bought







### **Documents**

### **Product Drawings**

M12 A-F-8 ,CAT 7 RADOX8.2MM,H&S

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-2823448-6\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2823448-6\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2823448-6\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the  $\pmb{\mathsf{Terms}}$  and  $\pmb{\mathsf{Conditions}}$  of use.

### **Datasheets & Catalog Pages**

M12 RAIL CONNECTOR SERIES

English

M12 Rail Straight Connector

English

## **Product Specifications**

**Product Specification** 

Standard Circular Connectors, Cable-to-Cable, 8 Position, Sealable, Wire & Cable, Signal, Panel Mount, Nickel, Brass, A Polarization Code



English