

RJ45 coding rings - VS-08-RJ45-Q-COD-GN - 1658176

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)


Coding rings, for color coding of the RJ45 QUICKON plug-in connector, consisting of 10 color rings, color: Green



Ethernet



Key commercial data

| | |
|------------------------|---|
| Packing unit | 1 PCE |
| Minimum order quantity | 10 PCE |
| GTIN |  4 046356 154420 |
| Custom tariff number | 39269097 |
| Country of origin | SWITZERLAND |

Technical data

Mechanical characteristics

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 80 °C |
|---------------------------------|------------------|

Material data

| | |
|---|----|
| Inflammability class according to UL 94 | V0 |
| Material | PA |

Classifications

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000766 |
| ETIM 4.0 | EC000766 |
| ETIM 5.0 | EC002498 |

RJ45 coding rings - VS-08-RJ45-Q-COD-GN - 1658176

Classifications

UNSPSC

| | |
|---------------|----------|
| UNSPSC 11 | 26121604 |
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 26121616 |
| UNSPSC 6.01 | 26121616 |
| UNSPSC 7.0901 | 26121616 |

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |

Approvals

Approvals

Approvals

UL Listed / cUL Listed / cULus Listed

Ex Approvals

Approvals submitted

Approval details

UL Listed

cUL Listed

RJ45 coding rings - VS-08-RJ45-Q-COD-GN - 1658176

Approvals

