

E

ENG. NO: A-42375-0002/0036					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABA154		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG MATERIAL
2	22-28-4020	A-42375-0002	20	22-28-4200	22-28-4200
3	22-28-4030	A-42375-0003	21	22-28-4210	22-28-4210
4	22-28-4040	A-42375-0004	22	22-28-4220	22-28-4220
5	22-28-4050	A-42375-0005	23	22-28-4230	22-28-4230
6	22-28-4060	A-42375-0006	24	22-28-4240	22-28-4240
7	22-28-4070	A-42375-0007	25	22-28-4250	22-28-4250
8	22-28-4080	A-42375-0008	26	22-28-4260	22-28-4260
9	22-28-4090	A-42375-0009	27	22-28-4270	22-28-4270
10	22-28-4100	A-42375-0010	28	22-28-4280	22-28-4280
11	22-28-4110	A-42375-0011	29	22-28-4290	22-28-4290
12	22-28-4120	A-42375-0012	30	22-28-4300	22-28-4300
13	22-28-4130	A-42375-0013	31	22-28-4310	22-28-4310
14	22-28-4140	A-42375-0014	32	22-28-4320	22-28-4320
15	22-28-4150	A-42375-0015	33	22-28-4330	22-28-4330
16	22-28-4160	A-42375-0016	34	22-28-4340	22-28-4340
17	22-28-4170	A-42375-0017	35	22-28-4350	22-28-4350
18	22-28-4180	A-42375-0018	36	22-28-4360	22-28-4360
19	22-28-4190	A-42375-0019			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0037/0071					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54 Min - 0.218/5.54 Max		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG MATERIAL
2	22-28-4023	A-42375-0037	20	22-28-4203	A-42375-0055
3	22-28-4033	A-42375-0038	21	22-28-4213	A-42375-0056
4	22-28-4043	A-42375-0039	22	22-28-4223	A-42375-0057
5	22-28-4053	A-42375-0040	23	22-28-4233	A-42375-0058
6	22-28-4063	A-42375-0041	24	22-28-4243	A-42375-0059
7	22-28-4073	A-42375-0042	25	22-28-4253	A-42375-0060
8	22-28-4083	A-42375-0043	26	22-28-4263	A-42375-0061
9	22-28-4093	A-42375-0044	27	22-28-4273	A-42375-0062
10	22-28-4103	A-42375-0045	28	22-28-4283	A-42375-0063
11	22-28-4113	A-42375-0046	29	22-28-4293	A-42375-0064
12	22-28-4123	A-42375-0047	30	22-28-4303	A-42375-0065
13	22-28-4133	A-42375-0048	31	22-28-4313	A-42375-0066
14	22-28-4143	A-42375-0049	32	22-28-4323	A-42375-0067
15	22-28-4153	A-42375-0050	33	22-28-4333	A-42375-0068
16	22-28-4163	A-42375-0051	34	22-28-4343	A-42375-0069
17	22-28-4173	A-42375-0052	35	22-28-4353	A-42375-0070
18	22-28-4183	A-42375-0053	36	22-28-4363	A-42375-0071
19	22-28-4193	A-42375-0054			

E

D

C

B

A

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071				molex			
MM/IN		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596				KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY			
4 PLACES ± ±		MM INCH		DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20				PRODUCT CUSTOMER DRAWING			
3 PLACES ± ± 0.01											
2 PLACES ± 0.25 ±				INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27				DOCUMENT NUMBER SD-42375-001 DOC TYPE PSD DOC PART 001 REVISION V			
1 PLACE ± 0.38 ±											
0 PLACES ± ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION DRAWING B-SIZE SERIES 42375 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 35			
ANGULAR TOL ± 0.5 °											

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-0072/0106					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB228		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4026	A-42375-0072	20	22-28-4206	A-42375-0090
3	22-28-4036	A-42375-0073	21	22-28-4216	A-42375-0091
4	22-28-4046	A-42375-0074	22	22-28-4226	A-42375-0092
5	22-28-4056	A-42375-0075	23	22-28-4236	A-42375-0093
6	22-28-4066	A-42375-0076	24	22-28-4246	A-42375-0094
7	22-28-4076	A-42375-0077	25	22-28-4256	A-42375-0095
8	22-28-4086	A-42375-0078	26	22-28-4266	A-42375-0096
9	22-28-4096	A-42375-0079	27	22-28-4276	A-42375-0097
10	22-28-4106	A-42375-0080	28	22-28-4286	A-42375-0098
11	22-28-4116	A-42375-0081	29	22-28-4296	A-42375-0099
12	22-28-4126	A-42375-0082	30	22-28-4306	A-42375-0100
13	22-28-4136	A-42375-0083	31	22-28-4316	A-42375-0101
14	22-28-4146	A-42375-0084	32	22-28-4326	A-42375-0102
15	22-28-4156	A-42375-0085	33	22-28-4336	A-42375-0103
16	22-28-4166	A-42375-0086	34	22-28-4346	A-42375-0104
17	22-28-4176	A-42375-0087	35	22-28-4356	A-42375-0105
18	22-28-4186	A-42375-0088	36	22-28-4366	A-42375-0106
19	22-28-4196	A-42375-0089			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

ENG. NO: A-42375-0107/0141					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATA154		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.120 / 3.05		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4021	A-42375-0107	20	22-28-4201	A-42375-0125
3	22-28-4031	A-42375-0108	21	22-28-4211	A-42375-0126
4	22-28-4041	A-42375-0109	22	22-28-4221	A-42375-0127
5	22-28-4051	A-42375-0110	23	22-28-4231	A-42375-0128
6	22-28-4061	A-42375-0111	24	22-28-4241	A-42375-0129
7	22-28-4071	A-42375-0112	25	22-28-4251	A-42375-0130
8	22-28-4081	A-42375-0113	26	22-28-4261	A-42375-0131
9	22-28-4091	A-42375-0114	27	22-28-4271	A-42375-0132
10	22-28-4101	A-42375-0115	28	22-28-4281	A-42375-0133
11	22-28-4111	A-42375-0116	29	22-28-4291	A-42375-0134
12	22-28-4121	A-42375-0117	30	22-28-4301	A-42375-0135
13	22-28-4131	A-42375-0118	31	22-28-4311	A-42375-0136
14	22-28-4141	A-42375-0119	32	22-28-4321	A-42375-0137
15	22-28-4151	A-42375-0120	33	22-28-4331	A-42375-0138
16	22-28-4161	A-42375-0121	34	22-28-4341	A-42375-0139
17	22-28-4171	A-42375-0122	35	22-28-4351	A-42375-0140
18	22-28-4181	A-42375-0123	36	22-28-4361	A-42375-0141
19	22-28-4191	A-42375-0124			

E

D

C

B

A

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

9	8	7	6	5	4	3	2	1																																																																																																																																																																																											
E	<table><tr><td colspan="6">ENG. NO: A-42375-0142/0176</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ATB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.530 / 13.46</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">320 / 8.13</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.140 / 3.56</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.135 / 3.43</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td>22-28-4024</td><td>A-42375-0142</td><td>20</td><td>22-28-4204</td><td>A-42375-0160</td></tr><tr><td>3</td><td>22-28-4035</td><td>A-42375-0143</td><td>21</td><td>22-28-4214</td><td>A-42375-0161</td></tr><tr><td>4</td><td>22-28-4044</td><td>A-42375-0144</td><td>22</td><td>22-28-4224</td><td>A-42375-0162</td></tr><tr><td>5</td><td>22-28-4054</td><td>A-42375-0145</td><td>23</td><td>22-28-4234</td><td>A-42375-0163</td></tr><tr><td>6</td><td>22-28-4064</td><td>A-42375-0146</td><td>24</td><td>22-28-4244</td><td>A-42375-0164</td></tr><tr><td>7</td><td>22-28-4074</td><td>A-42375-0147</td><td>25</td><td>22-28-4254</td><td>A-42375-0165</td></tr><tr><td>8</td><td>22-28-4084</td><td>A-42375-0148</td><td>26</td><td>22-28-4264</td><td>A-42375-0166</td></tr><tr><td>9</td><td>22-28-4094</td><td>A-42375-0149</td><td>27</td><td>22-28-4274</td><td>A-42375-0167</td></tr><tr><td>10</td><td>22-28-4104</td><td>A-42375-0150</td><td>28</td><td>22-28-4284</td><td>A-42375-0168</td></tr><tr><td>11</td><td>22-28-4114</td><td>A-42375-0151</td><td>29</td><td>22-28-4294</td><td>A-42375-0169</td></tr><tr><td>12</td><td>22-28-4124</td><td>A-42375-0152</td><td>30</td><td>22-28-4304</td><td>A-42375-0170</td></tr><tr><td>13</td><td>22-28-4134</td><td>A-42375-0153</td><td>31</td><td>22-28-4314</td><td>A-42375-0171</td></tr><tr><td>14</td><td>22-28-4144</td><td>A-42375-0154</td><td>32</td><td>22-28-4324</td><td>A-42375-0172</td></tr><tr><td>15</td><td>22-28-4154</td><td>A-42375-0155</td><td>33</td><td>22-28-4334</td><td>A-42375-0173</td></tr><tr><td>16</td><td>22-28-4164</td><td>A-42375-0156</td><td>34</td><td>22-28-4344</td><td>A-42375-0174</td></tr><tr><td>17</td><td>22-28-4174</td><td>A-42375-0157</td><td>35</td><td>22-28-4354</td><td>A-42375-0175</td></tr><tr><td>18</td><td>22-28-4184</td><td>A-42375-0158</td><td>36</td><td>22-28-4364</td><td>A-42375-0176</td></tr><tr><td>19</td><td>22-28-4194</td><td>A-42375-0159</td><td></td><td></td><td></td></tr></table>								ENG. NO: A-42375-0142/0176						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ATB208			PIN LENGTH: L			.530 / 13.46			MATING LENGTH: M			320 / 8.13			GOLD POINT: G			.140 / 3.56			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			.135 / 3.43			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2	22-28-4024	A-42375-0142	20	22-28-4204	A-42375-0160	3	22-28-4035	A-42375-0143	21	22-28-4214	A-42375-0161	4	22-28-4044	A-42375-0144	22	22-28-4224	A-42375-0162	5	22-28-4054	A-42375-0145	23	22-28-4234	A-42375-0163	6	22-28-4064	A-42375-0146	24	22-28-4244	A-42375-0164	7	22-28-4074	A-42375-0147	25	22-28-4254	A-42375-0165	8	22-28-4084	A-42375-0148	26	22-28-4264	A-42375-0166	9	22-28-4094	A-42375-0149	27	22-28-4274	A-42375-0167	10	22-28-4104	A-42375-0150	28	22-28-4284	A-42375-0168	11	22-28-4114	A-42375-0151	29	22-28-4294	A-42375-0169	12	22-28-4124	A-42375-0152	30	22-28-4304	A-42375-0170	13	22-28-4134	A-42375-0153	31	22-28-4314	A-42375-0171	14	22-28-4144	A-42375-0154	32	22-28-4324	A-42375-0172	15	22-28-4154	A-42375-0155	33	22-28-4334	A-42375-0173	16	22-28-4164	A-42375-0156	34	22-28-4344	A-42375-0174	17	22-28-4174	A-42375-0157	35	22-28-4354	A-42375-0175	18	22-28-4184	A-42375-0158	36	22-28-4364	A-42375-0176	19	22-28-4194	A-42375-0159				E
ENG. NO: A-42375-0142/0176																																																																																																																																																																																																			
HEADER NUMBER:			42312-0036																																																																																																																																																																																																
PIN NUMBER:			42663-ATB208																																																																																																																																																																																																
PIN LENGTH: L			.530 / 13.46																																																																																																																																																																																																
MATING LENGTH: M			320 / 8.13																																																																																																																																																																																																
GOLD POINT: G			.140 / 3.56																																																																																																																																																																																																
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																
TIN: T			.135 / 3.43																																																																																																																																																																																																
CKTS:			2-36																																																																																																																																																																																																
KINKS:			NO																																																																																																																																																																																																
VOIDED CKTS:			NONE																																																																																																																																																																																																
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																														
2	22-28-4024	A-42375-0142	20	22-28-4204	A-42375-0160																																																																																																																																																																																														
3	22-28-4035	A-42375-0143	21	22-28-4214	A-42375-0161																																																																																																																																																																																														
4	22-28-4044	A-42375-0144	22	22-28-4224	A-42375-0162																																																																																																																																																																																														
5	22-28-4054	A-42375-0145	23	22-28-4234	A-42375-0163																																																																																																																																																																																														
6	22-28-4064	A-42375-0146	24	22-28-4244	A-42375-0164																																																																																																																																																																																														
7	22-28-4074	A-42375-0147	25	22-28-4254	A-42375-0165																																																																																																																																																																																														
8	22-28-4084	A-42375-0148	26	22-28-4264	A-42375-0166																																																																																																																																																																																														
9	22-28-4094	A-42375-0149	27	22-28-4274	A-42375-0167																																																																																																																																																																																														
10	22-28-4104	A-42375-0150	28	22-28-4284	A-42375-0168																																																																																																																																																																																														
11	22-28-4114	A-42375-0151	29	22-28-4294	A-42375-0169																																																																																																																																																																																														
12	22-28-4124	A-42375-0152	30	22-28-4304	A-42375-0170																																																																																																																																																																																														
13	22-28-4134	A-42375-0153	31	22-28-4314	A-42375-0171																																																																																																																																																																																														
14	22-28-4144	A-42375-0154	32	22-28-4324	A-42375-0172																																																																																																																																																																																														
15	22-28-4154	A-42375-0155	33	22-28-4334	A-42375-0173																																																																																																																																																																																														
16	22-28-4164	A-42375-0156	34	22-28-4344	A-42375-0174																																																																																																																																																																																														
17	22-28-4174	A-42375-0157	35	22-28-4354	A-42375-0175																																																																																																																																																																																														
18	22-28-4184	A-42375-0158	36	22-28-4364	A-42375-0176																																																																																																																																																																																														
19	22-28-4194	A-42375-0159																																																																																																																																																																																																	
D									D																																																																																																																																																																																										
C									C																																																																																																																																																																																										
B									B																																																																																																																																																																																										
A	<table><tr><td colspan="6">ENG. NO: A-42375-0177/0211</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ATB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.530 / 13.46</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">320 / 8.13</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.140 / 3.56</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.135 / 3.43</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td>22-28-4027</td><td>A-42375-0177</td><td>20</td><td>22-28-4207</td><td>A-42375-0195</td></tr><tr><td>3</td><td>22-28-4037</td><td>A-42375-0178</td><td>21</td><td>22-28-4217</td><td>A-42375-0196</td></tr><tr><td>4</td><td>22-28-4047</td><td>A-42375-0179</td><td>22</td><td>22-28-4227</td><td>A-42375-0197</td></tr><tr><td>5</td><td>22-28-4057</td><td>A-42375-0180</td><td>23</td><td>22-28-4237</td><td>A-42375-0198</td></tr><tr><td>6</td><td>22-28-4067</td><td>A-42375-0181</td><td>24</td><td>22-28-4247</td><td>A-42375-0199</td></tr><tr><td>7</td><td>22-28-4077</td><td>A-42375-0182</td><td>25</td><td>22-28-4257</td><td>A-42375-0200</td></tr><tr><td>8</td><td>22-28-4087</td><td>A-42375-0183</td><td>26</td><td>22-28-4267</td><td>A-42375-0201</td></tr><tr><td>9</td><td>22-28-4097</td><td>A-42375-0184</td><td>27</td><td>22-28-4277</td><td>A-42375-0202</td></tr><tr><td>10</td><td>22-28-4107</td><td>A-42375-0185</td><td>28</td><td>22-28-4287</td><td>A-42375-0203</td></tr><tr><td>11</td><td>22-28-4117</td><td>A-42375-0186</td><td>29</td><td>22-28-4297</td><td>A-42375-0204</td></tr><tr><td>12</td><td>22-28-4127</td><td>A-42375-0187</td><td>30</td><td>22-28-4307</td><td>A-42375-0205</td></tr><tr><td>13</td><td>22-28-4137</td><td>A-42375-0188</td><td>31</td><td>22-28-4317</td><td>A-42375-0206</td></tr><tr><td>14</td><td>22-28-4147</td><td>A-42375-0189</td><td>32</td><td>22-28-4327</td><td>A-42375-0207</td></tr><tr><td>15</td><td>22-28-4157</td><td>A-42375-0190</td><td>33</td><td>22-28-4337</td><td>A-42375-0208</td></tr><tr><td>16</td><td>22-28-4167</td><td>A-42375-0191</td><td>34</td><td>22-28-4347</td><td>A-42375-0209</td></tr><tr><td>17</td><td>22-28-4177</td><td>A-42375-0192</td><td>35</td><td>22-28-4357</td><td>A-42375-0210</td></tr><tr><td>18</td><td>22-28-4187</td><td>A-42375-0193</td><td>36</td><td>22-28-4367</td><td>A-42375-0211</td></tr><tr><td>19</td><td>22-28-4197</td><td>A-42375-0194</td><td></td><td></td><td></td></tr></table>								ENG. NO: A-42375-0177/0211						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ATB208			PIN LENGTH: L			.530 / 13.46			MATING LENGTH: M			320 / 8.13			GOLD POINT: G			.140 / 3.56			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			.135 / 3.43			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2	22-28-4027	A-42375-0177	20	22-28-4207	A-42375-0195	3	22-28-4037	A-42375-0178	21	22-28-4217	A-42375-0196	4	22-28-4047	A-42375-0179	22	22-28-4227	A-42375-0197	5	22-28-4057	A-42375-0180	23	22-28-4237	A-42375-0198	6	22-28-4067	A-42375-0181	24	22-28-4247	A-42375-0199	7	22-28-4077	A-42375-0182	25	22-28-4257	A-42375-0200	8	22-28-4087	A-42375-0183	26	22-28-4267	A-42375-0201	9	22-28-4097	A-42375-0184	27	22-28-4277	A-42375-0202	10	22-28-4107	A-42375-0185	28	22-28-4287	A-42375-0203	11	22-28-4117	A-42375-0186	29	22-28-4297	A-42375-0204	12	22-28-4127	A-42375-0187	30	22-28-4307	A-42375-0205	13	22-28-4137	A-42375-0188	31	22-28-4317	A-42375-0206	14	22-28-4147	A-42375-0189	32	22-28-4327	A-42375-0207	15	22-28-4157	A-42375-0190	33	22-28-4337	A-42375-0208	16	22-28-4167	A-42375-0191	34	22-28-4347	A-42375-0209	17	22-28-4177	A-42375-0192	35	22-28-4357	A-42375-0210	18	22-28-4187	A-42375-0193	36	22-28-4367	A-42375-0211	19	22-28-4197	A-42375-0194				A
ENG. NO: A-42375-0177/0211																																																																																																																																																																																																			
HEADER NUMBER:			42312-0036																																																																																																																																																																																																
PIN NUMBER:			42663-ATB208																																																																																																																																																																																																
PIN LENGTH: L			.530 / 13.46																																																																																																																																																																																																
MATING LENGTH: M			320 / 8.13																																																																																																																																																																																																
GOLD POINT: G			.140 / 3.56																																																																																																																																																																																																
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																
TIN: T			.135 / 3.43																																																																																																																																																																																																
CKTS:			2-36																																																																																																																																																																																																
KINKS:			NO																																																																																																																																																																																																
VOIDED CKTS:			NONE																																																																																																																																																																																																
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																														
2	22-28-4027	A-42375-0177	20	22-28-4207	A-42375-0195																																																																																																																																																																																														
3	22-28-4037	A-42375-0178	21	22-28-4217	A-42375-0196																																																																																																																																																																																														
4	22-28-4047	A-42375-0179	22	22-28-4227	A-42375-0197																																																																																																																																																																																														
5	22-28-4057	A-42375-0180	23	22-28-4237	A-42375-0198																																																																																																																																																																																														
6	22-28-4067	A-42375-0181	24	22-28-4247	A-42375-0199																																																																																																																																																																																														
7	22-28-4077	A-42375-0182	25	22-28-4257	A-42375-0200																																																																																																																																																																																														
8	22-28-4087	A-42375-0183	26	22-28-4267	A-42375-0201																																																																																																																																																																																														
9	22-28-4097	A-42375-0184	27	22-28-4277	A-42375-0202																																																																																																																																																																																														
10	22-28-4107	A-42375-0185	28	22-28-4287	A-42375-0203																																																																																																																																																																																														
11	22-28-4117	A-42375-0186	29	22-28-4297	A-42375-0204																																																																																																																																																																																														
12	22-28-4127	A-42375-0187	30	22-28-4307	A-42375-0205																																																																																																																																																																																														
13	22-28-4137	A-42375-0188	31	22-28-4317	A-42375-0206																																																																																																																																																																																														
14	22-28-4147	A-42375-0189	32	22-28-4327	A-42375-0207																																																																																																																																																																																														
15	22-28-4157	A-42375-0190	33	22-28-4337	A-42375-0208																																																																																																																																																																																														
16	22-28-4167	A-42375-0191	34	22-28-4347	A-42375-0209																																																																																																																																																																																														
17	22-28-4177	A-42375-0192	35	22-28-4357	A-42375-0210																																																																																																																																																																																														
18	22-28-4187	A-42375-0193	36	22-28-4367	A-42375-0211																																																																																																																																																																																														
19	22-28-4197	A-42375-0194																																																																																																																																																																																																	
<table><tr><td colspan="2">DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2021/12/20</td><td>12:18:33</td></tr></table>									DOCUMENT STATUS		P1	RELEASE DATE	2021/12/20	12:18:33	<table><tr><td colspan="2">SYMBOLS</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td rowspan="2"></td><td rowspan="2">= 0</td><td>DIMENSION UNITS</td><td colspan="2">SCALE</td><td rowspan="5">CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</td></tr><tr><td>MM/IN</td><td colspan="2">1:1</td></tr><tr><td></td><td>= 0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>= 0</td><td></td><td>MM</td><td>INCH</td></tr><tr><td></td><td>= 0</td><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td></td><td>= 0</td><td>3 PLACES</td><td>±</td><td>± 0.01</td><td rowspan="3">EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20</td></tr><tr><td></td><td>= 0</td><td>2 PLACES</td><td>± 0.25</td><td>±</td></tr><tr><td></td><td>= 0</td><td>1 PLACE</td><td>± 0.38</td><td>±</td></tr><tr><td></td><td>= 0</td><td>0 PLACES</td><td>±</td><td>±</td><td rowspan="2">INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27</td></tr><tr><td></td><td>= 0</td><td colspan="2">ANGULAR TOL</td><td>± 0.5 °</td></tr><tr><td></td><td>= 0</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION </td><td>DRAWING B-SIZE</td></tr><tr><td></td><td>= 0</td><td colspan="2" rowspan="2"></td><td>SERIES 42375</td><td></td></tr></table>			SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					= 0	DIMENSION UNITS	SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071	MM/IN	1:1			= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				= 0		MM	INCH		= 0	4 PLACES	±	±		= 0	3 PLACES	±	± 0.01	EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20		= 0	2 PLACES	± 0.25	±		= 0	1 PLACE	± 0.38	±		= 0	0 PLACES	±	±	INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27		= 0	ANGULAR TOL		± 0.5 °		= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING B-SIZE		= 0			SERIES 42375		<table><tr><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">SD-42375-001</td><td>PSD</td><td>001</td><td>V</td></tr><tr><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td>4 OF 35</td></tr></table>			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-42375-001		PSD	001	V	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	SEE CHART		GENERAL MARKET		4 OF 35																																																																																						
DOCUMENT STATUS		P1	RELEASE DATE	2021/12/20	12:18:33																																																																																																																																																																																														
SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																	
	= 0	DIMENSION UNITS	SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071																																																																																																																																																																																														
		MM/IN	1:1																																																																																																																																																																																																
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																	
	= 0		MM	INCH																																																																																																																																																																																															
	= 0	4 PLACES	±	±																																																																																																																																																																																															
	= 0	3 PLACES	±	± 0.01	EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20																																																																																																																																																																																														
	= 0	2 PLACES	± 0.25	±																																																																																																																																																																																															
	= 0	1 PLACE	± 0.38	±																																																																																																																																																																																															
	= 0	0 PLACES	±	±	INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27																																																																																																																																																																																														
	= 0	ANGULAR TOL		± 0.5 °																																																																																																																																																																																															
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	DRAWING B-SIZE																																																																																																																																																																																														
	= 0			SERIES 42375																																																																																																																																																																																															
DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION																																																																																																																																																																																													
SD-42375-001		PSD	001	V																																																																																																																																																																																															
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																															
SEE CHART		GENERAL MARKET		4 OF 35																																																																																																																																																																																															
9	8	7	6	5	4	3	2	1																																																																																																																																																																																											

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-0282/0316					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AMB228		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4028	A-42375-0282	20	22-28-4208	A-42375-0300
3	22-28-4038	A-42375-0283	21	22-28-4218	A-42375-0301
4	22-28-4048	A-42375-0284	22	22-28-4228	A-42375-0302
5	22-28-4058	A-42375-0285	23	22-28-4238	A-42375-0303
6	22-28-4068	A-42375-0286	24	22-28-4248	A-42375-0304
7	22-28-4078	A-42375-0287	25	22-28-4258	A-42375-0305
8	22-28-4088	A-42375-0288	26	22-28-4268	A-42375-0306
9	22-28-4098	A-42375-0289	27	22-28-4278	A-42375-0307
10	22-28-4108	A-42375-0290	28	22-28-4288	A-42375-0308
11	22-28-4118	A-42375-0291	29	22-28-4298	A-42375-0309
12	22-28-4128	A-42375-0292	30	22-28-4308	A-42375-0310
13	22-28-4138	A-42375-0293	31	22-28-4318	A-42375-0311
14	22-28-4148	A-42375-0294	32	22-28-4328	A-42375-0312
15	22-28-4158	A-42375-0295	33	22-28-4338	A-42375-0313
16	22-28-4168	A-42375-0296	34	22-28-4348	A-42375-0314
17	22-28-4178	A-42375-0297	35	22-28-4358	A-42375-0315
18	22-28-4188	A-42375-0298	36	22-28-4368	A-42375-0316
19	22-28-4198	A-42375-0299			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

ENG. NO: A-42375-0317/0351					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADA154		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5020	A-42375-0317	20	22-28-5200	A-42375-0335
3	22-28-5030	A-42375-0318	21	22-28-5201	A-42375-0336
4	22-28-5040	A-42375-0319	22	22-28-5202	A-42375-0337
5	22-28-5050	A-42375-0320	23	22-28-5203	A-42375-0338
6	22-28-5060	A-42375-0321	24	22-28-5204	A-42375-0339
7	22-28-5070	A-42375-0322	25	22-28-5205	A-42375-0340
8	22-28-5080	A-42375-0323	26	22-28-5206	A-42375-0341
9	22-28-5090	A-42375-0324	27	22-28-5207	A-42375-0342
10	22-28-5100	A-42375-0325	28	22-28-5208	A-42375-0343
11	22-28-5110	A-42375-0326	29	22-28-5209	A-42375-0344
12	22-28-5120	A-42375-0327	30	22-28-5300	A-42375-0345
13	22-28-5130	A-42375-0328	31	22-28-5310	A-42375-0346
14	22-28-5140	A-42375-0329	32	22-28-5320	A-42375-0347
15	22-28-5150	A-42375-0330	33	22-28-5330	A-42375-0348
16	22-28-5160	A-42375-0331	34	22-28-5340	A-42375-0349
17	22-28-5170	A-42375-0332	35	22-28-5350	A-42375-0350
18	22-28-5180	A-42375-0333	36	22-28-5360	A-42375-0351
19	22-28-5190	A-42375-0334			

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	DIMENSION UNITS MM/IN	SCALE 1:1		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071		molex
	GENERAL TOLERANCES (UNLESS SPECIFIED)					
		MM	INCH	EC NO: 689596		
	4 PLACES	±	±	DRWN: SHRUTJ	2021/09/14	
	3 PLACES	±	± 0.01	CHK'D: SHRUTJ	2021/12/20	KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY
	2 PLACES	± 0.25	±	APPR: ISHWARG	2021/12/20	
	1 PLACE	± 0.38	±	INITIAL REVISION:		PRODUCT CUSTOMER DRAWING
	0 PLACES	±	±	DRWN: SCHAFFER	2003/02/11	
	ANGULAR TOL		± 0.5 °	APPR: MARGULIS	2004/02/27	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION 	DRAWING B-SIZE	SHEET NUMBER 6 OF 35
				SERIES 42375	MATERIAL NUMBER SEE CHART	CUSTOMER GENERAL MARKET
				DOCUMENT NUMBER SD-42375-001		DOC TYPE PSD
						DOC PART 001
						REVISION V

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-1105/1139					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			4		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	42375-1105	A-42375-1105	20	42375-1123	A-42375-1123
3	42375-1106	A-42375-1106	21	42375-1124	A-42375-1124
4	42375-1107	A-42375-1107	22	42375-1125	A-42375-1125
5	42375-1108	A-42375-1108	23	42375-1126	A-42375-1126
6	42375-1109	A-42375-1109	24	42375-1127	A-42375-1127
7	42375-1110	A-42375-1110	25	42375-1128	A-42375-1128
8	42375-1111	A-42375-1111	26	42375-1129	A-42375-1129
9	42375-1112	A-42375-1112	27	42375-1130	A-42375-1130
10	42375-1113	A-42375-1113	28	42375-1131	A-42375-1131
11	42375-1114	A-42375-1114	29	42375-1132	A-42375-1132
12	42375-1115	A-42375-1115	30	42375-1133	A-42375-1133
13	42375-1116	A-42375-1116	31	42375-1134	A-42375-1134
14	42375-1117	A-42375-1117	32	42375-1135	A-42375-1135
15	42375-1118	A-42375-1118	33	42375-1136	A-42375-1136
16	42375-1119	A-42375-1119	34	42375-1137	A-42375-1137
17	42375-1120	A-42375-1120	35	42375-1138	A-42375-1138
18	42375-1121	A-42375-1121	36	42375-1139	A-42375-1139
19	42375-1122	A-42375-1122			

D

C

B

A

ENG. NO: 42375-1244/1278			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.125 / 3.18	
TIN: T		OVERALL	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		2	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	MATERIAL NUMBER
2	42375-1244	20	42375-1262
3	42375-1245	21	42375-1263
4	42375-1246	22	42375-1264
5	42375-1247	23	42375-1265
6	42375-1248	24	42375-1266
7	42375-1249	25	42375-1267
8	42375-1250	26	42375-1268
9	42375-1251	27	42375-1269
10	42375-1252	28	42375-1270
11	42375-1253	29	42375-1271
12	42375-1254	30	42375-1272
13	42375-1255	31	42375-1273
14	42375-125 6	32	42375-1274
15	42375-1257	33	42375-1275
16	42375-1258	34	42375-1276
17	42375-1259	35	42375-1277
18	42375-1260	36	42375-1278
19	42375-1261		

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071 EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20 INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27				molex KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY			
GENERAL TOLERANCES (UNLESS SPECIFIED)											
	MM	INCH									
	4 PLACES ±	±									
	3 PLACES ±	± 0.01									
	2 PLACES ±	± 0.25 ±									
	1 PLACE ±	± 0.38 ±	DOCUMENT NUMBER SD-42375-001					DOC TYPE		DOC PART	REVISION
	0 PLACES ±	±					PSD		001	V	
	ANGULAR TOL ± 0.5 °			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					B-SIZE	42375	SEE CHART		GENERAL MARKET	14 OF 35

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

[illegible]

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
5	42375-4130	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4	42375-4164	22	
5	42375-4165	23	
6		24	
7		25	
8		26	
9		27	
10	42375-4170	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

[illegible]

