

Data sheet | Item number: 281-483

Jumper; 3-way; insulated; gray

www.wago.com/281-483



Data

Physical data

Width	18 mm / 0.709 inches
Height	5 mm / 0.197 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Jumper assignment

1-2-3

Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.07 MJ
Weight	2.5 g

Commercial data

eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4044918524254
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Optional accessories

Tool

Operating tool

Item no.: 280-433

Operating tool; made of insulating material; 3-way

www.wago.com/280-433

Downloads

Documentation

Bid Text

281-483

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



281-483 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
281-483 doc - Datei	2017 年4月28 日	doc 24.6 kB	Download
Additional Information		pdf 2.3 MB	Download

CAD/CAE-Data

CAD data

2D/3D Models 281-483		URL	Download
----------------------	--	-----	----------

CAE data

WSCAD Universe 281-483		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 281-483		URL	Download
----------------------	--	-----	----------

EPLAN Data Portal 281-483		URL	Download
---------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 281-483 Jumper; 3-way; insulated; gray		URL	Download
--	--	-----	----------

Installation Notes

Commoning

Subject to changes. Please also observe the further product documentation!



Commoning using comb-style jumper bars.

Push comb-style jumper bars down until fully inserted.

Commoning



4-conductor through terminal blocks, angled type,

formation of groups with 3-way, comb-style jumper bars

Commoning

Subject to changes. Please also observe the further product documentation!



Carrier terminal blocks with component plugs,
alternate comb-style jumper bars,
3-way comb-style jumper bar

Commoning



Commoning front-entry disconnect terminal
blocks via comb-style jumper bar using a 10-
pole operating tool

Subject to changes. Please also observe the further product documentation!