


REVISIONS		
REV	DESCRIPTION	DATE
R	REVISED PER DCR NO. R060216	03/30/2006
R1	REVISED PER ECO-10-000443	15JAN10



- 1. TUBING VFP21 MARKED AS SHOWN IN WHITE CHARACTERS ON SURFACE INDICATED.
- 2. TUBING VFP21 IS UL RECOGNIZED, IS RATED 125°C [257°F], 600 V AND MEETS VW-1 FLAME TEST.
- 3. TUBING VFP21 IS CSA CERTIFIED AND MEETS VW-1 FLAME TEST.
- 4. TUBING FP21 IS UNMARKED AND MEETS REQUIREMENTS OF AMS-DTL-23053/5-107-0
- 5. WEIGHT PER LINEAR FOOT/304.8 mm:  
3.40 g/.0074 lbs.
- 6. MATERIAL: BLACK POLYOLEFIN
- 7. OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

7	4	4	19.1 ± 3.05 [.75 ± .12]	1-603327-7
	4	4	61 m [200 ft ] MINIMUM	1-603327-1
7	4	4	38.1 [1.50]	603327-6
	1	2 3	304.8 ± 6.35 [12.00 ± .25]	603327-4
	4	4	1.22 m [4 ft ] MINIMUM	603327-3
	1	2 3	61 m [200 ft ] MINIMUM	603327-2
	1	2 3	1.22 m [4 ft ] MINIMUM	603327-1
	MARKING	NOTES	LENGTH L	PART NUMBER

SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN mm. INCH DIMENSIONS ARE IN BRACKETS.	DRAWN	UNGUYEN	03/30/2006	<b>tyco</b> Tyco Electronics Corporation 300 Constitution Drive Menlo Park, CA. USA 94025 <b>Raychem</b>
	APPROVED	JBROOKS	03/30/2006	
DECIMALS	CAD NAME			TITLE
.XX ± .01 [.0004 in ]	R060216			
.X ± .1 [.004 in ]	THIRD ANGLE PROJECTION			SIZE
ANGLES				CODE IDENT. NO.
.X ± 0.5 DEG				DWG. NO.
				B 06090
				603327
				DO NOT SCALE THIS DRAWING
				SHEET 1 OF 1