

**Data sheet | Item number: 769-303**

End and intermediate plate; 1.1 mm thick; gray

[www.wago.com/769-303](http://www.wago.com/769-303)



**Data**

**Physical data**

Width	1.1 mm / 0.043 inches
Height	87.2 mm / 3.433 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	24.1 mm / 0.949 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.067 MJ
Weight	2.2 g

## Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332327459
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block

**Item no.: 769-171/000-006**2-conductor/2-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 4 mm<sup>2</sup>; CAGE CLAMP®; 4,00 mm<sup>2</sup>; blue[www.wago.com/769-171/000-006](http://www.wago.com/769-171/000-006)**Item no.: 769-171**2-conductor/2-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 4 mm<sup>2</sup>; CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-171](http://www.wago.com/769-171)

Shield termination

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 769-211**2-conductor/2-pin carrier terminal block; with shield contact; for DIN-rail 35 x 15 and 35 x 7.5; 4 mm<sup>2</sup>;[www.wago.com/769-211](http://www.wago.com/769-211)CAGE CLAMP®; 4,00 mm<sup>2</sup>; gray

Ground terminal block

**Item no.: 769-217**2-conductor/2-pin ground carrier terminal block; 4 mm<sup>2</sup>; for DIN-rail 35 x 15 and 35 x 7.5; CAGE[www.wago.com/769-217](http://www.wago.com/769-217)CLAMP®; 4,00 mm<sup>2</sup>; green-yellow**Downloads****Documentation****Bid Text**

769-303 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

769-303 doc - Datei	2017 年5月23 日	doc 22.5 kB	Download
------------------------	--------------	----------------	----------

**Additional Information**

		pdf 2.3 MB	Download
--	--	---------------	----------

**CAD/CAE-Data****CAD data**

2D/3D Models 769-303		URL	Download
----------------------	--	-----	----------

**CAE data**

ZUKEN Portal 769-303		URL	Download
----------------------	--	-----	----------

WSCAD Universe 769-303		URL	Download
------------------------	--	-----	----------

EPLAN Data Portal 769-303		URL	Download
---------------------------	--	-----	----------

**Environmental Product Compliance****Compliance Search**

Environmental Product Compliance 769-303 End and intermediate plate; 1.1 mm thick; gray		URL	Download
--	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Installation Notes

## Product family

X-COM

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!