


## PIDG

TE Internal #: 6-1377174-4 PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG

### View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab Mating Tab Width: 6.35 mm [ .25 in ] Mating Tab Thickness: .81 mm [ .032 in ]

Termination Method to Printed Circuit Board: Through Hole - Screw

Terminal Plating Material: Unplated

## Features



## **Product Type Features**

Terminal Features	Stud Hole					
Contact Features						
PCB Terminal Type	Tab					
Mating Tab Width	6.35 mm[.25 in]					
Mating Tab Thickness	.81 mm[.032 in]					
Terminal Plating Material	Unplated					
Terminal Size	.25					
Terminal Orientation	45 Bend					
Termination Features						
Termination Method to Printed Circuit Board	Through Hole - Screw					
Product Terminates To	Printed Circuit Board					
Dimensions						
Stud Diameter	5.2 mm					

## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG



## **Usage Conditions**

Insulation Option	Uninsulated			
Operating Temperature Range	170 °C[338 °F]			
Packaging Features				
Packaging Quantity	50			
Packaging Method	Box			

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG






# Also in the Series | PIDG



Knife Disconnects(11)	PCB Terminals(9)	Quick Disconnects(49)	Ring Terminals & Spade Terminals(861)



# Customers Also Bought



## 6-1377174-4

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], Through Hole - Screw, Unplated Plating, Box, Terminates To Printed Circuit Board, PIDG



## Documents

**Product Drawings** SMP 0-0181948-1

English

## **CAD** Files

3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_6-1377174-4\_C1.2d\_dxf.zip English **Customer View Model** ENG\_CVM\_CVM\_6-1377174-4\_C1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1377174-4\_C1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages

RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English

**Product Specifications** 

Application Specification

English