

PIDG

TE Internal #: 53546-1

Splices, Butt Splice, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Serrated, .029 in [.73 mm] Barrel Inside Diameter, 202 – 810 CMA

Wire Size, PIDG

View on TE.com >



Terminals & Splices > Splices > PIDG Butt Splices



Wire Size: .12 – .4 mm²

Sealable: No

Splice Features: Serrated

Compatible Insulation Diameter Range: 2.09 mm [.082 in]

All PIDG Butt Splices (28)

Features

Product Type Features

Sealable	No
Splice Type	Butt Splice
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Insulation Support Sleeve Material	Copper
Insulation Material	PVF2
Splice Features	Serrated
Contact Features	
Military Part Class	Class I

Tin-Lead

Terminal Plating Material



Contact Base Material	Copper
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	202 – 810 CMA
Compatible Insulation Diameter Range	2.09 mm[.082 in]
Barrel Inside Diameter	.73 mm[.029 in]
Product Length	22.61 mm[.89 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	150 °C[302 °F]
Industry Standards	
Government Qualified Splice	Yes
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | PIDG



Compression Connectors(17)



Crimp Terminal Housings(1)



Crimp Wire Pins, Tabs & Ferrules(40)



Hand Crimping Tools(2)



Knife Disconnects(11)



PCB Terminals(9)





Quick Disconnects(49)




Ring Terminals & Spade Terminals(861)











Documents

Product Drawings

SPLICE BUTT PVF2 PIDG 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_53546-1_P.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_53546-1_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_53546-1_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Product Specifications

Application Specification

English