


7 6 5 4 3 2 1



- NOTES:
1. DUST CAPS ARE NOT SHOWN
 2. PER CHANNEL 850nm,
 $IL \leq 0.5dB$ ($L < 30M$)
 $IL \leq 0.5 + 0.003 \times L$ ($L \geq 30M$)

ENTER DESCRIPTION	EC NO: DG2009-0118	2009/06/06
	DRWN:XPCHEN	2009/06/06
	CHKD:	
	APPR:JOWANG	2009/06/08
REV	DESCRIPTION	
B		

QUALITY SYMBOLS	$\blacktriangledown = 0$
	$\triangleleft = 0$

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	\pm --- \pm ---
3 PLACES	\pm --- \pm ---
2 PLACES	\pm --- \pm ---
1 PLACE	\pm --- \pm ---
ANGULAR \pm --- °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

885243042	LCD-LCD DUP MM 50/125 3MM 3M-OR	3000(+200/-0)
885243040	LCD-LCD DUP MM 50/125 3MM 1M-OR	1000(+100/-0)
MX P/N	DESCRIPTION	LENGTH

DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
DRAWN BY XP	DATE 2008/07/23	TITLE LC-LC DUP MM 50/125 3MM		
CHECKED BY LISA	DATE 2008/07/23	MOLEX INCORPORATED		
APPROVED BY JOHNNY	DATE 2008/07/23			
MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-88524-020	SHEET NO. 1 OF 1		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

6 5 4 3 2 1